ENVIRONMENTAL ASSESSMENT OF ALTERNATIVE MANAGEMENT PLANS

MONTGOMERY PASS WILDHORSE MANAGEMENT TERRITORY

SEPTEMBER 30, 1978

REVISED

MAY 20, 1979

U.S. FOREST SERVICE

BRIDGEPORT RANGER DISTRICT - TOIYABE NATIONAL FOREST

BUREAU OF LAND MANAGEMENT

CARSON CITY DISTRICT - NEVADA

BAKERSFIELD DISTRICT - CALIFORNIA

ENVIRONMENTAL ASSESSMENT OF ALTERNATIVE MANAGEMENT PLANS

MONTGOMERY PASS WILDHORSE MANAGEMENT TE

SEPTEMBER 30, 1978

REVISED

MAY 20, 1979

U.S. FOREST SERVICE

BRIDGEPORT RANGER DISTRICT - TOIYABE NATION MONO LAKE RANGER DISTRICT - INYO NATIONAL F

BUREAU OF LAND MANAGEMENT

CARSON CITY DISTRICT - NEVADA

BAKERSFIELD DISTRICT - CALIFORNIA

ENVIRONMENTAL ASSESSMENT OF MONTGOMERY PASS WILDHORSE MANAGEMENT TERRITORY

PREPARED BY:

BARRY DAVIS

BARRY DAVIS - RESOURCE OFFICER BRIDGEPORT R.D. - TOIYABE N.F.

19 /DATI

AND

BILL HARVEY - RESOURCE OFFICER MONO LAKE R.D. - INYO N.F.

DATE

DATE

DATÉ

APPROVED BY:

ROBERT L. RICE - FOREST SUPERVISOR INYO NATIONAL FOREST

FRANK J. FERRARELLI - FOREST SUPERVISOR TOIYABE NATIONAL FOREST

DATE

ED ROWLAND - STATE DIRECTOR B.L.M. - NEVADA

ED HASTY - STATE DIRECTOR B.L.M. - CALIFORNIA

ENVIRONMENTAL ASSESSMENT OF

MONTGOMERY PASS WILDHORSE MANAGEMENT TERRITORY

PREPARED	BY:

D۵

BARRY DAVIS - RESOURCE OFFICER BRIDGEPORT R.D. - TOIYABE N.F.

AND

BILL HARVEY - RESOURCE OFFICER MONO LAKE R.D. - INYO N.F.

DATE

DATE

DATE

APPROVED BY:

ROBERT L. RICE - FOREST SUPERVISOR INYO NATIONAL FOREST

FRANK J. FERRARELLI - FOREST SUPERVISOR TOIYABE NATIONAL FOREST

ED ROWLAND - STATE DIRECTOR B.L.M. - NEVADA DATE

ED HASTY - STATE DIRECTOR B.L.M. - CALIFORNIA

TABLE OF CONTENTS

Ι.	INTRODUCTION	1
	A. HISTORY	5
II.	OBJECTIVES	7
III.	ENVIRONMENTAL SETTING	8
	A. AIR B. CLIMATE C. SOILS WATER WILDLIFE WILDLIFE GEOLOGY G. VEGETATION H. SPECIAL AND UNIQUE FEATURES I. VISUAL RESOURCE J. WILDERNESS AND ROADLESS AREAS K. WILDHORSES 1. HERD CHARACTERISTICS 2. FOLLOWING INSTINCT 3. SHADE TREES 4. WATER HOLE BEHAVIOR 5. AVAILABLE FORAGE	8 9 9 9 16 17 17 17 18 18 20 20 20 20
	6. FOOD HABITS	21 22 23 24 25 25 25
IV.	EVALUATION CRITERIA	25
۷.	ALTERNATIVES	27
VI.	EFFECTS OF IMPLEMENTATION AND THE EVALUATION OF ALTERNATIVES	27
VII.	IDENTIFICATION OF PREFERRED ALTERNATIVE	32

.

Page

TABLE OF CONTENTS

		<u>Page</u>
I.	INTRODUCTION	1
	A. HISTORY	5
II.	OBJECTIVES	7
III.	ENVIRONMENTAL SETTING	8
	A. AIR	8
	B. CLIMATE	8
	C. SOILS	9
	D. WATER	9
	E. WILDLIFE	9
	F. GEOLOGY	16
	G. VEGETATION	16
	H. SPECIAL AND UNIQUE FEATURES	17
	I. VISUAL RESOURCE	17
	J. WILDERNESS AND ROADLESS AREAS	17
	K. WILDHORSES	18
	1. HERD CHARACTERISTICS	18
	2. Following Instinct	20
	3. SHADE TREES	20
	4. WATER HOLE BEHAVIOR	20
	5. AVAILABLE FORAGE	20
	6. FOOD HABITS	21
	L. SAFETY	22
	M. WATERSHED	22
	N. LIVESTOCK GRAZING	23
	0. RANGE CONDITION	24
	P. ARCHAEOLOGY	25
	Q. RESEARCH AND ADMINISTRATIVE STUDIES	25
	R. FIRE MANAGEMENT	25
IV.	EVALUATION CRITERIA	25
۷.	ALTERNATIVES	27
VI.	EFFECTS OF IMPLEMENTATION AND THE EVALUATION OF ALTERNATIVES	27
VII.	IDENTIFICATION OF PREFERRED ALTERNATIVE	32

I. INTRODUCTION

THE MONTGOMERY PASS WILDHORSE TERRITORY COVERS AN EXPANSE OF 207,921 ACRES, AND IS LOCATED EAST OF MONO LAKE IN THE SOUTH PORTION OF THE EXCELSIOR MOUNTAINS. TO THE NORTHWEST IS HIGHWAY 167, WHICH IS KNOWN LOCALLY AS 'THE POLELINE ROAD'. FROM ITS JUNCTION AT STATE HIGHWAY 395 IT EXTENDS EASTWARD AND THEN A NORTHWARD SWEEPING ARC TO HAWTHORNE, NV.

TO THE SOUTHEAST IS HIGHWAY 6, WHICH ORIGINATES AT BISHOP, CALIFORNIA. IT CROSSES THE NORTH END OF THE WHITE MOUNTAIN RANGE AT MONTGOMERY PASS WHICH HAS AN APPROXIMATE ELEVATION OF 7,140 FEET. SEE FIGURE I FOR GENERAL LOCATION MAP.

THE TERRITORY IS THAT AREA INHABITED BY HORSES ON DECEMBER 15, 1971 WHICH IS ADMINISTERED BY FOUR AGENCIES OF THE U.S. FOREST SERVICE AND BUREAU OF LAND MANAGEMENT. PROMINENT LANDMARKS OF THE TERRITORY INCLUDE WILLOW SPRING, MCBRIDE FLAT, PIZONA, TRUMAN MEADOWS, ADOBE FLAT AND HUNTDON VALLEY.

THE TERRITORY BOUNDARY AND AREA OF ADMINISTRATIVE RESPONSIBILITY IS SHOWN ON PAGE 4, FIGURE 2. THE LAND STATUS AND OWNERSHIP PERCENTAGE IS GIVEN ON PAGE 5, FIGURE 3.

IN 1971, THE PASSAGE OF PUBLIC LAW 92-195 (AS AMENDED), KNOWN AS THE WILD FREE-ROAMING HORSE AND BURRO ACT, ESTABLISHED PROVISIONS FOR THE PROTECTION AND MANAGEMENT OF WILD FREE-ROAMING HORSES AND BURROS ON PUBLIC LANDS UNDER THE JURISDICTION OF THE SECRETARIES OF AGRICULTURE AND INTERIOR. THE ACT DIRECTS THE SECRETARIES THAT THE HORSES ARE TO BE PROTECTED FROM CAPTURE, BRANDING, HARRASSMENT, OR DEATH AND ARE TO BE CONSIDERED AS AN INTEGRAL PART OF THE NATURAL SYSTEM OF PUBLIC LANDS. FIVE LAWS THAT PLAY IMPORTANT SUPPORTING ROLES ARE; THE MULTIPLE USE SUSTAINED YIELD ACT OF 1960, NATIONAL ENVIRONMENTAL POLICY ACT OF 1969, FEDERAL LAND MANAGEMENT AND POLICY ACT OF 1976, THE ENDANGERED SPECIES ACT OF 1973, AND THE ACT OF SEPTEMBER 8, 1959 (73 STAT 470; 18 USC 47) WHICH ESTABLSIHED CRITERIA AND PRINCIPLES ON METHODS USED IN MANAGEMENT OF WILD HORSES AND BURROS.

THE GOAL OF THE U.S. FOREST SERVICE AND THE BUREAU OF LAND MANAGEMENT IS TO MANAGE THE WILD HORSE HERD AT A LEVEL BY WHICH A THRIVING NATURAL ECOLOGICAL BALANCE WILL BE MAINTAINED IN CONJUNCTION WITH OTHER RE-SOURCE USES AND VALUES. THE BLM CONCURS WITH THE ACTION AND WILL USE IT AS AN 'INTERIM PLAN' PENDING THEIR ENVIRONMENTAL IMPACT STATEMENT.

NATIONAL FOREST LANDS ARE ADMINISTERED BY THE BRIDGEPORT RANGER DISTRICT, TOIYABE NATIONAL FOREST AND MONO LAKE RANGER DISTRICT, INYO NATIONAL FOREST. RESPECTIVE MANAGEMENT DIRECTION OF THESE LANDS IS:

I. INTRODUCTION

THE MONTGOMERY PASS WILDHORSE TERRITORY COVERS AN EXPANSE OF 207,921 ACRES, AND IS LOCATED EAST OF MONO LAKE IN THE SOUTH PORTION OF THE EXCELSIOR MOUNTAINS. TO THE NORTHWEST IS HIGHWAY 167, WHICH IS KNOWN LOCALLY AS 'THE POLELINE ROAD'. FROM ITS JUNCTION AT STATE HIGHWAY 395 IT EXTENDS EASTWARD AND THEN A NORTHWARD SWEEPING ARC TO HAWTHORNE, NV.

TO THE SOUTHEAST IS HIGHWAY 6, WHICH ORIGINATES AT BISHOP, CALIFORNIA. IT CROSSES THE NORTH END OF THE WHITE MOUNTAIN RANGE AT MONTGOMERY PASS WHICH HAS AN APPROXIMATE ELEVATION OF 7,140 FEET. SEE FIGURE I FOR GENERAL LOCATION MAP.


THE TERRITORY IS THAT AREA INHABITED BY HORSES ON DECEMBER 15, 1971 WHICH IS ADMINISTERED BY FOUR AGENCIES OF THE U.S. FOREST SERVICE AND BUREAU OF LAND MANAGEMENT. PROMINENT LANDMARKS OF THE TERRITORY INCLUDE WILLOW SPRING, MCBRIDE FLAT, PIZONA, TRUMAN MEADOWS, ADOBE FLAT AND HUNTOON VALLEY.

THE TERRITORY BOUNDARY AND AREA OF ADMINISTRATIVE RESPONSIBILITY IS SHOWN ON PAGE 4, FIGURE 2. THE LAND STATUS AND OWNERSHIP PERCENTAGE IS GIVEN ON PAGE 5, FIGURE 3.


IN 1971, THE PASSAGE OF PUBLIC LAW 92-195 (AS AMENDED), KNOWN AS THE WILD FREE-ROAMING HORSE AND BURRO ACT, ESTABLISHED PROVISIONS FOR THE PROTECTION AND MANAGEMENT OF WILD FREE-ROAMING HORSES AND BURROS ON PUBLIC LANDS UNDER THE JURISDICTION OF THE SECRETARIES OF AGRICULTURE AND INTERIOR. THE ACT DIRECTS THE SECRETARIES THAT THE HORSES ARE TO BE PROTECTED FROM CAPTURE, BRANDING, HARRASSMENT, OR DEATH AND ARE TO BE CONSIDERED AS AN INTEGRAL PART OF THE NATURAL SYSTEM OF PUBLIC LANDS. FIVE LAWS THAT PLAY IMPORTANT SUPPORTING ROLES ARE; THE MULTIPLE USE SUSTAINED YIELD ACT OF 1960, NATIONAL ENVIRONMENTAL POLICY ACT OF 1969, FEDERAL LAND MANAGEMENT AND POLICY ACT OF 1976, THE ENDANGERED SPECIES ACT OF 1973, AND THE ACT OF SEPTEMBER 8, 1959 (73 STAT 470; 18 USC 47) WHICH ESTABLSIHED CRITERIA AND PRINCIPLES ON METHODS USED IN MANAGEMENT OF WILD HORSES AND BURROS.

THE GOAL OF THE U.S. FOREST SERVICE AND THE BUREAU OF LAND MANAGEMENT IS TO MANAGE THE WILD HORSE HERD AT A LEVEL BY WHICH A THRIVING NATURAL ECOLOGICAL BALANCE WILL BE MAINTAINED IN CONJUNCTION WITH OTHER RE-SOURCE USES AND VALUES. THE BLM CONCURS WITH THE ACTION AND WILL USE IT AS AN 'INTERIM PLAN' PENDING THEIR ENVIRONMENTAL IMPACT STATEMENT.

NATIONAL FOREST LANDS ARE ADMINISTERED BY THE BRIDGEPORT RANGER DISTRICT, TOIYABE NATIONAL FOREST AND MONO LAKE RANGER DISTRICT, INYO NATIONAL FOREST. RESPECTIVE MANAGEMENT DIRECTION OF THESE LANDS IS:









LAND STATUS

1

.

с. (с. 3

	NATIONAL FOREST		PRIVATE	
,	ACRES	PERCENT	ACRES	PERCENT
BRIDGEPORT DISTRICT	60,782	54.0	80	0.1
MONO LAKE DISTRICT	51,299	45.5	440	0.4
TOTAL	112,081	99.5	520	0.5
	PUBLIC	DOMAIN	PRIV	ATE
	ACRES	PERCENT	Acres	Percent
BLM CARSON CITY DISTRICT	78,820	80.5	2,500	2.5
BLM BAKERSFIELD DISTRICT	14,000	14.3	2,500	2.5
TOTAL	92,820	94.8	5,000	5.2
GOVERNMENT	PRIVAT	E	TOTAL	
ACRES PERCENT	Acres P	ERCENT	ACRES PE	ERCENT
204,901 98.5	3,020	1.5	207,921	100

TOIYABE NATIONAL FOREST - THE WILD HORSE TERRITORY IS WITHIN THE LOWER ZONE (MANAGEMENT UNITS L-2 AND L-5) OF THE BRIDGEPORT DISTRICT MULTIPLE USE PLAN. THE PRIMARY MANAGEMENT OBJECTIVE IS TO MANAGE THE WILD HORSE TO PREVENT FURTHER DETERIORATION OF RANGE AND WATERSHED CONDITIONS, TO IMPROVE THE AREA TO A SATISFACTORY ECOLOGICAL CONDITION.

<u>INYO NATIONAL FOREST</u> - THE AREA IS WITHIN THE FRONT ZONE (PIZONA UNIT F-1) OF THE MONO LAKE DISTRICT MULTIPLE USE PLAN. MANAGEMENT DIRECTION FOR THE ZONE IS TO PROTECT AND ENHANCE WILDLIFE AND GRAZING VALUES. SELECTIVE PORTIONS OF THE ZONE CAN PROVIDE PRIMITIVE RECREATION EXPER-IENCES.

THE EXCELSION RARE II AREA (989) WAS PROPOSED AS WILDERNESS BY THE DEPARTMENT OF AGRICULTURE AND INCLUDES ALMOST ALL OF THE INYO AND TOIYABE PORTIONS OF THE TERRITORY. NO ACTIVITIES CAN BE CARRIED OUT THAT WILL DETRACT FROM EXISTING WILDERNESS VALUES.

A. <u>HISTORY</u>

EARLY MAN DEVELOPED TECHNIQUES FOR USE OF THE HORSE TO IMPROVE HIS MOBILITY AND TRANSPORTATION OF GOODS OVER LAND. CONSEQUENTLY, EX-PLORERS INTRODUCED THE HORSE TO THE NEW AMERICAS. ON THE NEW CONTINENT THE HORSE BECAME AN INTREGAL PART OF THE CULTURE WHICH WAS DEVELOPED AS THE FRONTIER MOVED WESTWARD. THE SIGNIFICANCE OF THE HORSE DURING THIS PERIOD HAS BEEN VIVIDLY PORTRAYED BY THE GREAT ARTIST, FREDERIC REMINGTON.

IN 1845 CAPTAIN JOHN FREMONT'S THIRD EXPEDITION UNDER THE GUIDANCE OF JOSEPH WALKER PASSED THROUGH THE MONO BASIN. JOURNALS OF THE EXPEDI-TION MAY BE THE EARLIEST DOCUMENTED USE OF HORSES IN THE REGION.

EARLY INDIAN STORIES RELATE A TALE ABOUT SPANISH CROSSING THE SIERRAS WITH BURROS AND HORSES TO WORK A SILVER MINE NEAR ADDBE VALLEY. ACCORD-ING TO THE INDIANS ACCOUNT, THE MINERS WERE KILLED, BURIED IN THE TUNNEL, AND IT WAS COVERED. IT IS POSSIBLE BURROS AND HORSES ESCAPED AT THIS TIME.

THE PERIOD OF EARLY EXPLORERS AND FUR TRAPPERS WAS FOLLOWED BY THE SEARCH FOR SILVER AND GOLD. DURING THIS PERIOD (1859 - 1900) MINING TOWNS SUCH AS BODIE AND MONOVILLE FLOURISHED, BUT WERE SHORT LIVED. THE MINING BOOM ESTABLISHED THE PROMINENCE OF HYDROELECTRIC POWER AND SAWMILLS PRODUCED LUMBER FROM THE NEARBY FORESTED LANDS. AS THE MINING BOOM DWINDLED AGRICULTURE CONTINUED AS THE ECONOMIC BASE FOR SEVERAL COMMUNITIES. THERE IS NO RECORD OF WHEN INDIANS, WHICH INHABITATED THE MONO BASIN AND DWENS VALLEY, MASTERED HORSEMANSHIP. NELLIE REYNOLDS, A PAIUTE INDIAN BORN ABOUT 1885 REMEMBERS HER FATHER CATCHING HORSES IN THE PIZONA AREA, AND IN FACT NEVER REMEMBERS HER PEOPLE BEING WITHOUT WILD HORSES IN POSSESSION (ZUFELT 1971). IN 1908, GUSS HESS, THE FIRST SETTLER OF LEE VINING, CHASED HORSES WITH THE INDIANS AND WOULD SELL THEM LOCALLY TO RANCHERS AND MINERS. WITH THIS BACKGROUND IT IS OB-VIOUS THAT WILDHORSES OF TODAY ARE THEIR DESCENDANTS. THEY ORIGINATED FROM ESCAPED OR RELEASED STOCK FROM EARLY EXPLORERS AND SETTLERS. THE WILDHORSE MAY HAVE BEEN PRESENT IN ABUNDANT NUMBERS AS EARLY AS 1860.

A PORTION OF THE NATIONAL FOREST SYSTEM LAND IN THE ADOBE HILLS WAS ORIGINALLY DESIGNATED AS PART OF THE MONO NATIONAL FOREST. ON JULY 1, 1945 IT WAS ABOLISHED BY A DEPARTMENT OF AGRICULTURE DIRECTIVE. THE AREA WAS DIVIDED AND PUT UNDER ADMINISTRATION OF THE TOIYABE AND INYO NATIONAL FORESTS. THESE WERE REMOTE LANDS AND THROUGH THE YEARS AD-MINISTRATIVE DIRECTION HAS REVOLVED AROUND MANAGEMENT OF THE RANGE FOR LIVESTOCK AND WILDLIFE. SHEEP, CATTLE AND HORSE GRAZING WAS ASSOCIATED WITH THE MATHIEU, SYMONS AND BRAMLETTE RANCHES. RICHIE CONWAY CAME TO MONO COUNTY WITH HIS FOLKS WHEN HE WAS THREE YEARS OLD - ABOUT 1903. HE RECALLS CONSTRUCTION OF THE SHEEP TROUGH AT TRUMAN SPRINGS WHEN WALLACE GREEN AND GUY WAY WERE DISTRICT RANGERS AT MAMMOTH LAKES AND LEE VINING. ABOUT 1936, HE HELPED BUILD THE NORTH-SOUTH DRIFT FENCE EAST OF RIVER SPRINGS TO IMPROVE LIVESTOCK CONTROL AND DISTRIBUTION.

THE OLD STAGECOACH ROUTE FROM THE VICINITY OF CANDELARIA AND BELMONT PASSED NEAR TRUMAN MEADOWS, AND CONTINUED SOUTH TO THE MCBRIDE (BRAM-LETTE) RANCH, WHICH WAS A MAJOR STATION. FURTHER SOUTH NEAR OLD BENTON (RAILROAD) STATION WAS THE ROUTE JUNCTION. THE NORTHWEST (BODIE) ROUTE WENT OVER REDHILL INTO THE ADOBE VALLEY BASIN WHERE STAGE STOPS WERE LOCATED AT RIVER SPRINGS AND DEEP WELLS.

THE ROCK CABIN (PIZONA SITE) IS BELIEVED TO HAVE BEEN ERECTED PRIOR TO 1930. INITIALLY IT HAD A SOD ROOF AND ITS MAJOR PURPOSE WAS PRO-BABLY AS A SHELTER FOR A COWCAMP.

PRIOR TO THE WILD HORSE ACT OF 1971 NUMBERS WERE KEPT IN CHECK BY 'MUSTANGERS'. THE WATER TRAP AT SAGEHEN SPRING AND TRUMAN MEADOWS ARE STILL EVIDENT, BUT A COMBINATION OF CAPTURE METHODS WERE USED. THERE IS ALSO AN OLD BLIND TRAP EAST OF SAGEHEN SPRING.

ACIE OLINE WAS PROBABLY THE MOST SUCCESSFUL OF THE MANY INDIVIDUALS WHO HARVESTED HORSES IN THE 1930'S AND 40'S. IT IS TOLD THAT HE INCORPORATED THE USE OF GENTLE MARES TO FACILITATE THE ROUNDUPS IN TOIYABE NATIONAL FOREST - THE WILD HORSE TERRITORY IS WITHIN THE LOWER ZONE (MANAGEMENT UNITS L-2 AND L-5) OF THE BRIDGEPORT DISTRICT MULTIPLE USE PLAN. THE PRIMARY MANAGEMENT OBJECTIVE IS TO MANAGE THE WILD HORSE TO PREVENT FURTHER DETERIORATION OF RANGE AND WATERSHED CONDITIONS, TO IMPROVE THE AREA TO A SATISFACTORY ECOLOGICAL CONDITION.

INYO NATIONAL FOREST - THE AREA IS WITHIN THE FRONT ZONE (PIZONA UNIT F-1) OF THE MONO LAKE DISTRICT MULTIPLE USE PLAN. MANAGEMENT DIRECTION FOR THE ZONE IS TO PROTECT AND ENHANCE WILDLIFE AND GRAZING VALUES. SELECTIVE PORTIONS OF THE ZONE CAN PROVIDE PRIMITIVE RECREATION EXPER-IENCES.

THE EXCELSIOR RARE II AREA (989) WAS PROPOSED AS WILDERNESS BY THE DEPARTMENT OF AGRICULTURE AND INCLUDES ALMOST ALL OF THE INYO AND TOIYABE PORTIONS OF THE TERRITORY. NO ACTIVITIES CAN BE CARRIED OUT THAT WILL DETRACT FROM EXISTING WILDERNESS VALUES.

A. <u>HISTORY</u>

EARLY MAN DEVELOPED TECHNIQUES FOR USE OF THE HORSE TO IMPROVE HIS MOBILITY AND TRANSPORTATION OF GOODS OVER LAND. CONSEQUENTLY, EX-PLORERS INTRODUCED THE HORSE TO THE NEW AMERICAS. ON THE NEW CONTINENT THE HORSE BECAME AN INTREGAL PART OF THE CULTURE WHICH WAS DEVELOPED AS THE FRONTIER MOVED WESTWARD. THE SIGNIFICANCE OF THE HORSE DURING THIS PERIOD HAS BEEN VIVIDLY PORTRAYED BY THE GREAT ARTIST, FREDERIC REMINGTON.

IN 1845 CAPTAIN JOHN FREMONT'S THIRD EXPEDITION UNDER THE GUIDANCE OF JOSEPH WALKER PASSED THROUGH THE MONO BASIN. JOURNALS OF THE EXPEDI-TION MAY BE THE EARLIEST DOCUMENTED USE OF HORSES IN THE REGION.

EARLY INDIAN STORIES RELATE A TALE ABOUT SPANISH CROSSING THE SIERRAS WITH BURROS AND HORSES TO WORK A SILVER MINE NEAR ADOBE VALLEY. ACCORD-ING TO THE INDIANS ACCOUNT, THE MINERS WERE KILLED, BURIED IN THE TUNNEL, AND IT WAS COVERED. IT IS POSSIBLE BURROS AND HORSES ESCAPED AT THIS TIME.

THE PERIOD OF EARLY EXPLORERS AND FUR TRAPPERS WAS FOLLOWED BY THE SEARCH FOR SILVER AND GOLD. DURING THIS PERIOD (1859 - 1900) MINING TOWNS SUCH AS BODIE AND MONOVILLE FLOURISHED, BUT WERE SHORT LIVED. THE MINING BOOM ESTABLISHED THE PROMINENCE OF HYDROELECTRIC POWER AND SAWMILLS PRODUCED LUMBER FROM THE NEARBY FORESTED LANDS. AS THE MINING BOOM DWINDLED AGRICULTURE CONTINUED AS THE ECONOMIC BASE FOR SEVERAL COMMUNITIES.

- J. MONITOR THE WILD HORSE POPULATION USING BOTH GROUND AND AERIAL METHODS.
- K. CAPTURE METHODS MAY INCORPORATE TRAPPING, HAZING ON HORSEBACK, HELI-COPTER, TRANQUILIZER GUN AND THE USE OF A RIFLE FOR SPECIAL CASES. THE ACTION PLAN SHOULD EVALUATE A WINTER CONTROL PROGRAM WHEN THE HORSES MAY BE OUTSIDE THE RARE II AREAS.
- L. DETERMINE THE LIMITS OF HORSE WINTER RANGES WHICH ARE PRESENTLY POORLY. UNDERSTOOD.
- M. DETERMINE DIET AND HABITAT CONFLICTS BETWEEN, LIVESTOCK, HORSES, AND WILDLIFE AND MITIGATE WHEN POSSIBLE.
- N. REDUCE LEVEL OF HORSE USE ON PRIVATE LAND TO SATISFACTION OF LANDOWNER.

III. ENVIRONMENTAL SETTING

A. <u>AIR</u>

THE AIR QUALITY THROUGHOUT THE MANAGEMENT AREA REMAINS GOOD EXCEPT FOR SOME DUST STORMS ORIGINATING IN MONO BASIN, AND AN OCCASIONAL DUST DEVIL DURING THE SUMMER MONTHS. THE AREA IS FAR ENOUGH FROM ANY MAJOR METRO-POLITAN REGION THAT OXIDES OF NITROGEN AND HYDROCARBONS PRESENT NO PRO-BLEMS TO AIR QUALITY. DURING THE SUMMER, AIR MOVEMENTS ARE EXTREMELY VARIABLE AND ARE INFLUENCED BY LOCAL STORMS AND SEASONAL FRONTAL PATTERNS.

B. <u>CLIMATE</u>

THE TERRITORY IS INFLUENCED BY A SOUTHWESTERN CLIMATE PATTERN. IT HAS A BISEASONAL PATTERN CHARACTERIZED BY WINTER AND SUMMER PRECIPITATION AND SPRING AND FALL DROUGHT. THE WINTER SNOWS RESULT LARGELY FROM POLAR PACIFIC AIR MOVING IN FROM THE WEST. LATE SPRING AND EARLY FALL RAINS HAVE AS THEIR SOURCE; TROPICAL PACIFIC AIR FROM THE SOUTHWEST. SUMMER RAINS ARE DERIVED CHIEFLY FROM MOISTURE LADEN AIR FROM THE GULF OF CALIFORNIA THAT CARRIES CONVECTION-TYPE THUNDERSTORMS AS AIR RISES TO ALTITUDES WHERE CONDENSATION OCCURS (HUMPHREY, 1962).

PRECIPITATION AMOUNTS, FROM AN EIGHT YEAR STUDY (1963-1970) CONDUCTED BY THE DEPARTMENT OF DEFENSE AT THE MONTGOMERY PASS BURN PLOTS, AVERAGED 8.9 INCHES, THE HIGH BEING 12.72 INCHES IN 1967 AND LOW BEING 5.74 INCHES IN 1964. MOST OF THE PRECIPITATION OCCURS BETWEEN NOVEMBER AND FEBRUARY IN THE FORM OF SNOW. TYPICALLY THERE ARE LARGE FLUCTUATIONS IN DAILY TEMPERATURES RANGING IN THE COLDEST MONTHS OF DECEMBER AND JANUARY AS LOW AS -10 DEGREES FAHRENHEIT AND HIGHS IN THE 60'S. TEMPERATURES DURING THE SUMMER MONTHS (JULY AND AUGUST) RARELY EXCEED 100 DEGREES FAHRENHEIT WITH TYPICAL TEMPERATURES DURING THE DAY BEING IN THE 80'S AND 90'S. LOW TEMPERATURES DURING THESE MONTHS FLUCTUATE SLIGHTLY RANGING IN THE 50'S. ADOBE VALLEY. THE WILD HORSES WOULD BE HAZED FOR DAYS ON END AND THEN ULTIMATELY WOULD BE CAPTURED USING THE OLD STONE CORRALS AT RIVER SPRINGS AND ADOBE VALLEY RANCH. ACIE USED AN 'AMC' BRAND AND A BOX ONE 1 WAS USED BY A MRS. NEWMAN. BOTH ACIE AND MRS. NEWMAN ARE BELIEVED TO HAVE TURNED HORSES OUT ONTO THE OPEN RANGE TO IMPROVE BREED QUALITY AND CHARACTER OF THE WILD HORSES. THE VARIETY OF COLOR OTHER THAN BAYS HAVE PROBABLY RESULTED FROM THESE INTRODUCTIONS.

KEN CHICHESTER, AN ANTELOPE VALLEY RANCHER TOOK SEVERAL HUNDRED FROM THE DEEP WELL AREA ONE WINTER. KEN STATES THAT THE MUSTANGS WERE CON-CENTRATED ON THE WESTSIDE OF THE TERRITORY AND THERE WAS MUCH MORE BUNCH GRASS THERE IN THE EARLY 1900'S. HE CONTENDS THAT THE REDUCTION IN GRASS HAS RESULTED IN THE HORSES SHIFTING EASTWARD.

II. OBJECTIVES

THE MANAGEMENT PLAN AND ENVIRONMENTAL ASSESSMENT HAVE BEEN PREPARED TO PRO-VIDE EFFECTIVE AND EFFICIENT CONSERVATION, DEVELOPMENT AND UTILIZATION OF THE PUBLIC LAND RESOURCES. SPECIFIC OBJECTIVES FOR THE TERRITORY ARE:

- A. IMPROVE AND/OR MAINTAIN SOIL AND VEGETATION RESOURCE AT A CONDITION RATING OF FAIR OR HIGHER, SPECIFICALLY AT THE STUDY LOCATIONS SHOWN IN THE MANAGEMENT REQUIREMENT SECTION.
- B. PROVIDE MANAGEMENT TO ASSURE A VIABLE, HEALTHY WILD HORSE POPULATION
- C. ALLOCATE AVAILABLE FORAGE BETWEEN WILD HORSES, WILDLIFE AND LIVESTOCK.
- D. CONSTRUCT RANGE IMPROVEMENTS WHICH ARE NEEDED TO IMPLEMENT MANAGEMENT PROGRAMS EXCEPT IN PROPOSED WILDERNESS.
- E. USE MANAGEMENT METHODS TO AVOID DEGRADING WILDERNESS CHARACTERISTICS IN PROPOSED WILDERNESS.
- F. PROVIDE PROTECTION TO THE WILD HORSE RESOURCE AS PROVIDED BY APPRO-PRIATE LAWS AND REGULATIONS.
- G. ESTABLISH ADMINISTRATIVE RESPONSIBILITY BY COOPERATIVE AGREEMENT OR MEMORANDUM OF UNDERSTANDING BETWEEN THE FOREST SERVICE AND THE BUREAU OF LAND MANAGEMENT.
- H. PREPARATION-SPECIFIC ACTION PLAN TO CAPTURE EXCESS HORSES.
- I. CAPTURED WILD HORSES WILL BE PLACED WITH PRIVATE PARTIES THROUGH THE ADOPTION PROGRAM WHEN POSSIBLE. UNSOUND AND EXCESS ANIMALS WILL BE DISPOSED OF IN THE MOST HUMANE MANNER POSSIBLE.

PLACED ON HABITAT AND SOCIALLY IMPORTANT SPECIES INCLUDING GAME ANIMALS, FURBEARERS AND BIRDS OF PREY. HOWEVER, ALL REPTILES, BIRDS AND MAMMALS WHICH HAVE BEEN OBSERVED OR ARE THOUGHT TO OCCUR ARE LISTED IN APPENDIX II.

PINYON-JUNIPER WOODLAND, TYPICAL OF THE GREAT BASIN IS THE DOMINATE HABITAT TYPE IN THE AREA. SINGLE LEAF PINYON (<u>PINUS MONOPHYLLA</u>) AND UTAH JUNIPER (<u>JUNIPERUS OSTEOSPERMA</u>) PROVIDE FOOD SOURCE IN THE FORM OF PINE NUTS AND JUNIPER BERRIES AND SERVE AS HOSTS FOR A DIVERSE VARIETY OF INSECTS CONSUMED BY WILDLIFE. THESE TREES ALSO SERVE AS COVER FOR NESTING AND RESTING. THE WOODLANDS UNDERSTORY IS PRIMARILY BITTERBRUSH (<u>PURSHIA TRIDENTATA</u>), GREAT BASIN SAGE (<u>ARTEMESIA TRIDEN-TATA</u>), RUBBER RABBITBRUSH (<u>CHRYSOTHAMNUS NAUSEOSUS</u>), AND DEPENDING ON THE ANNUAL PRECIPITATION, VARYING AMOUNTS OF FORBS AND GRASSES. FORAGE FROM THESE PLANTS ARE IMPORTANT FOR THE DEER HERDS AND CERTAIN SPECIES OF UPLAND GAME. SEEDS ARE EATEN BY A VARIETY OF BIRDS AND SMALL MAMMALS. THE PINYON-JUNIPER WOODLAND IS GEOGRAPHICALLY IMPOR-TANT AS A DISTRIBUTION CORRIDOR BETWEEN THE MOUNTAIN RANGES TO THE NORTH, AND THE WHITE/INYO MOUNTAINS TO THE SOUTH.

INTERSPREAD BETWEEN THE WOODLAND ARE RIDGES AND PLATEAUS SUPPORTING THE SAGEBRUSH HABITAT TYPE. THE DISTRIBUTION OF MANY BUT NOT ALL OF THE WOODLAND'S SPECIES OVERLAP INTO THE SAGE. SEVERAL SPECIES OCCUR ONLY IN THE SAGE. THIS HABITAT IS OF PARTICULAR IMPORTANCE TO SAGE GROUSE AND RAPTORS SUCH AS GOLDEN EAGLES, PRAIRIE FALCONS AND KESTRELS WHO USE THE SAGE AS HUNTING GROUNDS.

BASALT OUTCROPS THROUGHOUT THE AREA PROVIDE HABITAT FOR SPECIES SUCH AS BOBCATS, WOODRATS, ROCK WRENS, SWALLOWS, RINGTAILS AND WEASELS. THEY ALSO SERVE AS PERCH AND NEST SITES FOR RAPTORS.

DUE TO THE DISTANCE BETWEEN NATURALLY OCCURRING WATER SITES, THE FEW SPRINGS AND SEEPS ARE ESSENTIAL TO MANY SPECIES. THE ASSOCIATED RIPARIAN HABITATS INCLUDE MEADOWS, WILLOW AND ROSE THICKETS, ASPEN GROVES, AND BUFFALOBERRY. THESE PROVIDE WATER, FORAGE, COVER AND IN SOME CASES SPECIFIC HABITAT. UPLAND GAME SPECIES REQUIRE WATER AND ADJACENT VEGETATION SERVES AS FAWNING AREA FOR A SMALL RESIDENT DEER HERD. A VARIETY OF BIRD SPECIES USE THESE AREAS FOR FOOD, WATER AND COVER DURING MIGRATION.

SEVERAL PLAYAS EXIST IN THE SAGEBRUSH HABITAT AND ARE ANOTHER IMPORTANT WATER SOURCE WHEN RUNOFF FROM SNOW OR SUMMER THUNDERSHOWERS ARE SUFFI-CIENT TO FILL THEM. THEY ARE USED BY MIGRATING SHOREBIRDS AND WATER-FOWL AND SOME SPECIES OF RESIDENT BIRDS SUCH AS CLARK'S NUTCRACKER AND HORNED LARKS. THE GRASSY BORDERS OF THESE LAKES ARE LIKELY CRITI-CAL FOR SAGE GROUSE AS STRUTTING AREAS AND A SOURCE OF GREEN FORAGE AND INSECTS FOR THEIR BROODS. SPECIES OF FRESHWATER INVERTEBRATES SUCH AS CLAM-SHRIMPS (<u>CONCHASTRACA SP</u>.) ARE KNOWN TO INHABIT THESE LAKES. C. <u>Soils</u>

SOILS IN THE TERRITORY ARE THE RESULT MAINLY OF VOLCANIC BEDROCK, WIND DEPOSITS AND ELUVIATION. THE SOILS BELONG MOSTLY TO TWO SOIL ORDERS: ARIDISOLS AND MOLLISOLS.

1. <u>ARIDISOLS</u>—THESE MINERAL SOILS ARE FOUND MOSTLY IN DRY CLIMATES WITH SOIL LAYERS BEING DRY THROUGHOUT MOST OF THE YEAR. THEY HAVE NOT BEEN SUBJECTED TO INTENSIVE LEACHING AND HAVE AN OCHRIC EPIPEDON GENERALLY LIGHT IN COLOR AND LOW IN ORGANIC MATTER. THEY MAY HAVE A HORIZON WITH ACCUMULATION OF CALCIUM CARBONATE, GYPSUM, OR EVEN MORE SOLUBLE SALTS.

THESE SOILS DOMINATE THE ENTIRE AREA EXCEPT THOSE FOUND IN MEADOWS AND INTERMITTENT SNOW PONDS. THEY ARE FOUND ON GENTLY SLOPING TO STEEP AREAS THROUGHOUT THE REGION WITH A VEGETATIVE COVER RANGING FROM PINYON PINE FOREST TO SAGEBRUSH COMMUNITIES.

2. <u>MOLLISOLS</u>--THESE SOILS ARE CHARACTERIZED BY A MOLLIC EPIPEDON OR SURFACE HORIZON WHICH IS THICK AND DARK. THEY MAY HAVE AN ARGILLIC, NATRIC, ALBIC, OR CAMBIC HORIZON BUT NOT AN OXIC OR SPODIC HORIZON. THE SURFACE HORIZONS GENERALLY HAVE GRANULAR OR CRUMB STRUCTURES AND ARE NOT HARD WHEN THE SOILS ARE DRY.

D. WATER

SPRINGS ARE WIDELY SCATTERED THROUGHOUT THE WILD HORSE TERRITORY. THE SPRINGS THAT HAD RUNNING WATER DURING THE DROUGHT OF 1977 WERE; PIZONA SITE, UPPER PIZONA SPRING, TRUMAN SPRINGS, TRUMAN MEADOWS, A SPRING IN NE1/4, SEC. 5, T.2N., R.32E., AND RIVER SPRINGS. THERE ARE MANY LOCATIONS WITH SEASONAL WATER (I.E., MCNAMARA LAKE, MCBRIDE FLAT, SAGEHEN SPRINGS, SNOW PONDS IN THE SAGEHEN SPRINGS BASIN, AND HUNTOON-SOUNDING ROCK AREA). APPENDIX II.

TRUMAN MEADOWS, PIZONA, MCBRIDE FLAT AND SAGEHEN SPRINGS DURING 1978 WERE WATERING SITES USED MOST FREQUENTLY, WITH 30-60 HORSES USING EACH SPRING DAILY.

THERE ARE NUMEROUS STEEP SIDED CANYONS WITH SURFACE FLOW OCCURRING ONLY DURING INTENSE STORMS OF SUFFICIENT DURATION. MANY OF THE WATER LOCATIONS ARE ON PRIVATE LAND.

E. WILDLIFE

THE FOLLOWING IS A BRIEF DISCUSSION OF WILDLIFE HABITAT AND ASSOCIATED WILDLIFE SPECIES OCCURRING WITHIN THE HORSE TERRITORY. EMPHASIS IS

AND NEVADA FISH AND GAME BIOLOGISTS HAVE SPENT RELATIVELY FEW MAN HOURS IN THE AREA, AND FURTHER STUDIES ARE NEEDED TO DE-TERMINE WINTER FAWN LOSS, DEER USE IN OTHER AREAS, ETC.

(2) MOUNTAIN LION (FELIS CONCOLOR)

MOUNTAIN LIONS INHABIT A VARIETY OF HABITAT TYPES RANGING FROM THE DESERT TO THE HIGH MOUNTAINS IN THE WEST. LIONS ARE FOUND IN THIS WILD HORSE TERRITORY. MULE DEER IS PROBABLY THE MAJOR PREY SPECIES OF THIS CAT. HOWEVER, EVIDENCE HAS SHOWN THAT MOUNTAIN LIONS ARE OPPORTUNISTIC PREDATORS, FEEDING ON A LARGE VARIETY OF PREY.

B. UPLAND GAME

(1) SAGE GROUSE - CENTROCERCUS UROPHASIANUS

IT HAS BEEN STATED THAT THE 'SAGE GROUSE IS MORE DEPENDENT ON ONE ENVIRONMENT THAN ANY OTHER AMERICAN BIRD...THE SAGE-BRUSH'(1). THEIR HABITAT REQUIREMENTS INVOLVE A CERTAIN COMBINATION OF SAGEBRUSH HEIGHTS AND DENSITIES, SPECIES COMPOSITION, THE OCCURRENCE OF CERTAIN FORBS AND GRASSES, AND THE AVAILABILITY OF MEADOWS AND WATER SOURCES. THE FOLLOWING SUMMARIZES THE BASIC USE AREAS:

- BROOD AREAS MEADOW EDGES WITH WATER AND ADJACENT TALL SAGE FOR COVER.
- NESTING SPARSE SAGE (2'-3'HIGH) WITHIN 1-MILE OF WATER.
- STRUTTING GROUNDS MEADOW EDGES OR AREAS WITH SHORT, SPARSE SAGE. VISIBILITY IS IMPORTANT.

WINTERING SOUTH FACING SLOPES AND WIND BLOWN ROCKY RIDGES WITH 2'-4' SAGE.

A KNOWN SAGE GROUSE POPULATION OCCURS IN THE VICINITY OF MCBRIDGE FLAT, SAGEHEN SPRINGS AND ADJACENT PLAYAS. ON AUGUST 14, 1978 TWENTY BIRDS WERE FLUSHED IN THE ABOVE AREA. THE PLAYAS, SPRINGS AND ADJACENT MEADOWS IN THIS AREA ARE OF PRIME IMPORTANCE. FURTHER STUDIES ARE NEEDED TO DETERMINE THE IMPORTANCE. BY THE HORSE POPULATIONS AND POSSIBLE MITIGATIONS SUCH AS WATER DEVELOPMENTS AND ENCLOSURES.

1. PREDOMINANT SPECIES

A. BIG GAME

(1) ROCKY MOUNTAIN MULE DEER:

THE AREA IS AN IMPORTANT WINTER RANGE FOR THE FOLLOWING THREE DEER HERDS:

HERD NAME LOCATION OF WINTER RANGE

MONO LAKE HERD PIZONA CREEK NORTH INCLUDING ADOBE HILLS CASA DIABLO HERD PIZONA CREEK SOUTH INCLUDING TRUMAN MEADOWS WHITE MOUNTAIN HERD TRUMAN MEADOWS AND NW SLOPES OF QUEEN VALLEY (MUSTANG MTN.-SAGEHEN

FLAT PORTION)

THE WINTERING DEER HERDS NORMALLY START ARRIVING IN OCTOBER AND LEAVING IN APRIL. 'KEY AREAS' (CONCENTRATION SITES) ARE NEAR TRUMAN MEADOWS AND PIZONA CREEK.

A SMALLER RESIDENT POPULATION OF DEER EXIST IN THE AREA. ON AUGUST 14, 1978 A FAWN WAS OBSERVED IN THE WILLOW-ROSE THICKETS AT UPPER TRUMAN MEADOW INDICATING FAWNING HABITAT. FURTHER STUDIES MAY BE NEEDED TO DETERMINE DEER-HORSE COMPETITION.

HUNTING PRESSURE IS VERY LIGHT IN THE AREA DUE TO ACCESS AND THE SEASON OF DEER OCCURRENCE. THE FOLLOWING DATA HAS BEEN COLLECTED IN THE AREA BETWEEN TRUMAN MEADOWS AND QUEEN VALLEY.

	1975-76	76-77	77-78
BITTERBRUSH LEADER GROWTH	1.1**	1.7"	2.2''
%FALL UTILIZATION	-	0	TRACE
SPRING UTILIZATION	-	40%	45%
DEER DAYS USE/ACRE	-	21	25

- EQUALS: NO OBSERVATION

WINTER DEER HERD (COMPOSITION	COUNTS		
YEAR	1952	1960	1962	1978
ADULTS/#FAWNS(COU 100 ADULTS/#FAWNS (CALCULATED)			141/36 100/26	- 100/42

DUE TO LACK OF MANPOWER AND THE AREA'S REMOTENESS, CALIFORNIA

A. RINGTAIL - (BASSARISCUS ASTUTUS)

OCCURRENCE IN THIS AREA IS SUSPECTED, INHABITING BRUSHY, ROCKY SLOPES NOT FAR FROM SOME WATER SOURCE. THE BRUSHY AND ROCKY SLOPES PROVIDE THE NOCTURNAL RINGTAIL WITH MANY SMALL RODENTS, INSECTS, BIRDS, LIZARDS AND OTHER INVERTEBRATES WHICH THEY PREY UPON. THEY DEN IN NATURAL CREVICES, CAVES ALONG CLIFFS, IN HOLLOW TREES OR UNDER ROCK PILES.

B. LONG-TAILED WEASEL - (MUSTELA FRENATA)

IT IS KNOWN TO INHABIT BASALT OUTCROPS NEAR WATER. PREYS ON SMALL RODENTS, BIRDS AND RABBITS BY PIERCING THEIR SKULLS WITH ITS CANINE TEETH. A SAVAGE CARNIVORE SOMETIMES TAKING PREY LARGER THAN ITSELF. NESTS ARE BUILT IN ROCKY OUTCROPS, UNDER WOODPILES OR IN OLD BURROWS OF OTHER ANIMALS.

C. BADGER - (TAXIDEA TAXUS)

A POWERFUL ANIMAL THAT PREFERS FRIABLE SOILS AND GRASSLAND WHERE IT DIGS OUT GROUND SQUIRRELS, CHIPMUNKS, GOPHERS AND OTHER SMALL RODENTS TO PREY UPON. MOSTLY NOCTURNAL BUT OBSERVED SEARCHING FOR FOOD DURING MIDDAY. DENS IN ITS OWN DUG OUT BURROW, USUALLY HORIZONTALLY OVAL SHAPED TO 10 INCHES. BADGERS HAVE NO REAL ENEMIES EXCEPT MAN. THEIR BURROWS MAY BE HAZARDOUS TO WILD HORSES, CAUSING BROKEN LEGS.

D. <u>SPOTTED SKUNK - (SPILOGALE PUTORIUS)</u>

THIS NOCTURNAL FURBEARER INHABITS ROCKY AND BRUSHY HILLSIDES IN WHICH IT FEEDS UPON SMALL RODENTS, INSECTS, SMALL BIRDS AND THEIR EGGS. THEY DEN IN ROCK PILES OR IN GROUND SQUIRREL BURROWS.

E. COYOTE - (CANIS LATRANS)

A PROLIFIC BREEDER IN ALL LIFE ZONES. INHABITS THE ROCKY OR BRUSHY AREAS WHERE THIS PROFICIENT KILLER TAKES LAGOMORPHS, GROUND SQUIRRELS, GOPHERS, MEADOW MICE, KANGAROD RATS AND EVEN INSECTS. THEY WILL EAT ALMOST ANY ANIMAL OR VEGETABLE MATTER AND ARE ALSO KNOWN TO TAKE FAWNS. DENS BASICALLY IN BURROWS AROUND BRUSH AND GRASS, UNUALLY NOT MORE THAN 6 MILES FROM WATER.

F. KIT FOX - (VULPES MACROTIS)

IS BELIEVED TO SURVIVE AND REPRODUCE IN THE PIZONA/ADOBE HILLS VEGETATION OF PINYON-JUNIPER, PREFERRING THE SANDY GROUND. THIS ASSUMPTION IS BASED ON SIMILAR HABITATS IN WHICH IT SUCCESSFULLY BREEDS. DENS IN ITS OWN DUG BURROW, BECOMING ACTIVE AT NIGHT. PREYS UPON KANGAROD RATS AND POCKET MICE MAINLY, BUT TAKES OTHER SMALL RODENTS, LAGOMORPHS AND INSECTS.

- (A) INYO NATIONAL FOREST, 'SAGE GROUSE HABITAT MANAGEMENT PLAN, 1966'.
- (B) CALIFORNIA QUAIL LOPHORTYX CALIFORNICUS

A HEALTHY POPULATION OF QUAIL RANGES IN THE TRUMAN MEADOW AND PIZONA CREEK AREA. WATER LIMITS THE RANGE OF THESE BIRDS, ESPECIALLY FOR THE BROODS. TWO WATER SOURCES HAVE BEEN PROVIDED IN THE ADOBE HILLS AREA TO EXTEND POPULATIONS OVER THE AREA.

(C) MOUNTAIN QUAIL - OREORTYX PICTUS

THE STATUS OF THIS BIRD IS UNCERTAIN DUE TO ONLY ONE SIGHTING IN THE TRUMAN MEADOW AREA. THIS RE-PRESENTS AN ISOLATED POPULATION.

(D) MOURNING DOVE - ZENAIDURA MACROURA

PIZONA SPRINGS AND TRUMAN MEADOW ARE AN IMPORTANT WATERING AND RESTING SPOT FOR MIGRATING DOVES AS WELL AS FOR THE SMALL BREEDING POPULATION.

(E) BAND-TAILED PIGEON - COLUMBA FASCIATA

RECENT SIGHTINGS HAVE CONFIRMED THE OCCURRENCE OF THIS NATIVE PIGEON IN THE AREA OF TRUMAN MEADOWS AND PIZONA CREEK. BREEDING HAS YET TO BE DOCUMENTED. PINE NUTS ARE AN IMPORTANT FOOD SOURCE WHEN AVAILABLE FOR THIS SPECIE.

(F) CHUKAR - ALECTORIS GRAECA

A POPULATION OF THIS INTRODUCED PARTRIDGE IS ESTAB-LISHED IN THE ROCKY CANYONS BETWEEN QUEEN VALLEY AND TRUMAN MEADOWS.

(G) HARES AND RABBITS

THREE SPECIES ARE KNOWN TO INHABIT THE AREA. THE BLACKTAILED JACKRABBIT, MOUNTAIN COTTONTAIL AND PIGMY RABBIT.

2. FURBEARERS

THE GEOGRAPHIC DISTRIBUTION OF FURBEARERS IS LIMITED BY FOOD, WATER, SHELTER AND KEY HABITAT. THEY ARE IMPORTANT AS; (1) A POPULATION CHECK FOR SMALL RODENTS AND BIRDS, (2) OCCASIONAL VIEWS TO THE GEN-ERAL PUBLIC, AND (3) PELTS TO THE FUR TRADE. BELOW IS A LIST OF FUR-BEARERS IN RELATIONSHIP TO THEIR HABITAT AND FOOD REQUIREMENTS FOUND IN THIS WILD HORSE TERRITORY.

B. PORCUPINE - (ERETHIZON DORSATUM)

THIS VEGETARIAN MAMMAL THAT LIVES IN THE PINYON-JUNIPER FOREST DENS IN HOLLOW TREES OR CREVICES UNDER ROCK SLIDES. IN SUMMER THEY FEED BASICALLY ON HERBS AND SHRUBS, AND WINTER THEY FORAGE UPON PINYONS AND JUNIPERS.

F. GEOLOGY

THE EXCELSIOR MOUNTAINS ARE COMPOSED OF GRANITIC ROCKS, CHIEFLY QUARTZ MONZONITE, AND A VARIETY OF VOLCANIC ROCKS. THE VOLCANIC ROCKS INCLUDE PLIOCENE INTERMEDIATE FLOWS (RHYODACITE TO ANDESITE), PLIO-PLEISTOCENE BASALTIC FLOWS, AND TRIASSIC INTERMEDIATE TO FELSIC FLOWS OF THE EXCELSIOR FORMATION. SANDSTONES AND CONGLOMERATES OF THE JURASSIC DUNLAP FORMATION OCCUR IN THE EXCELSIOR'S BUT MOSTLY OUT OF THE WILD HORSE TERRITORY.

THE MONTGOMERY PASS AREA CONSISTS OF BASALTIC AND FOLSIC VOLCANIC FLOWS WITH MINOR AMOUNTS OF GRANITIC AND PALEDZOIC META SEDEMENTARY ROCKS.

G. VEGETATION

1. <u>SAGEBRUSH TYPE</u>: IS DOMINATED BY GREAT BASIN SAGEBRUSH (<u>ARTEMISIA TRIDENTATA</u>) ALONG WITH OTHER SPECIES OF SAGEBRUSH (<u>ARTEMISIA ARBUSCULA VAR. NOVA AND ARTEMISIA CANA</u>). OTHER SHRUB SPECIES INCLUDE SNOWBERRY (<u>SYMPHORICARPOS LONGIFLORUS</u>), RABBIT-BRUSH (<u>CHRYSOTHAMNUS VISCIDIFLORUS</u>), BITTERBRUSH (<u>PURSHIA TRIDEN-TATA</u>), PRICKLY PHLOX (<u>LEPTODACTYLON PUNGENS</u>), AND SULPHUR BUCKWHEAT (<u>ERIOGONUM UMBELLATUM</u>). HERBACEOUS SPECIES INCLUDE GREAT BASIN WILDRYE (<u>ELYMUS CINEREUS</u>), INDIAN RICEGRASS (<u>ORYSOPSIS HYMENOIDES</u>) NEEDLE GRASSES (<u>STIPA</u> SPP.), SQUIRRELTAIL (<u>SITANION HYSTRIX</u>), AND SANDBERG'S BLUEGRASS (<u>POA SECUNDA</u>). SEE PLANT LIST - APPENDIX III.

2. <u>PINYON-JUNIPER</u>: IS CHARACTERIZED BY THE SINGLE LEAF PINYON PINE (<u>PINUS MONOPHYLLA</u>), WITH THE DOMINANT SHRUB BEING GREAT BASIN SAGEBRUSH. OTHER SHRUB SPECIES, MANY OF WHICH OCCUR IN SAGEBRUSH, ARE BITTERBRUSH, RABBITBRUSH, SPINEY HOPSAGE (<u>GRAYIA SPINOSA</u>), AND GREEN EPHEDRA (<u>EPHEDRA VIRIDIS</u>). HERBACEOUS VARIETIES INCLUDE INDIAN RICEGRASS, NEVADA BLUEGRASS (<u>POA NEVADENSIS</u>), PALMER'S LUPINE (<u>LUPINUS PALMERI</u>), AND INDIAN PAINTBRUSH (<u>CASTILLEJA</u> SPP.).

3. <u>MEADOWS AND SNOW PONDS</u>: THESE ARE CONFINED TO AREAS OF CONCEN-TRATED WATER OR SNOW MELT ACCUMULATION, BOTH CONSTITUTING LESS THAN 1% OF THE WILDHORSE AREA. SPECIES ASSOCIATED WITH THE AREAS INCLUDE KENTUCKY BLUEGRASS (<u>POA PRATENSIS</u>), WHEATGRASS (<u>AGROPYRON</u> SPP.), SEDGES (<u>CAREX</u> SPP.), AND RUSHES (<u>JUNCUS</u> SPP.). IRIS AND RABBIT-BRUSH (<u>CHRYSOTHAMNUS</u> <u>NAUSEOSUS</u>), ARE WELL ESTABLISHED, AS WELL AS WILLOWS(<u>SALIX</u> SPP.), WILD ROSE (<u>ROSA</u> SPP.), AND CURRANTS (<u>RIBES</u> SPP.).

B. PORCUPINE - (ERETHIZON DORSATUM)

THIS VEGETARIAN MAMMAL THAT LIVES IN THE PINYON-JUNIPER FOREST DENS IN HOLLOW TREES OR CREVICES UNDER ROCK SLIDES. IN SUMMER THEY FEED BASICALLY ON HERBS AND SHRUBS, AND WINTER THEY FORAGE UPON PINYONS AND JUNIPERS.

F. <u>GEOLOGY</u>

THE EXCELSIOR MOUNTAINS ARE COMPOSED OF GRANITIC ROCKS, CHIEFLY QUARTZ MONZONITE, AND A VARIETY OF VOLCANIC ROCKS. THE VOLCANIC ROCKS INCLUDE PLIOCENE INTERMEDIATE FLOWS (RHYODACITE TO ANDESITE), PLIO-PLEISTOCENE BASALTIC FLOWS, AND TRIASSIC INTERMEDIATE TO FELSIC FLOWS OF THE EXCELSIOR FORMATION. SANDSTONES AND CONGLOMERATES OF THE JURASSIC DUNLAP FORMATION OCCUR IN THE EXCELSIOR'S BUT MOSTLY OUT OF THE WILD HORSE TERRITORY.

THE MONTGOMERY PASS AREA CONSISTS OF BASALTIC AND FOLSIC VOLCANIC FLOWS WITH MINOR AMOUNTS OF GRANITIC AND PALEDZOIC META SEDEMENTARY ROCKS.

G. VEGETATION

1. <u>SAGEBRUSH TYPE</u>: IS DOMINATED BY GREAT BASIN SAGEBRUSH (<u>ARTEMISIA TRIDENTATA</u>) ALONG WITH OTHER SPECIES OF SAGEBRUSH (<u>ARTEMISIA ARBUSCULA VAR. NOVA AND ARTEMISIA CANA</u>). OTHER SHRUB SPECIES INCLUDE SNOWBERRY (<u>SYMPHORICARPOS LONGIFLORUS</u>), RABBIT-BRUSH (<u>CHRYSOTHAMNUS VISCIDIFLORUS</u>), BITTERBRUSH (<u>PURSHIA TRIDEN-TATA</u>), PRICKLY PHLOX (<u>LEPTODACTYLON PUNGENS</u>), AND SULPHUR BUCKWHEAT (<u>ERIOGONUM UMBELLATUM</u>). HERBACEOUS SPECIES INCLUDE GREAT BASIN WILDRYE (<u>ELYMUS CINEREUS</u>), INDIAN RICEGRASS (<u>ORYSOPSIS HYMENOIDES</u>) NEEDLE GRASSES (<u>STIPA</u> SPP.), SQUIRRELTAIL (<u>SITANION HYSTRIX</u>), AND SANDBERG'S BLUEGRASS (POA SECUNDA). SEE PLANT LIST - APPENDIX III.

2. <u>PINYON-JUNIPER</u>: IS CHARACTERIZED BY THE SINGLE LEAF PINYON PINE (<u>PINUS MONOPHYLLA</u>), WITH THE DOMINANT SHRUB BEING GREAT BASIN SAGEBRUSH. OTHER SHRUB SPECIES, MANY OF WHICH OCCUR IN SAGEBRUSH, ARE BITTERBRUSH, RABBITBRUSH, SPINEY HOPSAGE (<u>GRAYIA SPINOSA</u>), AND GREEN EPHEDRA (<u>EPHEDRA VIRIDIS</u>). HERBACEOUS VARIETIES INCLUDE INDIAN RICEGRASS, NEVADA BLUEGRASS (<u>POA NEVADENSIS</u>), PALMER'S LUPINE (<u>LUPINUS PALMERI</u>), AND INDIAN PAINTBRUSH (<u>CASTILLEJA</u> SPP.).

3. <u>MEADOWS AND SNOW PONDS</u>: THESE ARE CONFINED TO AREAS OF CONCEN-TRATED WATER OR SNOW MELT ACCUMULATION, BOTH CONSTITUTING LESS THAN 1% OF THE WILDHORSE AREA. SPECIES ASSOCIATED WITH THE AREAS INCLUDE KENTUCKY BLUEGRASS (<u>POA PRATENSIS</u>), WHEATGRASS (<u>AGROPYRON</u> SPP.), SEDGES (<u>CAREX</u> SPP.), AND RUSHES (<u>JUNCUS</u> SPP.). IRIS AND RABBIT-BRUSH (<u>CHRYSOTHAMNUS</u> <u>NAUSEOSUS</u>), ARE WELL ESTABLISHED, AS WELL AS WILLOWS(<u>SALIX</u> SPP.), WILD ROSE (<u>ROSA</u> SPP.), AND CURRANTS (<u>RIBES</u> SPP.). NATIONAL FOREST LAND EAST OF POWERLINE IS RECOMMENDED TO WILDERNESS PURSUANT TO RARE II. OBJECTIVES FOR MANAGEMENT IS TO DO SO IN A MANNER WHICH WILL PROTECT WILDERNESS VALUES.

K. WILD HORSES

WHEN THE WILD FREE-ROAMING HORSES AND BURROS ACT WAS SIGNED ON DECEMBER 15, 1971, THERE WERE AN ESTIMATED 70 HORSES IN THE MONT-GOMERY PASS WILD HORSE TERRITORY. ON JUNE 21, 1973, THE INYO NATIONAL FOREST COUNTED 162. DURING THE SUMMER OF 1974 THE TOIYABE NATIONAL FOREST MADE AN INCOMPLETE GROUND COUNT OF 129 HORSES. IN 1975 THE BUREAU OF LAND MANAGEMENT AGAIN PARTIALLY INVENTORIED THE HORSES BY HELICOPTER AND COUNTED 96. DURING 1977 THE TOIYABE NATIONAL FOREST INVENTORIED 387 HORSES IN 86 BANDS. IN 1978 THE COUNT DROPPED SUBSTANTIALLY. THE FOREST SERVICE INVENTORY WAS BASED ON NUMEROUS HELICOPTER FLIGHTS AND GROUND COUNTS AND IS MUCH MORE RELIABLE THAN PREVIOUS COUNTS. (SEE APPENDIX II)

DURING THE SEVERE WINTER OF 1977-78 LESS THAN 50 HORSES REMAINED WITHIN THE 1971 TERRITORY BOUNDARY. DEEP SNOW COVERED THE ENTIRE AREA. THE REMAINING HORSES WERE NOT FOUND. THE FLUCTUATION IN NUMBERS IS FELT TO BE DUE TO SHIFTS THAT OCCUR FROM OTHER TERRI-TORIES AS THE HERDS WINTER. THE OUTER LIMITS OF THE ACTUAL TERRITORY ARE UNDETERMINED. THE FOLLOWING CHARACTERISTICS WERE OBSERVED SPECI-FICALLY ON THE MONTGOMERY PASS BANDS:

1. HERD CHARACTERISTICS

IN 1977 AND 1978 A DETAILED STUDY OF THE HERD WAS MADE. A POP-ULATION ESTIMATE WAS ACCOMPLISHED BY DESCRIBING THE RECOGNIZED BANDS AS TO COLOR, SEX, AND AGE GROUP OF EACH MEMBER (SEE APPENDIX I). DATA WAS COMPILED ON THE SIZE AND DISTRIBUTION OF THE HERD THROUGH GROUND SURVEY AND AERIAL OBSERVATION. AN OVERALL COUNT IN JUNE-AUGUST, 1977 ESTABLISHED THE HERD SIZE AT 387 HORSES. IT HAS BEEN SPECULATED THAT THERE MAY BE A SEASONAL MOVEMENT PATTERN OF BANDS FROM HERD BOUNDARIES TO OTHER HERD BOUNDARIES. AT THE CURRENT LEVEL OF ADMINISTRATION IT HAS NOT BEEN POSSIBLE TO LOCATE MOST OF THE HORSES IN THE WINTER. THE DAILY AND SEASONAL MOVEMENTS OF THE HORSES ARE POORLY UNDERSTOOD.

THE STUDY GAVE THE AGE, CLASS AND SEX COMPOSITION OF EACH KNOWN BAND IN THE HERD. AS THE FOLLOWING DATA SHOWS, 10.3% (40/387) OF THE HERD CONSISTS OF FOALS WHILE THERE WERE 20 SIGHTINGS OF YEARLINGS. NATIONAL FOREST LAND EAST OF POWERLINE IS RECOMMENDED TO WILDERNESS PURSUANT TO RARE II. OBJECTIVES FOR MANAGEMENT IS TO DO SO IN A MANNER WHICH WILL PROTECT WILDERNESS VALUES.

K. WILD HORSES

WHEN THE WILD FREE-ROAMING HORSES AND BURROS ACT WAS SIGNED ON DECEMBER 15, 1971, THERE WERE AN ESTIMATED 70 HORSES IN THE MONT-GOMERY PASS WILD HORSE TERRITORY. ON JUNE 21, 1973, THE INYO NATIONAL FOREST COUNTED 162. DURING THE SUMMER OF 1974 THE TOIYABE NATIONAL FOREST MADE AN INCOMPLETE GROUND COUNT OF 129 HORSES. IN 1975 THE BUREAU OF LAND MANAGEMENT AGAIN PARTIALLY INVENTORIED THE HORSES BY HELICOPTER AND COUNTED 96. DURING 1977 THE TOIYABE NATIONAL FOREST INVENTORIED 387 HORSES IN 86 BANDS. IN 1978 THE COUNT DROPPED SUBSTANTIALLY. THE FOREST SERVICE INVENTORY WAS BASED ON NUMEROUS HELICOPTER FLIGHTS AND GROUND COUNTS AND IS MUCH MORE RELIABLE THAN PREVIOUS COUNTS. (SEE APPENDIX II)

DURING THE SEVERE WINTER OF 1977-78 LESS THAN 50 HORSES REMAINED WITHIN THE 1971 TERRITORY BOUNDARY. DEEP SNOW COVERED THE ENTIRE AREA. THE REMAINING HORSES WERE NOT FOUND. THE FLUCTUATION IN NUMBERS IS FELT TO BE DUE TO SHIFTS THAT OCCUR FROM OTHER TERRI-TORIES AS THE HERDS WINTER. THE OUTER LIMITS OF THE ACTUAL TERRITORY ARE UNDETERMINED. THE FOLLOWING CHARACTERISTICS WERE OBSERVED SPECI-FICALLY ON THE MONTGOMERY PASS BANDS:

1. HERD CHARACTERISTICS

IN 1977 AND 1978 A DETAILED STUDY OF THE HERD WAS MADE. A POP-ULATION ESTIMATE WAS ACCOMPLISHED BY DESCRIBING THE RECOGNIZED BANDS AS TO COLOR, SEX, AND AGE GROUP OF EACH MEMBER (SEE APPENDIX I). DATA WAS COMPILED ON THE SIZE AND DISTRIBUTION OF THE HERD THROUGH GROUND SURVEY AND AERIAL OBSERVATION. AN OVERALL COUNT IN JUNE-AUGUST, 1977 ESTABLISHED THE HERD SIZE AT 387 HORSES. IT HAS BEEN SPECULATED THAT THERE MAY BE A SEASONAL MOVEMENT PATTERN OF BANDS FROM HERD BOUNDARIES TO OTHER HERD BOUNDARIES. AT THE CURRENT LEVEL OF ADMINISTRATION IT HAS NOT BEEN POSSIBLE TO LOCATE MOST OF THE HORSES IN THE WINTER. THE DAILY AND SEASONAL MOVEMENTS OF THE HORSES ARE POORLY UNDERSTOOD.

THE STUDY GAVE THE AGE, CLASS AND SEX COMPOSITION OF EACH KNOWN BAND IN THE HERD. AS THE FOLLOWING DATA SHOWS, 10.3% (40/387) OF THE HERD CONSISTS OF FOALS WHILE THERE WERE 20 SIGHTINGS OF YEARLINGS.

2. FOLLOWING INSTINCT

HORSES BEING VERY SOCIABLE ANIMALS, ESTABLISH BONDS OF COMPANION-SHIP WITHIN GROUPS. FROM OBSERVATION IT APPEARS THAT THE LEAD MARE IN A BAND DICTATES NORMAL DAILY ACTIVITY, EXCEPT DURING PERIODS OF STRESS. SHE IS NORMALLY THE FIRST TO START TOWARDS WATER OR FORAGING AREAS WITH THE REST FOLLOWING. HORSES ARE ALSO CREATURES OF HABIT, THE LEAD MARE MOVING ALONG WORN PATHS THAT THEY HAVE ALWAYS TRAVELED. SHE INTIMATELY KNOWS ALL TRADI-TIONAL TRAILS AND AREAS OF USE. THE BLIND TRAP BELOW SAGEHEN SPRING WAS SET IN ONE OF THESE PATHS.

IN STUD GROUPS, THERE IS A DOMINANT STALLION AND THE OTHER STALLIONS WILL FOLLOW HIM. THESE GROUPS ARE VERY LOOSE KNIT WITH ANIMALS WANDERING BY THEMSELVES FOR SEVERAL DAYS BEFORE RETURNING.

3. SHADE TREES

SHADE TREES ARE IMPORTANT MAINLY DURING TRAVELING AND RESTING IN SUMMER MONTHS. THESE ARE EITHER PINYON PINES OR JUNIPERS, BEING SOLITARY TREES IN OPEN SAGEBRUSH FEEDING AREAS OR ONES IN FORESTS ALONG MAIN TRAVEL ROUTES. THEIR LOWER BRANCHES ARE BROKEN OFF WITH THE UPPER PORTION PROVIDING A CANOPY FROM THE MIDDAY SUMMER HEAT. THEY ARE ALSO USED AS SCRATCHING POSTS. DUE TO THE HEAVY CONCENTRATION OF HORSES AROUND THESE TREES, THERE IS A WELL WORN CIRCLE DEPRESSION DEVOID OF ANY VEGETATION, ALONG WITH LARGE AMOUNTS OF FECAL MATERIAL.

4. WATER HOLE BEHAVIOR

WHEN WATER BECOMES NEEDED, THE HORSES PROCEED TOWARDS THE SPRING IN SINGLE FILE, STARTING USUALLY IN THE AFTERNOON OR EVENING, AND REACHING THE SPRING AT SUNDOWN OR LATER. THE LEAD MARE AL-MOST ALWAYS INITIATES THIS ACTION WITH OTHERS FOLLOWING. THE LEAD STALLION FOLLOWS THE BAND STAYING MANY YARDS BEHIND WHILE BEING ON EVER PRESENT ALERT. THEY WILL FEED ALONG THE WAY BUT USUALLY STOP FEEDING WHEN NEAR THEIR DESTINATION. UPON REACHING THE SPRING, THE LEAD STALLION WILL WALK AROUND IT BEFORE ANYONE DRINKS, AS IF TO CHECK OUT THE PLACE. HE WILL THEN STAND GUARD WHILE THE LEAD MARE AND THEN FOALS DRINK. THE OTHERS WILL THEN DRINK THEIR FILL WITH THE LEAD STALLION DRINKING LAST. BANDS NORMALLY LEAVE AT OR BEFORE SUNUP, BUT SOME REMAIN LONGER.

5. AVAILABLE FORAGE

THERE IS CONSIDERABLE EVIDENCE THAT SHOWS HABITAT DESTRUCTION AND RANGE DETERIORATION WHICH CAN BE ATTRIBUTED TO THE INCREASE OF

2. FOLLOWING INSTINCT

HORSES BEING VERY SOCIABLE ANIMALS, ESTABLISH BONDS OF COMPANION-SHIP WITHIN GROUPS. FROM OBSERVATION IT APPEARS THAT THE LEAD MARE IN A BAND DICTATES NORMAL DAILY ACTIVITY, EXCEPT DURING PERIODS OF STRESS. SHE IS NORMALLY THE FIRST TO START TOWARDS WATER OR FORAGING AREAS WITH THE REST FOLLOWING. HORSES ARE ALSO CREATURES OF HABIT, THE LEAD MARE MOVING ALONG WORN PATHS THAT THEY HAVE ALWAYS TRAVELED. SHE INTIMATELY KNOWS ALL TRADI-TIONAL TRAILS AND AREAS OF USE. THE BLIND TRAP BELOW SAGEHEN SPRING WAS SET IN ONE OF THESE PATHS.

IN STUD GROUPS, THERE IS A DOMINANT STALLION AND THE OTHER STALLIONS WILL FOLLOW HIM. THESE GROUPS ARE VERY LOOSE KNIT WITH ANIMALS WANDERING BY THEMSELVES FOR SEVERAL DAYS BEFORE RETURNING.

3. SHADE TREES

SHADE TREES ARE IMPORTANT MAINLY DURING TRAVELING AND RESTING IN SUMMER MONTHS. THESE ARE EITHER PINYON PINES OR JUNIPERS, BEING SOLITARY TREES IN OPEN SAGEBRUSH FEEDING AREAS OR ONES IN FORESTS ALONG MAIN TRAVEL ROUTES. THEIR LOWER BRANCHES ARE BROKEN OFF WITH THE UPPER PORTION PROVIDING A CANOPY FROM THE MIDDAY SUMMER HEAT. THEY ARE ALSO USED AS SCRATCHING POSTS. DUE TO THE HEAVY CONCENTRATION OF HORSES AROUND THESE TREES, THERE IS A WELL WORN CIRCLE DEPRESSION DEVOID OF ANY VEGETATION, ALONG WITH LARGE AMOUNTS OF FECAL MATERIAL.

4. WATER HOLE BEHAVIOR

WHEN WATER BECOMES NEEDED, THE HORSES PROCEED TOWARDS THE SPRING IN SINGLE FILE, STARTING USUALLY IN THE AFTERNOON OR EVENING, AND REACHING THE SPRING AT SUNDOWN OR LATER. THE LEAD MARE AL-MOST ALWAYS INITIATES THIS ACTION WITH OTHERS FOLLOWING. THE LEAD STALLION FOLLOWS THE BAND STAYING MANY YARDS BEHIND WHILE BEING ON EVER PRESENT ALERT. THEY WILL FEED ALONG THE WAY BUT USUALLY STOP FEEDING WHEN NEAR THEIR DESTINATION. UPON REACHING THE SPRING, THE LEAD STALLION WILL WALK AROUND IT BEFORE ANYONE DRINKS, AS IF TO CHECK OUT THE PLACE. HE WILL THEN STAND GUARD WHILE THE LEAD MARE AND THEN FOALS DRINK. THE OTHERS WILL THEN DRINK THEIR FILL WITH THE LEAD STALLION DRINKING LAST. BANDS NORMALLY LEAVE AT OR BEFORE SUNUP, BUT SOME REMAIN LONGER.

5. AVAILABLE FORAGE

THERE IS CONSIDERABLE EVIDENCE THAT SHOWS HABITAT DESTRUCTION AND RANGE DETERIORATION WHICH CAN BE ATTRIBUTED TO THE INCREASE OF

THAT HORSES WILL PAW UP ROOTS OF DESIREABLE FORAGE PLANTS. THE AREAS RECEIVING THE HEAVIEST USE HAVE BEEN THE OPEN SAGEBRUSH GRASS TYPES AND MEADOW AREAS FROM PIZONA EASTWARD TO THE ATOMIC ENERGY COMMISSION (AEC) CLEARING. THE HORSES HAVE SEVERELY UTILIZED AREAS AROUND SPRINGS AND MEADOWS. SPRINGS HAVE BEEN TRAMPLED AND THEIR QUALITY AND FLOW REDUCED.

THE VEGETATION WITHIN THESE KEY AREAS HAS CHANGED DRASTICALLY DUE TO GRAZING BY LIVESTOCK AND HEAVY HORSE USE. LIVESTOCK HAVE NOT GRAZED THESE KEY AREAS FOR THE LAST FOUR OR FIVE YEARS AND THE DOWNWARD TREND IS VERY NOTICEABLE. IN THE VERY POOR AREAS BARE GROUND IS 70-80 PERCENT WITH SOIL DISTURBANCE. DUE TO HEAVY GRAZING, BRUSH IS INCREASING AND THE MAIN GRASSES ARE SCATTERED CLUMPS OF GREAT BASIN WILDRYE, AND SQUIRRELTAIL.

L. <u>SAFETY</u>

WILD HORSES ON HIGHWAYS 6 AND 10 POSE A THREAT TO MOTORISTS WHEN STRUCK BY VEHICLES. THE USE OF HELICOPTERS AND SADDLE HORSES POSE A THREAT TO AGENCY ADMINISTRATORS AND CONTRACTORS DURING HORSE MANAGEMENT OPERATIONS.

M. WATERSHED

THE AREA IS DIVIDED BETWEEN SEVERAL WATERSHEDS WHICH ARE KNOWN AS MOND BASIN, ADDBE VALLEY, BENTON VALLEY, QUEEN VALLEY AND TEELS MARSH. THERE IS NO MAJOR SURFACE RUNOFF, DUE TO SOIL CHARACTERISTICS, EXCEPT TO THE SOUTHEAST IN TRUMAN CANYON AND WEST QUEEN CANYON.

LARGE SPRINGS PRODUCING SIGNIFICANT VOLUMES OF WATER ARE LOCATED AT RIVER SPRINGS AND BRAMLETTE RANCH. ORIGIN OF THE SPRING WATER IS NOT KNOWN, BUT IT MAY BE ASSOCIATED WITH GROUND WATER BODIES LOCATED AT HIGHER ELEVATIONS. WATER FROM THE SPRINGS IN WEST QUEEN CANYON ARE PIPED TO QUEEN VALLEY FOR RANGE AND WILDLIFE USES.

SHEET EROSION WAS VERY EVIDENT AFTER A HIGH INTENSITY JULY STORM IN 1978. GULLY EROSION IS MAINLY ASSOCIATED WITH THE MEADOW TYPES. THIS HAS LOWERED THE WATER TABLE AND CAUSED A CONVERSION TO RABBITBRUSH AND SALT GRASS.

IN 1977-78, GABIONS WERE CONSTRUCTED IN THE TRUMAN SPRINGS AREA TO SPEED RECOVERY OF GULLY EROSION. ADDITIONAL WORK IS NEEDED IN THE PIZONA CREEK AREA.

1

THAT HORSES WILL PAW UP ROOTS OF DESIREABLE FORAGE PLANTS. THE AREAS RECEIVING THE HEAVIEST USE HAVE BEEN THE OPEN SAGEBRUSH GRASS TYPES AND MEADOW AREAS FROM PIZONA EASTWARD TO THE ATOMIC ENERGY COMMISSION (AEC) CLEARING. THE HORSES HAVE SEVERELY UTILIZED AREAS AROUND SPRINGS AND MEADOWS. SPRINGS HAVE BEEN TRAMPLED AND THEIR QUALITY AND FLOW REDUCED.

THE VEGETATION WITHIN THESE KEY AREAS HAS CHANGED DRASTICALLY DUE TO GRAZING BY LIVESTOCK AND HEAVY HORSE USE. LIVESTOCK HAVE NOT GRAZED THESE KEY AREAS FOR THE LAST FOUR OR FIVE YEARS AND THE DOWNWARD TREND IS VERY NOTICEABLE. IN THE VERY POOR AREAS BARE GROUND IS 70-80 PERCENT WITH SOIL DISTURBANCE. DUE TO HEAVY GRAZING, BRUSH IS INCREASING AND THE MAIN GRASSES ARE SCATTERED CLUMPS OF GREAT BASIN WILDRYE, AND SQUIRRELTAIL.

L. <u>SAFETY</u>

WILD HORSES ON HIGHWAYS 6 AND 10 POSE A THREAT TO MOTORISTS WHEN STRUCK BY VEHICLES. THE USE OF HELICOPTERS AND SADDLE HORSES POSE A THREAT TO AGENCY ADMINISTRATORS AND CONTRACTORS DURING HORSE MANAGEMENT OPERATIONS.

M. WATERSHED

THE AREA IS DIVIDED BETWEEN SEVERAL WATERSHEDS WHICH ARE KNOWN AS MOND BASIN, ADDBE VALLEY, BENTON VALLEY, QUEEN VALLEY AND TEELS MARSH. THERE IS NO MAJOR SURFACE RUNOFF, DUE TO SOIL CHARACTERISTICS, EXCEPT TO THE SOUTHEAST IN TRUMAN CANYON AND WEST QUEEN CANYON.

LARGE SPRINGS PRODUCING SIGNIFICANT VOLUMES OF WATER ARE LOCATED AT RIVER SPRINGS AND BRAMLETTE RANCH. ORIGIN OF THE SPRING WATER IS NOT KNOWN, BUT IT MAY BE ASSOCIATED WITH GROUND WATER BODIES LOCATED AT HIGHER ELEVATIONS. WATER FROM THE SPRINGS IN WEST QUEEN CANYON ARE PIPED TO QUEEN VALLEY FOR RANGE AND WILDLIFE USES.

SHEET EROSION WAS VERY EVIDENT AFTER A HIGH INTENSITY JULY STORM IN 1978. GULLY EROSION IS MAINLY ASSOCIATED WITH THE MEADOW TYPES. THIS HAS LOWERED THE WATER TABLE AND CAUSED A CONVERSION TO RABBITBRUSH AND SALT GRASS.

IN 1977-78, GABIONS WERE CONSTRUCTED IN THE TRUMAN SPRINGS AREA TO SPEED RECOVERY OF GULLY EROSION. ADDITIONAL WORK IS NEEDED IN THE PIZONA CREEK AREA. BARRIERS. GEOGRAPHIC FEATURES ARE FREQUENTLY USED TO CONTROL LIVESTOCK. THEIR USE CONTRIBUTES TO A LOWER INVESTMENT IN RANGE IMPROVEMENTS.

3. CURRENT AND POTENTIAL CAPACITY

CURRENT - PAST RECORDS OF THE HUNTOON, MCBRIDE FLAT AND PIZONA ALLOTMENTS INDICATE THAT CURRENT CAPACITY OF THE MAJOR LIVE-STOCK RANGES IS ABOUT 1048 ANIMAL MONTHS (EXCLUSIVE OF WILD HORSE USE).

POTENTIAL - OPPORTUNITIES TO EXPAND BEYOND THE CURRENT CAPACITY AT THIS TIME IS LIMITED. IDENTIFICATION OF THE AREA AS A CANDI-DATE FOR WILDERNESS CLASSIFICATION HAS FOREGONE TYPE CONVERSION AND REVEGETATION PROGRAMS.

4. SUMMARY - SEE FIGURE IV

RANGE	AUM's	SEASON	LIVESTOCK CLASS
A. PIZONA (INACTIVE)	368	6/1 - 9/30	CATTLE
B. MCBRIDE FLAT	488	6/1 - 9/30	CATTLE
C. HUNTOON VALLEY	100	12/16-4/15	CATTLE

- D. JACKS SPRING RANGE THE AREA IS CLOSED TO DOMESTIC LIVESTOCK GRAZING TO AVOID COMPETITION WITH DEER. MULTIPLE USE PLAN, BRIDGEPORT RANGER DISTRICT, TOIYABE NATIONAL FOREST.
- E. THE ADOBE VALLEY IS LOCATED TO THE SOUTHWEST. THE FRINGE AREA IS PART OF THE ADOBE VALLEY CATTLE ALLOTMENT AND LITTLE ADOBE SHEEP ALLOTMENT.
- F. THE NORTHEAST PORTION OF THE TERRITORY IS PART OF THE HUNTOON, MARIETTA AND BASALT GRAZING AREAS.

0. RANGE CONDITION

THE KEY AREAS, OPEN SAGEBRUSH GRASSLANDS AND MEADOWS, RECEIVE THE HEAVIEST IMPACTS FROM THE CONTINUED GRAZING. IN THE SUMMER MONTHS WHEN WATER BECOMES SCARCE THERE IS SEVERE TRAMPLING AT MOST SPRINGS.

DURING THE SUMMER OF 1978 A RANGE ANALYSIS SURVEY WAS CONDUCTED ON KEY RANGES. ALMOST ALL THE KEY RANGE IS IN POOR CONDITION WITH A DOWNWARD TREND. SOME WET MEADOWS WERE RECORDED TO BE IN GOOD CONDI-TION. THIS MAY BE ATTRIBUTED TO THE ABUNDANT MOISTURE RECEIVED DURING THE PAST WINTER AND THE WILD HORSE PREFERENCE FOR BUNCHGRASS FORAGE. BARRIERS. GEOGRAPHIC FEATURES ARE FREQUENTLY USED TO CONTROL LIVESTOCK. THEIR USE CONTRIBUTES TO A LOWER INVESTMENT IN RANGE IMPROVEMENTS.

3. CURRENT AND POTENTIAL CAPACITY

CURRENT - PAST RECORDS OF THE HUNTOON, MCBRIDE FLAT AND PIZONA ALLOTMENTS INDICATE THAT CURRENT CAPACITY OF THE MAJOR LIVE-STOCK RANGES IS ABOUT 1048 ANIMAL MONTHS (EXCLUSIVE OF WILD HORSE USE).

POTENTIAL - OPPORTUNITIES TO EXPAND BEYOND THE CURRENT CAPACITY AT THIS TIME IS LIMITED. IDENTIFICATION OF THE AREA AS A CANDI-DATE FOR WILDERNESS CLASSIFICATION HAS FOREGONE TYPE CONVERSION AND REVEGETATION PROGRAMS.

4. <u>SUMMARY - SEE FIGURE IV</u>

RANGE	AUM's	SEASON	LIVESTOCK CLASS
A. PIZONA (INACTIVE)	368	6/1 - 9/30	CATTLE
B. MCBRIDE FLAT	488	6/1 - 9/30	CATTLE
C. HUNTOON VALLEY	100	12/16-4/15	CATTLE

- D. JACKS SPRING RANGE THE AREA IS CLOSED TO DOMESTIC LIVESTOCK GRAZING TO AVOID COMPETITION WITH DEER. MULTIPLE USE PLAN, BRIDGEPORT RANGER DISTRICT, TOIYABE NATIONAL FOREST.
- E. THE ADOBE VALLEY IS LOCATED TO THE SOUTHWEST. THE FRINGE AREA IS PART OF THE ADOBE VALLEY CATTLE ALLOTMENT AND LITTLE ADOBE SHEEP ALLOTMENT.
- F. THE NORTHEAST PORTION OF THE TERRITORY IS PART OF THE HUNTOON, MARIETTA AND BASALT GRAZING AREAS.

0. RANGE CONDITION

THE KEY AREAS, OPEN SAGEBRUSH GRASSLANDS AND MEADOWS, RECEIVE THE HEAVIEST IMPACTS FROM THE CONTINUED GRAZING. IN THE SUMMER MONTHS WHEN WATER BECOMES SCARCE THERE IS SEVERE TRAMPLING AT MOST SPRINGS.

DURING THE SUMMER OF 1978 A RANGE ANALYSIS SURVEY WAS CONDUCTED ON KEY RANGES. ALMOST ALL THE KEY RANGE IS IN POOR CONDITION WITH A DOWNWARD TREND. SOME WET MEADOWS WERE RECORDED TO BE IN GOOD CONDI-TION. THIS MAY BE ATTRIBUTED TO THE ABUNDANT MOISTURE RECEIVED DURING THE PAST WINTER AND THE WILD HORSE PREFERENCE FOR BUNCHGRASS FORAGE.




Figure HI V

D. PASSES TESTS OF FEASIBILITY:

•LEGAL •TECHNICAL •FINANCIAL •POLITICAL

- E. PROVIDES FOR OTHER LAND USES AT LEVELS DESCRIBED IN THE MANAGEMENT DIRECTION OF THE MULTIPLE USE MANAGEMENT PLAN FOR THE AREA.
- F. ACCEPTABILITY BY THE PUBLIC AGENCIES RESPONSIBLE FOR MANAGEMENT OF THE WILD HORSE TERRITORY.
- G. DOES NOT IMPAIR WILDERNESS VALUES OF PROPOSED EXCELSIOR WILDERNESS.

V. ALTERNATIVES

BASED UPON THE PREVIOUSLY MENTIONED EVALUATION CRITERIA AND THE AUTHORITY STATED IN THE INTRODUCTION, THE FOLLOWING ALTERNATIVES WERE DEVELOPED:

- A. <u>NO ACTION</u> THE WILD HORSE HERDS WOULD CONTINUE TO GROW AND EXPAND AS THEY HAVE SINCE 1971.
- B. <u>1971 NUMBERS</u> APPROXIMATELY 330 HORSES WOULD BE REMOVED TO LEAVE 70 HORSES. THIS IS THE NUMBER OF HORSES FOUND WITHIN THE TERRITORY IN 1971. TREND STUDIES WOULD CONTINUE TO BE READ AND NEW STUDIES INSTALLED AND MONITORED. THE HERD SIZE MAY BE ADJUSTED BASED ON RANGE TREND. REFINEMENT OF WINTER RANGES WILL CONTINUE UTILIZING APPROPRIATE SURVEY TECHNIQUES. FIRE AND FUELWOOD MANAGEMENT CREATES GRASSY OPENINGS IN THE PINYON. THESE AREAS PROVIDE IMPROVED FORAGE AREAS. VEHICLES ARE RESTRICTED TO EXISTING ROADS. FOREST WOULD BE ALLOCATED TO PROVIDE FOR THE 70 HORSES AS THE RANGE CONDITIONS IMPROVE AND/OR AS NEW GRAZING IS CREATED IN PINYON-JUNIPER OPENINGS OR BY SPRING DEVELOPMENTS. WHERE POSSIBLE, AREAS WILL BE RESTED THROUGH WATER SOURCE CLOSURES.
- C. <u>PRESENT CAPACITY</u> HORSES WOULD BE REMOVED TO LEAVE 50 HORSES. BASED ON BANGE ANALYSIS DATA THIS IS THE NUMBER OF HORSES THAT THE PRESENT KEY RANGES CAN SUPPORT. THE REMAINDER OF THIS ALTERNATIVE IS THE SAME AS (B) ABOVE.
- D. <u>REMOVE ALL HORSES</u> THIS ALTERNATIVE WOULD BE FOR THE ELIMINATION OF THE WILD HORSE HERD.

VI. EFFECTS OF IMPLEMENTATION

THE ALTERNATIVES WERE ANLAYZED IN TABLE 1 BY ASSESSING THEIR EFFECT ON

Y

OUTPUTS, COST, PHYSICAL, BIOLOGICAL, ECONOMIC CHANGES AS EVALUATED AGAINST THE OBJECTIVES, POLICY, AND OTHER EVALUATION CRITERIA.

THE FOLLOWING ASSUMPTIONS WERE USED IN ESTIMATING THE EFFECTS OF IMPLEMENTATION:

- A. FLOW OF SPRINGS CAN BE REDUCED BY HORSE OR CATTLE TRAMPLING.
- B. RANGE CONDITIONS WILL IMPROVE THROUGH PROPER USE AND BY RESTING SOME AREAS, BY ROTATING WATERING LOCATIONS.
- C. THE DEMAND FOR LIVESTOCK GRAZING WILL INCREASE AND LIVESTOCK GRAZING OVER THE NEXT FIVE YEARS WILL PROBABLY INCREASE OVER RECENT YEARS.
- D. THE HERD SIZE WILL CONTINUE TO EXPAND AT APPROXIMATELY 10 PERCENT PER YEAR.
- E. HORSES ARE DETRIMENTAL TO CULTURAL RESOURCE SITES THROUGH TRAMPLING.
- F. SUFFICIENT FORAGE WILL BE LEFT FOR DEER WINTER RANGE BY ALLOCATING ONLY GRASS AND FORBS TO THE HORSES. COMPETITION IN THE NEAR FUTURE BETWEEN HORSES AND DEER WILL BE MINIMAL DUE TO DIFFERENCE IN FORAGE PREFERENCE.
- G. MOST OF THE RECREATION USE IN THE KEY HORSE AREAS IS RELATED TO THE WILD HORSES.
 - 1. <u>ALTERNATIVE A</u>

THE 'NO ACTION' ALTERNATIVE RATED VERY LOW BECAUSE THE CONTINUING INCREASE OF HORSE NUMBERS WOULD RAPIDLY DETERIORATE THE SOIL AND VEGETATIVE CONDITIONS. THIS WOULD RESULT IN A SIGNIFICANT DECREASE OF LIVESTOCK FORAGE, WILDLIFE FOOD AND COVER, AND SPRING FLOW. CULTURAL RESOURCE SITES WOULD CONTINUE TO BE IMPACTED. A DOWN-WARD RANGE TREND WOULD BE INFLUENCED BY CURRENT USES AND CLIMATIC CYCLES. THE OCCURRENCE OF DESIREABLE FORAGE PLANTS; GRASSES AND FORBES, WOULD BECOME LESS ABUNDANT. THE AMOUNT OF BARE OR EX-POSED SOIL WOULD INCREASE. THE DECLINE IN RANGE CONDITION AND PRODUCTIVITY WOULD TAKE PLACE BEFORE THE CASUAL OBSERVER WOULD NOTICE ANY SIGNIFICANT DECLINE IN HEALTH OR CONDITION OF ANIMALS USING THE RANGE. UNDER EXTREME CONDITIONS THERE WOULD BE MOVE-MENT OF SOIL PARTICLES, BUT DEGREE OF MOVEMENT COULD DIFFER BY LOCAL SITE DUE TO TERRAIN AND VEGETATIVE COVER.

2. <u>ALTERNATIVE B</u>

THE ALTERNATIVE TO REDUCE TO 1971 NUMBERS FOLLOWED BY STOCKING BASED ON RANGE TREND EVALUATIONS RATED FAIRLY HIGH BECAUSE OF

THE FAVORABLE IMPACT ON THE RESOURCES. DECLINING RANGE AND WATER-SHED CONDITIONS WOULD BE ARRESTED AND THEN THEY WOULD IMPROVE. THE AREA WOULD BE MORE AESTHETICALLY PLEASING BECAUSE THE HEAVY USE AND TRAMPLING WOULD BE ELIMINATED, AND THE HORSES WOULD STILL GIVE THE AREA A FLAVOR OF THE 'OLD WEST'. THE SPRINGS COULD BE MANAGED TO ENHANCE AN IMPROVED SYSTEM OF GRAZING USE. ADDITIONAL WATER DEVELOPMENTS WOULD BENEFIT WILDLIFE AS WELL AS HORSES. A MODIFICATION OF TOTAL SUPPRESSION EFFORTS ON WILDFIRES WILL ALLOW MODIFICATION OF DENSE PINYON-JUNIPER STANDS. THE OPENINGS WOULD RESULT IN ADDITIONAL FORAGE FOR GRAZING ANIMALS. CURRENT LIVE-STOCK GRAZING WOULD CONTINUE AND THE OPTION FOR INCREASED USE IN FUTURE YEARS EXISTS.

COST OF IMPLEMENTING THIS ALTERNATIVE WOULD BE SUBSTANTIAL DUE TO THE HIGH COST OF GATHERING AND DISPOSING OF THE HORSES. FOLLOW-UP STUDIES WILL BE EXPENSIVE AND TIME-CONSUMING.

3. <u>ALTERNATIVE C</u>

THE ALTERNATIVE TO REDUCE THE HORSES TO THE PRESENT CAPACITY (190 HORSE MONTHS) OF THE KEY AREAS RESULTED IN THE HIGHEST RATING BE-CAUSE OF THE ADDED RESOURCE BENEFITS OVER AND ABOVE THOSE, IN ALTER-NATIVE B. AN ADDITIONAL 40 HORSES WILL BE REMOVED OR A 57 PERCENT REDUCTION FROM THE 1971 NUMBERS. THE DRAMATIC IMPROVEMENT IN RANGE AND WATERSHED CONDITIONS WOULD BE WITHIN THE RANGES OF ALTER-NATIVE A AND B. THERE WOULD BE IMPROVEMENT BETWEEN B AND C. THE HERD SIZE MAY BE REDUCED TO A POINT WHERE THE HORSES MIGHT NOT BE EASILY SEEN BY VISITORS. THE 190 HORSE MONTHS REPRESENTS TOTAL CAPACITY OF THE KEY AREAS FOR UNGULATES EXCLUSIVE OF DEER. THE OPPORTUNITY FOR GRAZING AVAILABLE FORAGE IN EXCESS OF THE WILD HORSE NEEDS BY LIVESTOCK EXISTS.

4. <u>ALTERNATIVE D</u>

THE 'NO HORSE' ALTERNATIVE RATED FAIRLY HIGH BECAUSE OF THE RESOURCE IMPROVEMENT. TO MEET POLICY WITH THIS ALTERNATIVE WE WOULD HAVE TO DEMONSTRATE THAT ANY HORSE USE IN THE TERRITORY WOULD BE A SIG-NIFICANT ADVERSE IMPACT ON THE RESOURCE. WE WOULD HAVE TO SHOW THAT A THRIVING ECOLOGICAL BALANCE COULD NOT BE MAINTAINED IF HORSES WERE PRESENT. THIS ALTERNATIVE WOULD BE VERY COSTLY, BUT OF SHORT DURATION, SINCE 100 PERCENT OF THE HORSES WOULD HAVE TO BE REMOVED. THE RECREATION USE, WHICH IS ESTIMATED AS 65 PERCENT HORSE VIEWING, WOULD BE LOST. :

i. 1

!

PAGE 30

WEIGHTED IMPO 1 = Very Low 2 = Low 3 = Moderate 4 = High 5 = Very High		E	ffect Weigh		core	-5	ect = Most Detr = No Benefi = Most Bene	ts
Element	(A) No Act	ion	(B 1971 N			C) Capacity	(D) No Horse	25
Soil	-5	-25	+2 5	+10	+3 5	+15	+4 5	+20
Water Springs	-5 5	-25	+3 5	+15	+4 5	+20	+5 5	+25
Wildlife	-5 5	-25	+3 5	+15	+4. 5	+20	+5 5	· +25
Vegetation	-5 5	-25	+3 5	+15	+4 5	+20	+5 5	+25
Visual Resources	-3	-3	+2 1	+2	+2 1	+2	0 1	0
Archaeology	-5 2	-10	-2 2	-4	-1 2	-2	+1 2	+2
Timber	0 2	0	+2 2	+4	+2 2	+4	0 2	0
Livestock	-5 4	-20	-2 4	-8	-1 4	-4	0 4	0
Recreation	+3 4	+12	-1 4	-4	-4 4	-16	-5 4	-20
Fire Management	0 2	0	+3 2	+6	+3 2	+6	0 2	0
Management Direction	-5 5	-25	+5 5	+25	+5 5	+25	-5 5	-25
Endangered Plants	-5 5	-25	+2 5	+10	+3 5	+15	+4 5	+20
Watershed	-5 5	-25	+4 5	+20	+5 . 5	+25	+5 5	+25
Construction Implementa- tion	+5 5	+25	-4 5	-20	-5 5	-25	-5 5	-25
TOTAL	-1	71	8	36	1)5		72
TABLE I 30.						39.		

SUMMARY TABLE - EVALUATION OF ALTERNATIVES

		ALTERNATIVE		
RITERION	Α	В	С	D
 Maintains soil and vegetative productivity. 	1	3	3	4
. Maintains compatability of wild horses with wildlife and live-stock.	1	3	2	4
. Results in the least adverse environmental effects on the physical and biological envi- ronment.	1	4	3	3
. Passes the tests of feasibility legal technical financial political	1	3	2	1
. Provides for other land uses at levels described in the manage- ment direction of the Multiple Use Management Plan for the area.	2	3	3	1
. Acceptability by the public agencies responsible for manage- ment of the Wildhorse Territory.	1	4	3	1
SUMMARY	7	19	16	14

KEY: 4 = Most significant response to evaluation criteria 3 = Significant response to evaluation criteria

3

2 = Least significant response to evaluation criteria

1 = Insignificant response to evaluation criteria

VII. IDENTIFICATION OF PREFERRED ALTERNATIVE

ALTERNATIVE C WAS SELECTED. THIS ALTERNATIVE PROVIDES FOR REDUCING THE HERD TO THE ESTIMATED CAPACITY OF 30 HORSES ON KEY RANGES AND MAINTAINING THE 20 HORSES THAT ARE NOT ON KEY RANGE. THE NON-KEY AREAS ARE USED LESS THAN CAPACITY, BUT IT IS NOT REASONABLE TO TRY AND PUSH THE EXCESS HORSES INTO THESE AREAS. IT IS POSSIBLE THAT THE FRINGE HORSES WILL MOVE ON TO KEY RANGES AND WILL HAVE TO BE RE-MOVED EVENTUALLY. THE STOCKING WILL BE DEPENDENT ON TREND STUDIES AND THE AMOUNT OF LIVESTOCK USE.

VIII. MANAGEMENT REQUIREMENTS

REQUIREMENT

RESPONSIBLE PARTY

A. MAINTAIN WILDERNESS CHARACTER OF PROPOSED Excelsior Wilderness Area.

INYO & TOIYABE

B. MANAGE HORSE, WILDLIFE, AND LIVESTOCK GRAZING SO LAND IS RETURNED TO SATISFACTORY ECOLOGICAL CONDITION. TREND ON THE FOLLOWING SITE MUST BE UPWARD WITH CONDITION CLASSES FAIR OR BETTER:

1. SAGEHEN, SE1/4, SEC. 30, T.2N., R.32E SAGE - MISW.

- JACKS SPRING CANYON, NW1/4, SEC. 5, T.2N., R.32E
- 3. MCBRIDE, NW1/4, SEC. 2, T.IN., R.31E. SAGE TYPE.
- 4. UPPER PIZONA, SW1/4, SEC. 3, T.IN., R.31E. MOWILL
- 5. TRENCH CANYON, SW1/4, SEC. 34, T.2N., R.31E.
- 7. 6. BIG PINYON, NE1/4, SEC. 20, T.2N., R.32E
 - C. DETERMINE WINTER DISTRIBUTION PATTERNS.

U.S.F.S. Inyo & Toiyabe

- D. CONTINUE TO USE AERIAL AND GROUND SURVEYS TO BETTER DEFINE NUMBERS, REPRODUCTION RATES, SEASONAL DIST TRIBUTION. DOCUMENT:
 - 1. AVERAGE AGE OF FIRST SUCCESSFUL FOALING.
 - 2. AVERAGE NUMBER OF FOALS PER FOALING.
 - 3. REPRODUCTION RATE OF MARES OF REPRODUCTION AGE.
 - 4. SURVIVAL RATES.
 - 5. AVERAGE LONGEVITY OF ANIMALS.

6. Reproductive rate by age class.

7. SEX RATIOS.

E•	RANGE ANALYSIS SHOULD BE COMPLETED FOR THE TERRITORY.	ALL
F.	INSTALL TREND STUDIES ON KEY RANGE (SEE ITEM 2).	ALL
G.	COMPLETE FECAL ANALYSIS TO DETERMINE WINTER FEEDING HABITS• RESULTS WILL DETERMINE HOW MUCH DIRECT COMPETITION FOR FORAGE EXISTS BE- TWEEN HORSES AND DEER•	Inyo N.F., Nev. BLM
H.	OPENINGS SHOULD BE CREATED IN FORESTED AREAS BY ALLOWING WILDFIRES TO BURN UP TO 100 ACRES.	ALL (PENDING MPF by BLM)
I.	PRIVATE LAND UPON WHICH SPRINGS ARE LOCATED AS WELL AS KEY RANGE WILL BE LISTED BY PRIORITY FOR INCLUSION INTO LAND EXCHANGE AND/OR PUR- CHASE PROGRAM•	All
J.	DEVELOPED WATER SOURCES WILL ALLOW FOR CONTROL OF HORSE USE.	ALL
	ER THE STUDIES CALLED-FOR IN ITEMS B-G ARE SUFFICIENTLY ELOP OPERATING AND CAPTURE PLANS THAT WILL:	COMPLETED,
К.	REMOVE ALL HORSES EXCEPT 50 BY USING BLIND AND/OR WATER TRAPS AND HELICOPTER. HORSE NUMBERS WILL BE ADJUSTED UP OR DOWN BASED ON TREND STUDIES AND ALLOCATIONS OF FORAGE TO WILDLIFE AND STOCK IN ADDITION TO WILD HORSES.	All
L.	Allocate adequate habitat and forage to maintain existing wildlife. A minimum of 50 horses should be maintained before additional grazing is allocated.	All
M.	Require captured animals which are sound to be placed with private parties through the BLM Adoption Program at Bishop, CA.	BLM
N•	REQUIRE UNSOUND ANIMALS TO BE DISPOSED OF IN THE MOST HUMANE MANNER POSSIBLE.	F.S.
0.	USE PHOTOGRAPHS TO DOCUMENT CAPTURED HORSES AND YOUNG COLTS TO PROVIDE HERD DATA.	ALL
Р•	PROVIDE PROTECTION TO THE WILD HORSE RESOURCE AS PROVIDED BY APPROPRIATE LAWS AND REGULATIONS.	All

OTHER MANAGEMENT REQUIREMENTS:

.

Q.	THIS MANAGEMENT PLAN WILL BE REVIEWED FOR REVI- SION BY THE FOUR PARTICIPATING AGENCIES BY 1990.	All
R•	Keep State Wildlife Biologists informed as we carryout our management program and encourage assistance in evaluation and planning.	All
S.	AN ANNUAL WILD HORSE OPERATING PLAN WILL BE PRE- PARED BASED ON POPULATION AND RANGE CONDITIONS DATA AND THE SUCCESS OF CAPTURE PROGRAMS.	All
Ţ.	A COOPERATIVE AGREEMENT OR MEMORANDUM OF UNDER- STANDING WILL BE SIGNED BY EACH AGENCY TO IM- PLEMENT MANAGEMENT PLAN•	All

ALL

Year	JANUARY POPULATION	Number Removed	POPULATION AFTER REDUCTION	Spring Population Increase*	FALL Population
1980	400	100	300	45	345
1981	345	100	245	37	282
1982	282	100	182	27	209
1983	209	100	109	16	125
1984	125	70	55	8	63
1985	63	0	63	9	72
1986	72	0	72	11	83
1987	83	0	83	12	95
1988	95	35	60	9	69
1989	69	0	69	10	79
1990	79	0	79	12	91
1991	91	25	66	10	76
1992	76	0	76	11	87
1993	87	0	87	13	100
1994	100	40	60	9	69
*Acci ME	15% ANINILIAL	HEDD INCREASE	(COLT COOP MIN	ILS DEATH LOSS)	

*ASSUME 15% ANNUAL HERD INCREASE (COLT CROP MINUS DEATH LOSS).

- V. HORSES TO BE ADOPTED WILL BE FOREST SERVICE AND BLM MARKED FOR ALL IDENTIFICATION USING THE NATIONAL SYSTEM.
- W. CAPTURED HORSES WILL BE HELD AT THE FACILITIES ON EAST LINE ALL STREET, IN BISHOP. ALL ANIMALS WILL BE EXAMINED BY A VET-ERINARIAN FOR DEFECTS AND HEALTH.
- X. REQUEST THAT U.S.F.S AND B.L.M. ADJUST BOUNDARIES AS SHOWN IN PLANS.

IX. CONSULTATION WITH OTHERS

<u>Fred Smith</u> - Nevada Fish and Game <u>Morris Anderson</u> - California Fish and Game

A MEETING WAS HELD AT TRUMAN MEADOWS, WITH REPRESENTATIVES FROM INYO AND TOIYABE NATIONAL FORESTS, CARSON BLM AND NEVADA AND CALIFORNIA FISH AND GAME, JUNE 16-17, 1977, TO DETERMINE WILD HORSE PARAMETERS ON LANDS ADMINISTERED BY FOREST SERVICE AND BLM AND TO IDENTIFY RANGE CARRYING CAPACITY AS IT RELATES TO OTHER RANGE USERS. THE FISH AND GAME WANTED MOST OF THE HORSES REMOVED.

JOHN STECHMAN - ANIMAL SCIENCE DEPARTMENT, CALIFORNIA POLYTECHNIC STATE UNIVERSITY, SAN LUIS OBISPO, CALIFORNIA.

HE THOUGHT THAT THE HORSES PROVIDED SOMETHING NICE TO LOOK AT, BUT THOUGHT THEY WERE DESTROYING THE RANGE.

<u>Dr. Roy Harris</u> - Animal Science Department, California Polytechnic State University, San Luis Obispo, California.

He was much interested in maintaining the horse as part of our heritage. He also thought there must be some degree of genetic inbreeding in horses which are confined to a certain region with no immigration and emigration.

<u>Wild Horse Forum 1978</u> - Passed resolution to bring horse numbers in line with carrying capacity.

Willie Molini - Nevada Fish and Game

He stated that wild horses were destroying deer winter range and disturbing other wildlife species.

<u>Dr. Hanson</u> - Natural Resources Mangement Department, California Polytechnic State Universtiy, San Luis Obispo, California.

He was concerned with wildlife habitat disturbance with general interest about wild horselife history.

<u>Recreationists</u> - Excelsior Mountains

They generally traveled through the Wild Horse Territory to see the wild horses and observe indian artifacts. They wanted to continue to see the horses.

Local Citizens

Many people were personally contacted and interviewed on history and background events for preparing the brief narrative on evolution of wild horses on the Montgomery Pass Territory. Each agency participated in this task and it is beyond our means to acknowledge each response.

X. FINDING OF NO SIGNIFICANT IMPACT

This plan includes 207,291 acres of public and private land of which 98.5 percent is public land administrated by the Bureau of Land Management and the Forest Service.

Most of the area is included within the Excelsior Roadless Area (04-989 and 05-989) recommended for wilderness through the Roadless Area Review and Evaluation Process (RARE II). The administration formally recommended this area be classified as wilderness on April 16, 1979. This land allocation decision is documented in the Final Environmental Statement, (FES) issued January 4, 1979 and is available for review at all Forest Service offices. Through use of the "Tiering" procedure described in Section 1502.20 of regulations developed by the Council of Environmental Quality on NEPA, the issues are narrowed in this plan to describe those actions necessary to meet the land management objectives for Wilderness. The environmental assessment does not indicate there will be any significant effect on the human environment and an Environmental Impact Statement is not needed for the following reasons:

- A. Most of the area has been allocated to Wilderness per the RARE II Final Environmental Statement. This plan provides for management of wild horses to protect the wilderness resource.
- B. The removal of horses to a carrying capacity of 190 horse months will greatly improve environmental conditions.
- C. No irretrivable or irreversible commitment of resources will be made.
- d. There are no apparent adverse cumulative or secondary effects.

APPENDIX L

Solitary or Band #5 Horse #1 COLOR: White-slightly mottled CLASS: Adult Female SEX: DESCRIPTION: Mane-light grey Tail-light grey MARKINGS: Facial-none Body-black left arm Feet: LR-white LF-white RF-white RR-white CONDITION: ribs showing PHOTO: Roll #1, frame #6; Roll #12, frame #2 OBSERVATION #: 1, 4, 8, 11, 12, 24 Band #1 Horse #2 COLOR: Buckskin-brownish white CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & strip Feet: LR-sock LF-black RF-black RR-sock CONDITION: Good PHOTO: Roll #1, frame #8-11; Roll #18, frame #8-11 OBSERVATION #: 2 Band #1 Horse #3 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-strip & snip Feet: LR-sock LF-red RR-red RF-red CONDITION: Good PHOTO: Roll #1, frame #8-11; Roll #18, frame #11 OBSERVATION #: 2 Band #1 Horse #4 COLOR: Bay CLASS: Ldult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LF-black Feet: LR-black RR-black RF-black CONDITION: Good PHOTO: Roll #1, frame #8-11; Roll #18, frame #11 OBSERVATION #: 2

Band #1 Horse #5 Buckskin-light brown-black COLOR: CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-None Feet: LR-sock LF-black RR-sock RF-black CONDITION: Good PHOTO: Roll #1, frame #8-11; Roll #18, frame #11 OBSERVATION #: 2 Horse #6 Band #1 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-snip Feet: LR-sock LF-black RR-black RF-black CONDITION: Good Roll #1, frame #8-11; Roll #18 frame #11 PHOTO: **OBSERVATION** #: Horse #7 Band #1 COLOR: Grey CLASS: Adult SEX: Male Tail-grey DESCRIPTION: Mane-grey MARKINGS: Facial-white blaze body scar right flank Feet: LR-¹₂ pastern LF-grey RR-½ pastern RF-grey CONDITION: Good PHOTO: Roll #1, frame #8-11; Roll #18, frame #11 OBSERVATION #: 2, 18 Horse #8 Band #2 COLOR: Bay CLASS: Adult SEX: Male (?) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #15, frame #18 OBSERVATION #: 3

Band #2 Horse #9 COLOR: Bay CLASS: Adult Male SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #15, frame #18 OBSERVATION #: 3 Band #2 Horse #10 Sorrel-brown COLOR: CLASS: Adult SEX: Male DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #15, frame #18 OBSERVATION #: 3 Horse #11 Band #2 COLOR: Bay CLASS: Adult Male SEX: Mane-black Tail-black DESCRIPTION: MARKINGS: Facial-LR-black LF-black Feet: RR-black RF-sock CONDITION: Ribs showing PHOTO: Roll #18, frame #2 OBSERVATION #: 5 Band #3 Horse #12 Bay-dark brown COLOR: CLASS: Adult Male SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-black LF-black RR-black RF-black CONDITION: Ribs showing PHOTO: Roll #18, frame #2 OBSERVATION #: 5

Page 3

Horse #13 COLOR: Buckskin CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-black LF-black RF-black RR-black CONDITION: Good PHOTO: Roll #18, frame #2 OBSERVATION #: 5 Horse #14 COLOR: Black CLASS: Adult SEX: Male DESCRIPTION: All black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39 Horse #15 COLOR: Bay-brown CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39 Horse #16 COLOR: Sorrel-dark brown CLASS: Adult SEX: DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial Feet: LR-LF-RR-RF-CONDITION: Good

PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39 Band #4

Band #3

Band #4

Band #4 Horse #17 COLOR: Bay-red CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39 Horse #18 Band #4 Bay-brown-black COLOR: Adult CLASS: SEX: DESCRIPTION: Almost black in color MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39 Horse #19 Band #4 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39 Horse #20 Band #4 COLOR: Bay CLASS: Foal of #18 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39

Horse #21 COLOR: Sorrel-brown CLASS: Adult SEX: Female DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39 Horse #22 COLOR: Bay CLASS: Foal of #21 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39 Horse #23

COLOR: Sorrel-brown CLASS: Yearling SEX: DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-Feet: LR-RR-CONDITION: PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39

Horse #24 COLOR: Black CLASS: Yearling SEX: DESCRIPTION: All black MARKINGS: Facial-Feet: LR-RR-CONDITION: PHOTO: Roll #3, frame #1 OBSERVATION #: 6, 39

Band #4

LF-RF-

LF-

RF-

Band #4

Band #4

Horse #25 Band #5 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-LR-RR-RF-CONDITION: Good PHOTO: Roll #1, frame #18-20 OBSERVATION #: 7, 12, 19 Horse #26 Band #5 COLOR: Black CLASS: Adult SEX: DESCRIPTION: All black MARKINGS: Facial-star & snip Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #1, frame #18-20 OBSERVATION #: 7, 12, 19 Horse #27 Band #5 COLOR: Sorrel-brown CLASS: Adult SEX: DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-none Feet: LR-brown LF-brown RR-brown RF-brown CONDITION: Good PHOTO: Roll #1, frame #18-20 OBSERVATION #: 7, 12, 19 Horse #28 Band #5 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-strip & snip LF-red Feet: LR-sock RR-red RF-red CONDITION: Good PHOTO: Roll #1, frame #18-20 OBSERVATION #: 7, 12, 19

. •

Band #6

Page 8

COLOR: Sorrel CLASS: Yearling (?) SEX: Mane-light Tail-light DESCRIPTION: MARKINGS: Facial-blaze Feet: LR-red LF-red RR-red RF-red CONDITION: Good PHOTO: Roll #1, frame #18-20 OBSERVATION: 7, 11, 45 Horse #30 Band #6 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-large snip Feet: LR-stocking LF-sock RR-sock RF-sock CONDITION: Good PHOTO: Roll #1, frame #18-20 OBSERVATION #: 7, 11, 45 Horse #31 Band #6 COLOR: Bay CLASS: Adult (?) SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-sock LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #1, frame #18-20 OBSERVATION #: 7, 11, 45 Horse #32 Band #6 COLOR: Bay-darker CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #1, frame #18-20

OBSERVATION #: 7, 11, 45

Horse #29

Horse #33 Band #6 Sorrel-darker brown COLOR: CLASS: Adult SEX: Male DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-small star Feet: LR-brown LF-brown RF-brown RR-pastern CONDITION: Good Roll #1, frame #18-20 PHOTO: OBSERVATION #: 7, 11, 45 Horse #34 Band #6 COLOR: Sorrel-darker brown CLASS: Adult SEX: DESCRIPTION: Mane-brown Tail-brown Facial-none Body-scar left side of barrel MARKINGS: Feet: LR-brown LF-brown RF-brown RR-brown CONDITION: Good PHOTO: Roll #1, frame #18-20 OBSERVATION: 7, 11, 45 Horse #35 Band #7 COLOR: White CLASS: Adult SEX: DESCRIPTION: Mane-grey Tail-grey MARKINGS: Facial-none Body-few grey spots Feet: LR-white LF-white RR-white **RF-white** CONDITION: Good PHOTO: OBSERVATION #: 9, 14, 16, 27, 43 Band #7 Horse #36 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-

RF-

RR-

OBSERVATION #: (9, 14, 16, 27, 43

CONDITION: PHOTO:

Page 9

Band #7 Horse #37 Bay COLOR: CLASS: SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: PHOTO: OBSERVATION #: 9, 14, 16, 27, 43 Band #7 Horse #38 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: PHOTO: OBSERVATION #: 9, 14, 16, 27, 43 Band #7 Horse #39 COLOR: Bay CLASS: Yearling SEXL DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: PHOTO: OBSERVATION #: 9, 14, 16, 27, 43 Horse #40 Band #7 COLOR: Black CLASS: Adult

LF-

RF-

Page 10

COLOR: Black CLASS: Adult SEX: Male DESCRIPTION: All black MARKINGS: Facial-Feet: LR-RR-CONDITION: PHOTO:

OBSERVATION #: 9, 14, 16, 27, 43

Band #7 Horse #41 COLOR: Bay-dark CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black LF--Feet: LR-RR-RF-CONDITION: PHOTO: OBSERVATION #: 9, 14, 16, 27, 43 Band #8 Horse #42 COLOR: Bay CLASS: Adult Female (?) SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-small star Feet: LR-light LF-light RF-sock RR-light CONDITION: Good PHOTO: Roll #1, frame #13-16, 36; Roll #2, frame #1; Roll #13, frame #14-20 OBSERVATION #: 10, 13, 22, 25, 30, 32, 34 Band #8 Horse #43 COLOR: Buckskin CLASS: Adult SEX: Female DESCRIPTION: Tail-black Mane-black (most of tail is missing) MARKINGS: Facial-small star Feet: LR-black LF-black RF-black RR-black CONDITION: Good PHOTO: Roll #1, frame #13-16, 36; Roll #2 frame #1; Roll #15, frame #14-20 OBSERVATION #: 10, 13, 22, 25, 30, 32, 34 Band #8 Horse #44 COLOR: Sorrel-brown CLASS: Adult SEX: Male DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-star Feet: LR-brown LF-sock RR-brown RF-sock CONDITION: Good PHOTO: Roll #1, frame #13-16, 36; Roll #2, frame #1; Roll #15, frame #14-20 OBSERVATION: 10, 13, 22, 25, 30, 32, 34

Band #9 Horse #45 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & snip Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #1, frame #21-23 OBSERVATION #: 15, 17 Band #9 Horse #46 COLOR: Buckskin-light gold CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip & snip Feet: FR-sock LF-black RR-sock RF-black CONDITION: PLUMP PHOTO: Roll #1, frame #21-23 OBSERVATION #: 15, 17 Band #9 Horse #47 Sorrel COLOR: CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-re MARKINGS: Facial-star, strip & snip Feet: LR-sock LF-red RR-red RF-red CONDITION: Good PHOTO: Roll #1, frames #21-23 OBSERVATION #: 15, 17 Horse #48 Band #9 COLOR: Buckskin-brownish white CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-sock LF-black RR-sock RF-black CONDITION: Good Roll #1, frame #21-23 PHOTO: OBSERVATION: 15, 17

Band #9 Horse #49 COLOR: Bay-light red CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-snip LF-black Feet: LR-sock RR-black RF-black CONDITION: Good PHOTO: Roll #1, frame #21-23 OBSERVATION #: 15, 17 Band #10 Horse #50 COLOR: Sorrel CLASS: Adult Female SEX: DESCRIPTION: Mane-red Tail-brown MARKINGS: Facial-star, strip & snip Feet: LR-sock LF-red RR-red RF-sock CONDITION: Good PHOTO: Roll #1, frame #24-28; Roll #2, frame #19-20; Roll #12, frame #8 Roll #14, frame #20 OBERVATION #: 19, 38 Horse #51 Band #10 COLOR: Bay CLASS: Adult Male SEX: DESCRIPTION: Tail-black Mane-black MARKINGS: Feet: LR-black LF-black RR-black RF-black CONDITION: 01d, ribs showing PHOTO: Roll #1, frame #24-28; Roll #2, frame #19-20; Roll #12, frame #8, OBSERVATION #: 19, 38 Roll #14, frame #20

Band #10 Horse #52 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Ribs showing PHOTO: Roll #1, frame #24-28; Roll #2, frame #19-10; Roll # 12, frame #8; Roll #14, frame #20 OBSERVATION #: 19, 38

Band #10 Horse #53 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Tail-black Mane-black MARKINGS: Facial-blaze Body scars on back Feet: LR-sock LF-black RR-black RF-black CONDITION: Some ribs showing PHOTO: Roll #1, frame #24-28; Roll #2, frame #19-20; Roll #12, frame #8; Roll #14, frame #20. OBSERVATION #: 19, 38 Band #10 Horse #54 COLOR: Black CLASS: Adult SEX: Male DESCRIPTION: All black MARKINGS: Facial-star & snip Feet: LR-sock LR-black RR-pastern RF-black CONDITION: Good PHOTO: Roll #1, frame #24-28; Roll #2, frame #19-20; Roll #12, frame #8; OBSERVATION#: 19, 38 Roll #14, frame #20. Band #11 Horse #55 COLOR: Bay-dark to black CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-faint star Feet: LR-sock LF-black RR-pastern RF-black CONDITION: Good PHOTO: Roll #3, frame #5-6 OBSERVATION #: 20, 41 Band #11 Horse #56 COLOR: Buckskin CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & snip Feet: LR-sock LF-pastern RF- black RR-black CONDITION: Good PHOTO: Roll #3, frame #5-6 OBSERVATION #: 20, 41

Band #11 Horse #57 COLOR: Bay CLASS: Adult SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-blaze LF-pastern Feet: LR-black RF-black RR-stocking CONDITION: Good PHOTO: Roll #3, frame #5-6 OBSERVATION#: 20, 41 Horse #58 Band #11 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & strip Feet: LR-sock LF-black RR-sock RF-sock CONDITION: Good PHOTO: Roll #3, frame #5-6 OBSERVATION #: 20, 41 Horse #59 Band #11 COLOR: Bay CLASS: Adult SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-star, strip & snip Feet: LR-sock LF-pastern RR-pastern **RF-pastern** CONDITION: Good PHOTO: Roll #3, frame #5-6 OBSERVATION #: 20, 41 Horse # 60 Band #11 COLOR: Bay Adult CLASS: SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, snip & strip Feet: LR-black LF-black RF-black RR-black CONDITION: Good PHOTO: Roll #3, frame #5-6 OBSERVATION #: 20, 41

÷

.....

1

Horse #61		Band #12
COLOR: Bay-dark		
CLASS: Adult		
SEX: Male		
DESCRIPTION: Mane-black	Tail-black	
MARKINGS: Facial-		
Feet: LR-	LF-	
RR-	R F -	
CONDITION:		
PHOTO:		
OBSERVATION #: 21		
Horse #62.		Band #12
		ballu #12
COLOR: Bay		
CLASS: Adult		
SEX:		
DESCRIPTION: Mane-black	Tail-black	
MARKINGS: Facial-	_	
Feet: LR-	LF-	
RR-	RF-	
CONDITION:		
PHOTO:		
OBSERVATION #: 21		
Horse #63		Band #12
COLOR: Bay		
CLASS: Adult		
SEX:		
DESCRIPTION: Mane-black	Tail-black	
MARKINGS: Facial-		
Feet: CR-	LF-	
RR-	RF-	
CONDITION:		
PHOTO:		
OBSERVATION #: 21		
OBSERVATION #• 21		
		Band #12
Horse #64		band #12
COLOR: Bay		
CLASS: Adult		
SEC:	m - 11 1-1 - 1	
DESCRIPTION: Mane-black	Tail-black	
MARKINGS: Facial-		
Feet: LR-	LF-	
RR-	RF-	
CONDITION:		

PHOTO: OBSERVATION #: 21

Horse #65 Band #12 COLOR: Bay-light Adult CLASS: SEX: DESCRIPTION: Mane-black Tail-błack MARKINGS: Facial-Feet: FR-LF-RR-RF-CONDITION: PHOTO: **OBSERVATION:** 21 Horse #66 Band #12 COLOR: Sorrel CLASS: Yearling SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: PHOTO: OBSERVATION #: 21 Horse #67 Band #13 COLOR: Buckskin-gold CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial- star, strip & snip Feet: LR-stocking LF-black RR-stocking RF-sock CONDITION: Excellent PHOTO: Roll #1, frame #29-34 OBSERVATION #: 26 Horse #68 Band #13 COLOR: Black CLASS: Adult SEX: Male DESCRIPTION: Mane-dark brown Tail-dark brown (brown clump of hair at stars MARKINGS: Facial-faint star 2 faint snip of tail Feet: LR-pastern LF-black RR-stocking RF-black CONDITION: Old and scarred PHOTO: Roll #1, frame #29-31, 33-34; Roll #4, frame #2-6 OBSERVATION #: 26, 52, 55

rage in

Band #14 Horse #69 COLOR: Bay-dark CLASS: Adult SEX: Female Tail-black DESCRIPTION:Mane-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #13, Frame #19; Roll #14, frame #20(?); Roll #15, frame #3; **OBSERVATION #: 28** Roll #18, frame #8 Band #14 Horse #70 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #2, frame #5-6; Roll #13, frame #19; Roll #15, frame #3; OBSERVÂTION #: 28 Roll #18, frame #8. Horse #71 Band #14 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #2, frame #5-6; Roll #13, frame #19; Roll#14, frame #(20?); Roll # 15, frame #3; Roll #18, frame #8 OBSERVATION #: 28, 36 Horse #72 Band #14 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #2, frame #5-6; Roll #13, frame #19; Roll #14, frame #(20?) OBSERVATION #: 28, 36 Roll #18, frame #8.

Band #14 Horse #73 Bay-dark COLOR: CLASS: Yearling SEX: DESCRIPTION: Facial-MARKINGS: LF-Feet: LR-RR-RF-CONDITION: Good Roll #2, frame #5-6; Roll #14, frame #(20?); Roll 15, frame #3. PHOTO: OBSERVATION #: 28, -36 Band #14 Horse #74 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star & strip Feet: LR-stocking LF-RF-RR-CONDITION: Good PHOTO: Roll #2, frame #5-6; Roll #14, frame #(20?) OBSERVATION #: 28 Band #14 Horse #75 Buckskin-light gold COLOR: CLASS: Adult 6EX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-stocking LF-black RF-black RR-stocking CONDITION: Good PHOTO: Roll #3, frame #7-9; Roll #13, frame #20 OBSERVATION: 29, 44 Band #15 Horse #76 COLOR: Buckskin-gold CLASS: Adult SEX: Female Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-LF-black Feet: LR-black RR-stocking RF-black CONDITION: Good PHOTO: Roll #3, frame #7-9; Roll #13, frame #20 OBSERVATION: 29, 44

Page 19

Horse #77 Band #15 COLOR:Black CLASS:Adult SEX: Male DESCRIPTION: All black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #3, frame #7-9; Roll #13, frame #20. OBSERVATION #: 29, 44 Horse #78 Band #15' COLOR: Bay-red CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-stocking LF-sock RR-stocking RF-black CONDITION: Good PHOTO: Roll #3, frame #7-9; Roll #13, frame #20. OBSERVATION #: 29, 44 Horse #79 Band #15 COLOR: Bay-red CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-pastern LF-sock RR-pastern RF-black CONDITION: Good PHOTO: Roll #3, frame #7-9; Roll #13, frame #20. OBSERVATION #: 29, 44 Horse #80 Band #15 COLOR: CLASS: SEX: DESCRIPTION: MARKINGS: Facial-star, strip & large snip Feet: LR-dark brown LF-dark brown RF-dark brown RR-dark brown CONDITION: Good PHOTO: Roll #3, frame #7-9; Roll #13, frame #20. OBSERVATION #: 29, 44

Horse #81 Band #16 COLOR: Bay-red CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-sock LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #5, frame #1-2, 4-11; Roll 12, frame #3. OBSERVATION #: 29, 61 Horse #82 Band #16 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-sock RF-black CONDITION: Good PHOTO: Roll #5, frame #1-2, 4-11, Roll #12, frame #3. OBSERVATION #: 29, 61 Horse #83 Band #16 COLOR: Bay-light CLASS: Feal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-small star Feet: LR-light LF-light RR-light RF-light CONDITION: Good PHOTO: Roll #5, Frame #1-2, 4-11; Roll #12, frame #3. OBSERVATION #: 29, 61 Horse #84 Band #16 COLOR: Bay-red CLASS: Adult Female-mother of horse #85 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LR-sock LF-black Feet: RR-sock RF-2pastern CONDITION: Good PHOTO: OBSERVATION #: #1, 32

Band #17

Horse #87 COLOR: Buckskin CLASS: Foal of horse #86 SEX: DESCRIPTION: Mane-black MARKINGS: Facial-star, strip & snip Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: OBSERVATION #: 31, 31

Horse #85

SEX:

PHOTO:

Horse #86

PHOTO:

COLOR: Bay-red

Male

CONDITION: Good

COLOR: Black CLASS: Adult

CONDITION: Good

CLASS: Yearling of horse #84

MARKINGS: Facial-star, strip & snip

SEX: Female-mother of horse #87

Feet: LR-black LF-black

Feet: LR-black LF-black RR-black

RR-black

DESCRIPTION: Mane-black

OBSERVATION #: 31, 32

DESCRIPTION: All black MARKINGS: Facial-none

OBSERVATION #: 31, 32

Horse #88 COLOR: Bay-light CLASS: Adult SEX: Female-mother of horse #89 DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-pastern LF-pastern RR-pastern RF-pastern RR-pastern **RF-pastern** CONDITION: Good PHOTO: OBSERVATION #: 31, 32

Band #17

Tail-black

RF-black

RF-black

Band #17

Horse #89 COLOR: Bay CLASS: Foal of Horse #88 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-RR-CONDITION: PHOTO: OBSERVATION #: 31, 32

Horse #90 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: PHOTO: OBSERVATION #: 31, 32

Horse #91 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-½pastern LF-black RR-½pastern RF-black CONDITION: Good PHOTO: OBSERVATION #: 31, 32

Horse #92 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star, strip & snip Feet: LR-stocking LF-sock RR-stocking RF-red CONDITION: Good PHOTO: OBSERVATION #: 31, 32 Band #17

Band #17

Band #17

Band #18

Band #18 (Band #13)

OBSERVATION #: 31, 32, 52, 55 Horse #96 COLOR: Buckskin-light CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip & snip Feet: LR-sock LF-black RR-sock RF-black CONDITION: Good PHOTO:

RR-black

OBSERVATION #: 31, 32

Horse #93

SEX:

PHOTO:

Horse #94

SEX:

PHOTO:

Horse #95

SEX:

COLOR: Sorrel CLASS: Adult

CONDITION: Good

CLASS: Adult

DESCRIPTION: Mane-red

MARKINGS: Facial-strip

OBSERVATION #: 31, 32

COLOR: Buckskin-brownish white

Feet: LR-sock

RR-sock

DESCRIPTION: Mane-black

MARKINGS: Facial-none

OBSERVATION #: 31, 32

DESCRIPTION: Mane-black

PHOTO: Roll #4, frame #2-6

Feet: LR-sock

COLOR: Buckskin-gold

MARKINGS: Facial-snip

Male

CONDITION: Good

CLASS: Adult

CONDITION: Good

Tail-red

RF-red

Tail-black

LF-pastern

RF-pastern

Tail-black

LF-black

RF-black

Feet: LR-stocking LF-red RR-red

Band #18

Band #18 Horse #97 COLOR: Bay-red CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 31, 32 Band #19 Horse #98 COLOR: Bay-dark CLASS: Adult SEX: Male Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-star & snip Feet: LR-pastern LF-black RR-black RF-black CONDITION: Good Roll #4, frame #7-11, 21 PHOTO: OBSERVATION #: 32, 33, 45, 46, 53, 60 Horse #99 Band #19 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good Roll # 4, frame #7-11, 21 PHOTO: OBSERVATION #: 32, 33, 45, 46, 53, 60 Horse #100 Band #19 COLOR: Bay-red CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-pastern LF-black RF-black RR-sock CONDITION: Good PHOTO: 32, 33, 45, 46

rage 25

Band #20

Horse #101 COLOR: Sorrel CLASS: Adult SEX: Male DESCRIPTION: Mane-red Tail-red (with light streaks in both) MARKINGS: Facial-blaze Feet: LR-stocking LF-sock RR-stocking RF-sock CONDITION: Good PHOTO: **OBSERVATION #: 34** Band #20 Horse #102 COLOR: Sorrel-brown (lighter) CLASS: Adult SEX: Female DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: **OBSERVATION #: 34** Horse #103 Band #20 COLOR: Bay-red CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: #\$

Horse #104 COLOR: Sorrel-brown CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star Feet: LR-sock LF-RF-RR-sock CONDITION: Good PHOTO: **OBSERVATION #: 34**

Band #20 Horse #105 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-black Feet: LR-black RR-black RF-black CONDITION: Good PHOTO: **OBSERVATION: 34** Band #21 Horse #106 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-faint star Feet: ER-sock LF-black RR-sock RF-black CONDITION: Good PHOTO: Roll # 6, frame #7-9, Roll #12, frame #9 OBSERVATION #: 35, 48, 50, 66 Band #21 Horse #107 COLOR: Bay-red CLASS: Adult Female-mother of Horse #108 SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-star & strip Feet: LR-stocking LF-black RF-sock RR-stocking CONDITION: Good PHOTO: Roll #6, frame #7-9; Roll #12, frame #9 OBSERVATION #: 35, 48, 50, 66 Band #21 Horse #108 COLOR: Bay CLASS: Foal (?very young) of horse #107 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip & snip LF-sock Feet: LR-sock RR-darker RF-sock CONDITION: Good PHOTO: Roll #6, frame #7-9; Roll #12, frame #9 OBSERVATION #: 35, 48, 50, 66

rage 15

Band #21 Horse #109 COLOR: Bay-red CLASS: Yearling SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip & snip Feet: LR-black LF-stocking RR-black RF-sock CONDITION: Good PHOTO: Roll #6, frame #7-9; Roll #12, frame #9. OBSERVATION #: 35, 48, 50, 66 Horse #110 Band #21 COLOR: Bay-red CLASS: Adult Female SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & tapering snip to a point Feet: LR-pastern LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #6, frame #7-9; Roll #12, frame # 9: -OBSERVATION #: 35, 48, 50, 66 Band #22 (13?) Forse # 111 COLOR: Buckskin-gold CLASS:Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip & snip Feet: LR-stocking LF-black RR-stocking RF-pastern CONDITION: Good PHOTO: OBSERVATION #: 33 Horse #112 Band #22 COLOR: Bay-light red CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #3, frame #3-4 OBSERVATION #: 33, 40

Band #22 Horse #113 COLOR: Sorrel CLASS: Adult Male (?) SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star & strip Feet: LR-stocking LF-red RR-red **RF-red** CONDITION: Good PHOTO: Roll #3, frame #3-4 OBSERVATION #: 33, 40 Band #22 Horse #114 COLOR: Buckskin-light CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip & snip Feet: LR-LF-RF-RR-. CONDITION: Good PHOTO: Roll #3, frame #3-4 OBSERVATION #: 33, 40 Band #23 Horse #115 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-sock LF-black RR-pastern RF-black CONDITION: Good PHOTO: Roll #2, frame #6 OBSERVATION #: 36, 43, 74 Horse #116 Band #23 COLOR: Sorrel CLASS: Adult SEX: Female, mother of horse #117 DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-star, strip & snip Feet: LR-red LF-red RR-stocking RF-red CONDITION: Good PHOTO: Roll #2, frame #6 OBSERVATION #: 36, 43, 74

Luge JJ

Band #23

Band #24

Horse #119 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #2, frame #5-6

Tail-red

LF-

RF-

OBSERVATION #: 36

Horse #117

SEX:

Horse #118

SEX:

COLOR: Sorrel

CONDITION: Good

CLASS: Adult

MARKINGS: Facial-

CONDITION: Good

OBSERVATION #: 36

CLASS: Foal of Horse #116

DESCRIPTION: Mane-red

PHOTO: Roll #2, frame #6 OBSERVATION #: #6, 43, 74

COLOR: Grey-greyish white

Feet: LR-

PHOTO: Roll #2, frame #5-6

RR-

MARKINGS: Facial-star, strip & snip

Feet: LR- LF-RR- RF-

DESCRIPTION: Mane-black Tail-black

Horse #120 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-RR-CONDITION: Good PHOTO: Roll #2, frame #5-6 OBSERVATION #: 36 Band #24

Band #24

Horse #121 COLOR: Buckskin CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #2, frame #5-6 OBSERVATION #: 35

Horse #122 COLOR: Buckskin CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #2, frame #5-6 OBSERVATION #: 36

Horse #123 COLOR: Buckskin CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #2, frame #5-6 OBSERVATION #: 36, 45

Horse #124 COLOR: Bay-light CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #2, frame #5-6 OBSERVATION #: 36, 45

Band #24

Band #24

Band #25

Band #25

Horse #125 Band #25 COLOR: Buckskin CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star RR-light RF-1 Feet: LR-light CONDITION: Good PHOTO: Roll #2, frame #5-6 OBSERVATION #: 36, 45 Horse #126 Band #26 (6?) COLOR: Sorrel-brown CLASS: Adult SEX: Male DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-star & snip Feet: LR-sock LF-sock RR-sock RF-sock CONDITION: Good PHOTO: Roll #2, frame #11-18; Roll #12, frame #20 OBSERVATION #: 38 Horse #127 Band #26 (6?) COLOR: Sorrel-dark brown CLASS: Adult SEX: Female DESCRIPTION: Mane-brown Tail-brown MARKINGS: Feet: LR-brown LF-brown RR-pastern RF-brown CONDITION: Good PHOTO: Roll #2, frame #11-18; Roll #12, frame #20 OBSERVATION: 38 Horse #128 Band #26 (6?) COLOR: Bay-red CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-pastern LF-RR-RF-CONDITION: Good PHOTO: Roll #2, frame #11-18; Roll #12, frame #20 OBSERVATION #: 38

Band #26 (6?) Horse #129 COLOR: Sorrel-gold CLASS: Yearling SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-blaze Feet: LR-LF-stocking RR-pastern RF-CONDITION: Good Roll #2, frame #11-13, frame 15-18; Roll #12, frame #20. PHOTO: **OBSERVATION: 38** Band #26 (6?) Horse #130 COLOR: Sorrel-brown CLASS: Adult SEX: Female Tail-brown DESCRIPTION: Mane-brown MARKINGS: Facial-star Feet: LR-brown LF-RR-sock RF-CONDITION: Good PHOTO: Roll #2, frame #11-13, 15-18; Roll #12, frame #20 OBSERVATION #: 38 Band #26 (6?) Horse #131 COLOR: Bay-red CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RF-black RR-black CONDITION: Good PHOTO: Roll #2, frame #11-13, 15-18; Roll #12, frame #20 OBSERVATION #: 38 Band #27 Horse #132 COLOR: Sorrel-brown CLASS: Adult SEX: Male DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-LF-brown Feet: LR-brown RF-RR-sock CONDITION: Fair PHOTO: Roll #2, frame #19-20; Roll #12, frame #10 OBSERVATION #: 38

Band #27

Horse #133 COLOR: Buckskin CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Poor-ribs showing PHOTO: Roll #2, frame #19-20; Roll #12, frame #10 OBSERVATION #: 38

Horse #134 COLOR: Black CLASS: Adult SEX: Male (?) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-stocking LF-black RR-stocking RF-black CONDITION: Good PHOTO: Roll #3, frame #2 OBSERVATION #: 39

Horse #135 COLOR: Buckskin-gold CLASS: Adult SEX: Female (?) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #3, frame #2 OBSERVATION #: 39

Horse #136 COLOR: Bay-dark CLASS: Adult SEX: Female (?) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-sock RR-sock CONDITION: Good PHOTO: Roll #3, frame #2 OBSERVATION #: 39

Band #28

Band #28

Band #28

LF-black RF-sock (?)

Band #29 Horse #137 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, faint strip & snip Feet: LR-LF-RF-RR-CONDITION: Good (ribs show in obs. #88) PHOTO: Roll #3, frame #2; Roll #8, frame #1-2, 7; Roll #13, frame #15; Roll #14, frame #15; Roll #18, frame #1, 3. OBSERVATION #: 39, 88 Band #29 Horse #138 COLOR: Bay-dark CLASS: Adult Male SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip & snip Feet: LR-stocking LF-black RR-stocking RF-sock CONDITION: Good PHOTO: Roll #3, frame #2; Roll #8, frame #1,2,7; Roll #13, frame #15; Roll #14, frame #15; Roll #18, frame #1, 3. OBSERVATION #: 39, 88

Band #29 Horse #139 COLOR: Buckskin-light CLASS: Adult SEX: Female Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-none LF-Feet: LR-RR-RF-CONDITION: Good Roll #3, frame #2; Roll #8, frame #1,2,7; Roll #13, frame #15; PHOTO: Roll #14, frame #15; Roll #18, frame #1, 3. 39, 88 OBSERVATION #:

Band #29 Horse #140 COLOR: Buckskin-gold CLASS: Adult SEX: Female Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-faint star LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #3, frame #2; Roll #8, frame #1,2,7; Roll #13, frame #15; Roll # 14, frame #15; Roll #18, frame #1,3; OBSERVATION #: 39, 88

Horse #141 COLOR: Buckskin-gold CLASS: Adult SEX: Female, mother of Horse #143 DESCRIPTION: Mane-black Tail-black Mare-black Tail-black Mare-black LF-black RR-pastern RF-black CONDITION: Good PHOTO: Roll #6, frame #3-6 OBSERVATION #: 42, 65

Horse #142 COLOR: Bay-red CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-MARKINGS: Facial-Feet: LR-black' LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #6, frame #3-6 OBSERVATION #: 42, 65

Horse #143 COLOR: Bay CLASS: Foal of Horse #141 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, narrow strip, & snip Feet: LR-light LF-light RR-light RF-light CONDITION: Good PHOTO: Roll #6, frame #3-6 OBSERVATION #: 42, 65

Horse #144 COLOR: Bay-dark to black CLASS: Adult SEX: Female, mother of horse #146 DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-faint star Feet: LR-sock LF-pastern RR-pastern RF-black CONDITION: Good PHOTO: Roll #18, frame #10 OBSERVATION #: 47 Band #30

Band #30

Band #30

Band #31

Band #31 Horse #145 COLOR: Buckskin-light CLASS: Adult SEX: Male DEXCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-sock LF-black RR-RF-CONDITION: Good PHOTO: Roll # 18, frame #10 OBSERVATION: 47 Band #31 Horse #146 COLOR: Bay CLASS: Foal of Horse #144 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LF-light red Feet: LR-sock RF- light red RR-sock CONDITION: Good PHOTO: Roll #18, frame #10 OBSERVATION #: \$& Horse #147 Tail-white COLOR: White CLASS: Adult SEX: Female Tail-white DESCRITPION: Mane-white MARKINGS: Facial-none Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #11; Roll #12, frame #15; Roll #18, frame #13 OBSERVATION #: 48, 52 Band #32 Horse #148 COLOR:Sorrel CLASS:Adult SEX: Female DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star and wide strip Feet: LR-stocking LF-RR-stocking RF-CONDITION: Good PHOTO: Roll #12, frame #11 & 15; Roll #18, frame #13

OBSERVATION #: 48, 52

Band #32 Horse #149 COLOR: Buckskin-light brown CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #12, frame #11 & 15; Roll #18, frame #13 OBSERVATION #: 48, 52 Horse #150 Band #32 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & snip Feet: LR-black LF-black RR-pastern RF-black CONDITION: Good PHOTO: Roll #12, frame #11&15; Roll #18, frame #13 OBSERVATION #: 48, 52 Horse #151 Band #32 COLOR: Sorrel CLASS: Foal SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star, strip & snip Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #11, 15; Roll #18, frame #13. OBSERVATION #: 48, 52 Horse #152 Band #32 COLOR: Sorrel-very light CLASS: Foal SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-big star and narrow snip Feet: LR-light LF-light RR-light RF-light CONDITION: Good PHOTO: Roll #12, frame #11, 15; Roll #18, frame #13 OBSERVATION #: 48, 52

Band #32 Horse #153 COLOR: Bay CLASS: Yearling SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-small star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #12, frame 11, 15; Roll #18, frame #14 OBSERVATION #: 48, 52 Horse #154 Band #33 COLOR: Sorrel CLASS: Adult Female SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star, faint strip lower 1/2, small snip Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67 Horse #155 Band #33 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6. OBSERVATION #: 48, 52, 67 Horse #156 Band #33 COLOR: Bay CLASS: Adult SEX: Fémale DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6. OBSERVATION #: 48, 52, 67

Band #33 Horse #157 COLOR: Black CLASS: Adult SEX: Male (lead) Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-star & snip Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6. OBSERVATION #: 48, 52, 67 Horse #158 Band #33 COLOR: Bay-darker CLASS: Adult Female SEX: DESCRIPTION: Tail-black Mane-black MARKINGS: Facial-star LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-8. OBSERVATION #: 48, 52, 67 Horse #159 Band #33 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #4-7, Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67 Horse #160 Band #33 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-light LF-light RR-light RF-light CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67

Horse #161 Band #33 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #12, frame #4-5; Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67 Hørse #162 Band #33 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-pastern LF-pastern RR-pastern **RF-pastern** CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67 Horse #163 Band #33 COLOR: Bay CLASS:Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67 Horse #164 Band #33 COLOR: Black CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good Roll #12, frame #4-7; Roll #15, frame #5-6. PHOTO: OBSERVATION#: 48, 52, 67

Horse #165 Band #33 COLOR: Black CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67 Horse #166 Band #33 COLOR: Black CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67 Horse #167 Band #33 COLOR: Bay CLASS: Yearling SEX: DESCRIPTION: Mane-black MARKINGS: Facial-Feet: LR-LF--RR-RF-CONDITION: Good PHOTO: Roll #12, frame #4-7; Roll #15, frame #5-6 OBSERVATION #: 48, 52, 67 Horse #222 Band #33(?) COLOR: White & black paint CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: PHOTO: OBSERVATION #: 67

Horse #168 Band #34 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-faint star (?) LF-black Feet: LR-black RR-black RF--black CONDITION: Good PHOTO: **OBSERVATION #: 54** Band #34 Horse #169 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black **RF-black** CONDITION: Good PHOTO: OBSERVATION #: 54 Band #34 Horse #170 COLOR: Bay-dark CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip (lower 1/2), & snip Feet: LR-stocking LF-pastern RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 54 Band #34 Horse #171 COLOR: Bay-dark CLASS: Adult Female, mother of horse #172 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 54

Band #34 Horse #172 COLOR: Bay CLASS: Foal of horse #171 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-blaze Feet: LR-stocking LF-stocking RR-stocking RF-stocking CONDITION: PHOTO: OBSERVATION #: 54 Horse #173 Band #35 COLOR: Bay CLASS: Adult Male SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Thin PHOTO: OBSERVATION #: 55 Horse #174 Band #35 COLOR: Bay CLASS:Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RF-black RR-black CONDITION: Thin PHOTO: OBSERVATION #: 55 Horse #175 Band #35 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION "#: 55

. .

• .

Horse #176 COLOR: Sorrel-brown CLASS: Adult SEX: Male (?) DESCRIPTION:" Mane-brown Tail-brown MARKINGS: Facial-star, strip & snip Feet: LR-pastern EF-brown RR-brown RF-brown CONDITION: Good PHOTO: OBSERVATION #: 59

Horse #177 COLOR: White-mottled CLASS: Adult SEX: Female, mother of horse #180 DESCRIPTION: Mane- black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 59

Horse #178 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 59

Horse #179 COLOR: Bay CLASS: Adult SEX: DESCRIPTION:Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 59

Band #36

Band #36

Band #36

Band #36

Band #36 Horse #180 COLOR: Bay-dark CLASS: Yearling of horse #177 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-small star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 59 Horse #181 Band #37 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION:Mane-black Tail-black MARKINGS: Facial-star & strip Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 58, 59, 66 Horse #182 Band #37 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 58, 59, 66 Horse #183 COLOR: Bay

CLASS: Adult SEX: Male Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-star & strip Feet: LR-black LF-black RR-black RF-sock CONDITION: Good **THOTO:** OBSERVATION #: 58, 59, 66

Band #37

Page 4/

Band #37 Horse #184 COLOR: Bay CLASS: Foal SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-faint star Feet: LR-light LF-light RF-light RR-light CONDITION: Good PHOTO: OBSERVATION #: 58, 59, 66 Band #37 Horse #185 COLOR: Bay CLASS: Adult SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 58, 59, 66 Horse #186 Band #38 COLOR: Buckskin-gold CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-blàck MARKINGS: Facial-star LF-black Feet: LR-black RR-black RF-black CONDITION: Good PHOTO: Roll #6, frame #2, 10-12; Roll #14, frame #12-13 OBSERVATION #: 59, 61, 64, 68 Band #38 Horse #187 COLOR: Bay CLASS: Adult SEX: Male (lead) Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-none Feet: LR-pastern LF-black RR-pastern RF-black CONDITION: Good PHOTO: Roll #6, frame #2, 10-12; Roll #14, frame #12-13. OBSERVATION #: 59, 61, 64, 68

Band #38 Horse #188 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: Mane-red Tail-red LF-brown Feet: LR-brown RF-brown RR-brown CONDITION: Good PHOTO: Roll #6, frame #2,10-12; Roll #14, frame #12-13 OBSERVATION #: 59, 61, 64, 68 Band #38 Horse #189 COLOR: Grey-light CLASS: Adult SEX: Female Tail-dark grey (legs dark) DESCRIPTION: Mane-dark grey MARKINGS: Facial-star, strip & snip Feet: LR-stocking LF-stocking RR-black RF-grey CONDITION: Good PHOTO: Roll #6, frame #2, 10-12; Roll #14, frame #12-13 OBSERVATION #: 59, 61, 64, 68 Band #39 (17?) Horse #190 COLOR: Bay-dark CLASS: Adult Male (dominant) SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-star Feet: LR⁴black LF-black RF-black RR-black CONDITION: Ribs showing PHOTO: Roll #4, frame #12-18; Roll #12, frame #13-14; Roll #18, frame #1 OBSERVATION #: 60 Band #39 Horse #191 COLOR: Bay-dark CLASS: Adult Female SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-sock LF-sock RF-sock RR-sock CONDITION: Ribs showing PHOTO: Roll #4, frame #12-18; Roll #12, frame #13-14; Roll #18, frame #17_ OBSERVATION #: 60

Horse #192 Band #39 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-pastern LF-black RR-black RF-black CONDITION: Ribs showing PHOTO: Roll #4, frame #12-18; Roll #12, frame #13-14; Roll #18, frame #17 **OBSERVATION: 60** Horse #193 Band #39 (17?) COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-stocking LF-black RR-stocking RF-pastern (?) CONDITION: Good PHOTO: Roll #4, frame #12-18; Roll #12, frame #13-14; Roll #18, frame #18-19 OBSERVATION #: 60 Horse #194 Band #39 (17?) COLOR: Bay CLASS: Adult Female, mother of horse #196 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-sock LF-ŝock RR-sock **RF-pastern** CONDITION: Good PHOTO: Roll #4, frame #12-18; Roll #12, frame 13-14; Roll #18, frame #17. **OBSERVATION #: 60** Horse #195 Band #39 COLOR: Bay CLASS: Yearling SEX: DESCRIPTION:" Mane-black Tail-black MARKINGS: Facial-star, strip-lower ½ attached to snip, snip Feet: LR-black LF-black RR-black RF-black CONDITION: Good Roll #14, frame #12-18; Roll #12, frame #13-14; Roll #18, frame #17 OBSERVATION #: 60

Band #39 (17?) Horse #196 COLOR: Bay CLASS: Foal of horse #194 SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip & snip Feet: LR-light LF-light RF-light RR-light CONDITION: Good PHOTO: Roll #4, frame #12-18; Roll #12, frame #13-14, Roll #18, frame #17 OBSERVATION #: 60 Band #40 Horse #198 COLOR: Grey-light muzzle CLASS: Adult SEX: Male DESCRIPTION: Tail-grey Mane-grey MARKINGS: Facial-faint star Feet: LR-1/2 pastern LF-dark grey RR-stocking RF-dark grey CONDITION: Good PHOTO: Roll #5, frame #3-11;Roll #8, frame #14-16;Roll #14, frame #14 OBSERVATION #: 61, 91 Band #40 Horse #199 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LF-black Feet: LR-black RR-black RF-black CONDITION: Good PHOTO: Roll #5, frame #3-11; Roll #8, frame 14-16; Roll #14, frame #14 OBSERVATION #: 61, 91Band #40 Horse #200 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LF-Feet: LR-pastern RF-RR-black CONDITION: Good PHOTO: Roll #5, frame #3-11; Roll #8, frame #14-16; Roll #14, frame #14. OBSERVATION #: 61, 91

Horse #201 Band #40 COLOR: Bay CLASS: Adult Male SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #5, frame #3-11; Roll #8, frame #14-16; Roll #14, frame #14-16 OBSERVATION #: 61, 91 Horse #202 Band #40 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-RR-stocking RF-CONDITION: Good PHOTO; Roll #5, frame #3-11; Roll #8, frame #14-16; Roll #14, frame #14. OBSERVATION #: 61, 91Horse #203 Band #41 COLOR: Black CLASS: Adult SEX: Male (?) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #5, frame #7-11. OBSERVATION #: 61 Horse #205 Band #42 COLOR: Grey CLASS: Adult SEX: Male DESCRIPTION: Mane-grey Tail-light MARKINGS: Facial-none LF-sock Feet: LR-sock RF-sock RR-sock CONDITION: Good PHOTO: Roll #5, frame #13-15; Roll #12, frame #12; Roll #18, frame #9, 14-15. OBSERVATION #: 62, 75

Page 51

Band #42 Horse #206 COLOR: Sorrel CLASS: Adult SEX: Male DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star, strip & snip Feet: LR-stocking LF-RR-RF-sock CONDITION: Good PHOTO: Roll #5, frame #13-15; Roll #12, frame #12; Roll #18, frame #9, 14-15 OBSERVATION #: 62, 75 Horse #207 Band #42 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION:Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #5, frame #13-15; Roll #12, frame #12; Roll #18, frame #9, 14-5 OBSERVATION #: 62 Horse #208 Band #42 COLOR: Black CLASS: Adult SEX: Male (lead) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & large snip Feet: LR-sock LF-black RR-sock **RF-pastern** CONDITION: Good PHOTO; Roll #5, frame #13-15; Roll #12, frame #12; Roll #18, frame #9, 14-OBSERVATION #: 62 Horse #209 Band #42 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & snip Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #5, frame #13-15; Roll #12, frame #12; Roll #18, frame #9, 14-15 OBSERVATION #: 62, 75

• •

Band #43 Horse #211 COLOR: Bay-darker CLASS: Adult SEX: Male (?) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LR-black LF-black RR-black RF-black Feet: LR-black CONDITION: Good PHOTO: Roll #5, frame #16-21 OBSERVATION #: 63 Band #43 Horse #212 COLOR: Bay-darker CLASS: Adult Male (?) SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #5, frame #16-21 **OBSERVATION #: 63** Horse #213 Band #43 COLOR: Bay-darker CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #5, frame #16-21. OBSERVATION #: 63 Horse #214 Band #44 COLOR: Buckskin-light brown CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #6, frame #13-15. OBSERVATION #: 66, 77, 85, 88

Horse #215 Band #44 COLOR: Buckskin-gold CLASS: Adult SEX: Male. DESCRIPTION:Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-stocking RF-black CONDITION: Good PHOTO: Roll #6, frame #13-15 OBSERVATION #: 66, 77, 85, 88 Horse #216 Band #44 COLOR: Buckskin-light CLASS: Foal of horse #221 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-light LF-light RR-light RF-light CONDITION: Good PHOTO: Roll #6, frame #13-15 **OBSERVATION #: 66** Horse #217 Band #44 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip (lower $\frac{1}{2}$) Feet: LR-stocking LF-pastern RR-sock RF-CONDITION: Good PHOTO; Roll #6, frame #13-15 OBSERVATION #: 66, 77, 85, 88 Horse #218 Band #44 COLOR: CLASS: SEX: **DESCRIPTION:** MARKINGS: Facial-star, strip (narrow), & snip Feet: LR-black LF-balck RR-black RF-black CONDITION: Good PHOTO: Roll #6, frame #13-15 OBSERVATION #: 66, 77, 85, 88

Band #44 Horse #219 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-snip LF-red Feet: LR-red RR-pastern RF-pastern CONDITION: Good-looks pregnant PHOTO: Roll #6, frame #13-15 OBSERVATION #; 66, 77, 85, 88 Band #44 Horse #220 COLOR: Bay CLASS: Foal of horse #218 SEX: DESCRIPTION: Mane-black Tail-black Facial-star, strip MARKINGS: Feet: LR-stocking LF-sock RF-RR-CONDITION: Good PHOTO; Roll #6, frame #13-15 OBSERVATION #: 66, 77, 85, 88 Band #44 Horse #221 COLOR: Bay CLASS: Adult Female mother of horse #216 SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-pastern RF-black CONDITION: Good PHOTO; Roll #6, frame #13-15. OBSERVATION #: 66, 77, 85, 88 Band #45 Horse #223 COLOR: Buckskin CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip, & snip. Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #16 OBSERVATION #: 71

Band #45 Horse #224 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #16 **OBSERVATION** #: Horse #225 Band #45 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #16 OBSERVATION #: 71 Horse #226 Band #46 COLOR: Bay-dark CLASS: Adult SEX: Male Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-Feet: LR-LF-RF-CONDITION: Good: RR-PHOTO: Roll #14, frame #6 OBSERVATION #: Horse #227 Band #46 COLOR: White CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #14, frame #6 OBSERVATION #: 72

Horse #228 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #14, frame #6 OBSERVATION #: 72 Horse #229 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 73

Horse #230 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star Feet: LR-red LF-red RR-red RF-red CONDITION: Good PHOTO: OBSERVATION #: 73

Horse #231 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black MARKINGS: Facial-star Feet: LR-RR-CONDITION: Good PHOTO: **OBSERVATION #: 73**

Band #47

Tail-black LF-

RF-

Band #47

Band #47

Band #46

Band #48 Horse #232 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, snip LF-Feet: LR-RR-RF-CONDITION: PHOTO: Roll #7, frame #3-4 OBSERVATION #: 76 Band #48 Horse #233 COLOR: Bay-light red CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, snip Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #7, frame #3-4 OBSERVATION #: 76 Band #48 Horse #234 COLOR: Cream CLASS: Adult SEX: DESCRIPTION: Mane-cream Tail-cream MARKINGS: Facial-none Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #3-4 OBSERVATION # 76 Band #49 Horse #235 COLOR: Buckskin CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: PHOTO: Roll #7, frame #7,9, 11-13. **OBSERVATION #: 78**

Horse #236 Band #49 COLOR: Buckskin CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-RR-LF-RF-CONDITION: Good PHOTO: Roll #7, frame #7,9,11-13. OBSERVATION #: 78 Band #49 Horse #237 COLOR: Sorrel CLASS: Adult SEX: Tail-red DESCRIPTION: Mane-red MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #7, frame #7,9,11-13. OBSERVATION #: 78 Band #49 Horse #238 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #7, 9,11-13. OBSERVATION #: 78 Band #49 Horse #239 COLOR: Grey CLASS: Adult SEX: DESCRIPTION: Mane-grey Tail-grey MARKINGS: Facial-LF-RF-Feet: LR-RR-CONDITION: Good PHOTO: Roll #7, frame #7,9,11-13 OBSERVATION #: 78

|

Band #50 Horse #240 COLOR: Black CLASS: Aduit SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #5,7,9,12,14-15; Roll #14, frame #9-10; Roll #15, frame #10. OBSERVATION #: 78 Band #50 Horse #241 COLOR: White CLASS: Adult SEX: Female DESCRIPTION: Mane-white Tail-white MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #7, frame #5, 7, 9, 12, 14-15; Roll #14, frame #9-10; Roll #15, frame #10. **OBSERVATION #: 78** Horse #242 Band #50 COLOR: Cream CLASS: Adult SEX: Male DESCRIPTION: Mane-white Tail-white TARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #5,7,9,12,14-15; Roll #14, frame 9-10; Roll #15, frame #10. OBSERVATION #: 78 Band #50 Horse #243 COLOR: White-with grey CLASS: Adult SEX: Female Tail-white DESCRIPTION: Mane-white MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #5,7,9,12,14-15, Roll #14, frame #9-10; Roll #15. frame #10. OBSERVATION #: 78

Horse #244 Band #50 COLOR: Sorrel CLASS: Adult SEX: Male DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #7, frame #5,7,9,12,14-15; Roll #14, frame #9-10; Roll #15, frame #10. **OBSERVATION #: 78** Horse #245 Band #51 COLOR: White with black ears - mottled CLASS: Adult SEX: Male DESCRIPTION:Mane-grey Tail-grey MARKINGS: Facial-Feet: LR-grey LF-grey RR-grey RF-CONDITION: Good PHOTO: Roll #7, frame #8, 12, 14; Roll #15, frame #2. OBSERVATION #: 78, 82. Horse # 246 Band #51 COLOR: Sorrel-light (palomino) CLASS: Adult SEX: Female Tail-beige DESCRIPTION: Mane-beige MARKINGS: Facial-star, strip & snip Feet: LR-stocking LF-stocking RR-stocking RF-stocking CONDITION: Good PHOTO: Roll #7, frame #8, 12, 14; Roll #15, frame #2. OBSERVATION #: 78, 82 Horse #247 Band #51 COLOR: Sorrel CLASS: Foal SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star, strip (narrow), & snip Feet: LR-stocking LF-pastern RF-stocking RR-sock CONDITION: Good PHOTO: Roll #7, frame #8, 12, 14; Roll #15, frame #2. OBSERVATION #: 78, 82

Horse #248 Band #52 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-strip & snip Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #7-8,12,15. OBSERVATION #: 78 Horse #249 Band #52 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #7-8,12,15. OBSERVATION #: 78 Horse # 250 Band #53 COLOR: Buckskin-gold CLASS: Adult SEX: Male DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-brown LF-brown Feet: LR-brown RR-brown RF-brown CONDITION: Good PHOTO: Roll #7, frame #7-8, 11-12, 14; Roll #18, frame #6. OBSERVATION #: 78, 89, 94. Horse #251 Band #53 COLOR: Bay CLASS:Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKING: Facial-star (small) Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #7-8, 11-12,14; Roll #18, frame #6. OBSERVATION #: 78, 89, 94

Band #54 DESCRIPTION: Mane-black Tail-black LF-

Page 63

Horse #253 COLOR: Buckskin CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #6,8,10,14 OBSERVATION #: 78

Horse #252

SEX:

COLOR: Bay CLASS: Adult

MARKINGS: Facial-

CONDITION: Good

OBSERVATION #: 78

Feet: LR-

PHOTO: Roll #7, frame #6,8,10,14.

RR-

RF-

Horse #254 COLOR: Grey CLASS: Adult SEX: DESCRIPTION: Mane-grey Tail-grey MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #7, frame #6,8,10,14. **OBSERVATION #: 73**

Horse #255 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #7, frame #6,8,10, 14. OBSERVATION #: 78

Band #54

Band #54

Band #54

Horse #256 Band #54 COLOR: Bay CLASS: Adult SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #7, frame #6,8,10, 14. **OBSERVATION #: 78** Band #55 Horse #257 COLOR: Sorrel CLASS: Adult SEX: Female Tail-brown DESCRIPTION: Mane-red MARKINGS: Facial-star, strip, & snip Feet: LR-stocking LF-pastern RR-pastern RF-sock CONDITION: Good Roll #7, frame #16-10; Roll #9, frame #3-4; Roll #14, frame #7-8. PHOTO: OBSERVATION #: 79, 92, 93, 99. Band #55 Horse #258 COLOR: Bay CLASS: Adult SEX: Male (lead) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, snip-narrow end pointed up Feet: LR-black LF-black RF-black RR-black CONDITION: Good PHOTO: Roll #7, frame #16-20; Roll #9, frame #3-4; Roll #14, frame #7-8. OBSERVATION #: 79, 92, 93, 99. Band #55 Horse #259 COLOR: Bay CLASS: Adult SEX: Female Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-none LF-black Feet: LR-black RR-black RF-black CONDITION: Good PHOTO: Roll #7, frame #16-20; Roll #9, frame #3-4; Roll #14, frame #7-8. OBSERVATION #: 79, 92, 93, 99.

Horse #260 Band #55 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, snip & strip Feet: LR-black LF-black RR-pastern (?) RF-black CONDITION: Good PHOTO: Roll #7, frame #16-20; Roll #9, frame #3-4; Roll #14, frame #7-8. OBSERVATION #: 79, 92, 93, 99. Horse #261 Band #55 COLOR: Bay-dark CLASS: Yearling (?) SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-sock LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #7, frame #16-20; Roll #9, frame #3-4; Roll #14, frame #7-8. OBSERVATION #: 79, 92, 93, 99. Horse #262 Band #55 COLOR: Buckskin-dark CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: **OBSERVATION #: 84** Horse #263 Band #56 COLOR: Black CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star (faint & small) Feet: LR-pastern LF-black RR-black RF-black CONDITION: Good PHOTO: **OBSERVATION #: 84**

Page 66

Band #56 Horse #264 COLOR:Black CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: OBSERVATION #: 84 Band #57 Horse #265 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip-small & narrow-lower 1/2 Feet: LR-stocking LF-RF-RR-stocking CONDITION: Good PHOTO: Roll #8, frame #1,3,5. OBSERVATION #: 88 Band #57 Horse #266 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #8, frame #1,3,5. **OBSERVATION #: 88** Band #57 Horse #267 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #8, frame #1,3,5. OBSERVATION #: 88

Band #57 Horse #268 COLOR: Sorrel CLASS: Adult SEX: DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #8, frame #1,3,5. **OBSERVATION #: 88** Band #57 Horse #269 COLOR: Buckskin-light CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, dark where strip would be Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #8, frame #1,3,5. OBSERVATION #: 88 Band #57 Horse #270 COLOR: Buckskin-light CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-~RR→ RF-CONDITION: Good PHOTO: Roll #8, frame #1,3,5. OBSERVATION #: 88 Band #57 Horse #271 COLOR: Bay CLASS: Yearling SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-LF-RR-RF-

CONDITION: Good PHOTO: Roll #8, frame #1,3,5. OBSERVATION #: 88

Band #58 Horse #272 COLOR: White-mottled (grey) CLASS: Adult SEX: Female Tail-grey DESCRIPTION: Mane-grey MARKINGS: Facial-none Feet: LR-grey FL-grey RR-grey **RF-grey** CONDITION: Good PHOTO: Roll #8, frame #5-9; Roll #9, frame #5-9; Roll #13, frame #2,9-10; Roll #18, frame #12. OBSERVATION #: 88, 93 Horse #273 Band #58 COLOR: Bay CLASS: Adult Male (lead) SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #8, frame #4; Roll #9, frame #5-9; Roll #13, frame #9-10; Roll #18, frame #12. OBSERVATION #: 88, 93 Horse #274 Band #58 COLOR: Bay-light CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #8, frame #4; Roll #9, frame #5-9; Roll #13, frame #2,9-10; Roll #18, frame #12. OBSERVATION #: 88, 93 Horse #275 Band #58 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-sock LF-RR-sock **RF-pastern** CONDITION: Good PHOTO: Roll #8, frame #4; Roll #9, frame #5-9; Roll #13, frame #2,9-10; Roll #18, frame #12. OBSERVATION#: 88, 93

.

Band #58 Horse #276 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #8, frame #4; Roll #9, frame #5-9; Roll #13, frame #2,9-10; Roll 18, frame #12. OBSERVATION #; 88, 93 Band #58 Horse #277 COLOR: Bay CLASS:Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #8, frame #4; Roll #9, frame #5-9; Roll #13, frame #2, 9-10; Roll #18, frame #12. OBSERVATION #: 88, 93 Band #59 Horse #278 COLOR: Palomino-light CLASS: Adult SEX: Male DESCRIPTION: Mane-white Tail-white MARKINGS: Facial-none Feet: LR-stocking LF-stocking RR-cream` **RF-stocking** CONDITION: Good PHOTO: Roll #8, frame #8-9; Roll #18, frame #5. **OBSERVATION #: 90** Band #59 Horse #279 COLOR: Bay CLASS: Adult SEX: Male Tail-black DESCRIPTION:Mane-black MARKINGS: Facial-star(small) Feet: LR-sock LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #8, frame #8-9; Roll #18, frame #5. **OBSERVATION #: 90**

Band #60 Horse #280COLOR: Bay-dark CLASS: Adult SEX: Male (lead) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #9, frame #10-14; Roll #18, frame #2 (?). **OBSERVATION #: 95** Band #60 Horse #281 COLOR: Buckskin CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, & strip-upper 1/2 Feet: LR-black LF-black RF-black RR-black CONDITION: Good PHOTO: Roll #9, frame #10-14; Roll #18, frame #2(?) OBSERVATION #: 95 Band #60 Horse #282 COLOR: Bay CLASS:Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star LF-black Feet: LR-black RF-black RR-black CONDITION: Good PHOTO:Roll #9, frame #10-14; Roll #18, frame #2(?) OBSERVATION #: 95 Band #61 Solitary Horse #204 COLOR: Black CLASS: Adult Male (?) SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-star Feet: LR-sock LF-pastern RF-black RR-sock CONDITION: Good PHOTO: OBSERVATION #: 61, 95, 98

Band #61 Horse #283 COLOR: White-mottled grey CLASS: Adult SEX: Male DESCRIPTION: Mane-grey Tail-grey MARKINGS: Facial-none Feet: LR-dark grey LF-dark-grey RR-dark grey RF-dark-grey CONDITION: Good PHOTO: **OBSERVATION** #: 95 Horse #284 Band #61 COLOR: Sorrel CLASS: Adult SEX: Male DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star, strip & ship Feet: LR-red LF-red RR-red RF-red CONDITION: Good PHOTO: **OBSERVATION #: 95** Horse #285 Band #62 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Ribs showing slightly PHOTO: Roll #9, frame #15-19; Roll #13, frame #4-5; Roll #18, frame #4. OBSERVATION #: 96, 98 Horse #286 Band #62 COLOR: Black CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star & strip (both faint) Feet: LR-sock LF-black RR- 0 RF-black CONDITION: Good PHOTO: Roll #9, frame #15-19; Roll #13, frame #4-5; Roll #18, frame #4. OBSERVATION #: 96, 98

Horse #287 Band #62 COLOR: White CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-dark grey LF-dark grey RR-dark grey RF-dark grey CONDITION: Ribs show slightly PHOTO: Roll #9, frame #15-19; Roll #13, frame #4-5; Roll #18, frame #4 OBSERVATION #: 96, 98 Horse #288 Band #62 COLOR: Bay CLASS: Yearling SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Ribs show PHOTO: Roll #9, frame #15-19; Roll #13, frame #4-5; Roll #18, frame #4. OBSERVATION #: 96, 98 Horse #289 Band #62 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip, & snip Feet: LR-black LF-black RR-black RF-black CONDITION: Ribs show PHOTO: Roll #9, frame #15-19; Roll #13, frame #4-5; Roll #19, frame #4. OBSERVATION #: 96, 98 Horse #290 Band #63 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION:Mane-black Tail-black MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good

CONDITION: Good PHOTO: Roll #9, frame #20. OBSERVATION #: 80, 87, 97 Page /2

Band #63

Horse #291 COLOR: Bay-dark CLASS: Adult SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #9, frame #20. OBSERVATION #: 80, 87, 97

Band #63

Horse #292 COLOR:Bay CLASS:Adult	
SEX: Male	
DESCRIPTION: Mane-black	Tail-black
MARKINGS: Facial-star	
Feet: LR-black	LF-black
RR-black	RF-black
CONDITION: Good	
PHOTO; Roll #9 , frame # 20	
OBSERVATION #: 80, 87, 97	

Horse #293 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: Mane-red Tail-red MARKINGS: Facial-star & strip Feet: LR-stocking LF-stocking RR-stocking RF-stocking CONDITION: Good PHOTO: Roll #15, frame #7 OBSERVATION #: 97

Horse #294 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star (large) Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #15, frame #7 OBSERVATION : 97 Band #64

Band #64

Horse #295 Band #6ª COLOR: Bay CLASS: Foal (yearling) SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, strip-narrow, & snip Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #15, frame #7. OBSERVATION#: 97 Horse #296 Band #64 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: Mane-red Tail-brown MARKINGS: Facial-none Feet: LR-red LF-red RR-red RF-red CONDITION: Good PHOTO: Roll #15, frame #7. OBSERVATION #: 97 Horse #297 Band #64 COLOR: Bay CLASS: Adult SEX: Male (lead) DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-sock LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #15, frame #7. OBSERVATION #: 97 Horse #298 Band #64 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #15, frame #7 OBSERVATION #: 97

Horse #299 Band #65 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-Tail-MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #10, frame #13-end; Roll #11, frame #1-3; OBSERVATION #: 100, 101, 104, 106. Horse #300 Band #65 COLOR: Bay-light CLASS: Adult SEX: DESCRIPTION: Mane-Tail-Facial-none MARKINGS: Feet: LR-LF-black RR-RF-black CONDITION: Good PHOTO: Roll #10, frame #13-end; Roll #11, frame #1-3. OBSERVATION #: 100, 101, 104, 106. Horse #301 Band #65 COLOR: Bay-light CLASS: Adult SEX: DESCRIPTION: Mane-Tail-MARKINGS: Facial-star (small) Feet: LR-LF-black RR-RF-black CONDITION: Good PHOTO: Roll #10, frame #13-end; Roll #11, frame #1-3. OBSERVATION #: 100, 101, 104, 106. Horse #302 Band #65 COLOR: Bay CLASS: Adult SEX: Male (lead) DESCRIPTION: Mane-Tail-MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #10, frame #13-end; Roll #11, frame #1-3. OBSERVATION #: 100, 101, 104, 106

Band #65 Horse #303 COLOR: Bay CLASS: Adult SEX: Tail-DESCRIPTION: Mane-MARKINGS: Facial-star, strip & snip Feet: LR-stocking LF-black RR-pastern RF-black CONDITION: Good PHOTO: Roll #10, frame #13-end; Roll #11, frame #1-3 OBSERVATION #: 100, 101, 104, 106 Band #65 Horse #304 COLOR: Black - strip across shoulders CLASS: Adult SEX: DESCRIPTION: Mane-Tail-MARKINGS: Facial-star (light around eyes & mouth) Feet: LR-pastern LF-black RR-sock RF-black CONDITION: Good (old) PHOTO: Roll #10, frame #13-end; Roll #11, frame #1-3. OBSERVATION #: 100, 101, 104, 106. Band #65 Horse #305 COLOR: White CLASS: Adult Female (lead), mother of horse #306 SEX: DESCRIPTION: Mane-Tail-grey Body-grey front of front legs MARKINGS: Facial-none LF-none Feet: LR-none RR-none RF-none CONDITION: Good PHOTO: Roll #10, frame #13-end; Roll #11, frame #1-3. OBSERVATION #: 100, 101, 104, 106. Band #65 Horse #306 COLOR: Bay-dark CLASS: Foal of horse #305 SEX: Tail-DESCRIPTION: Mane-MARKINGS: Facial-Feet- LR-sock LF-RR-RF-CONDITION: Good PHOTO: Roll #10, frame #13-end; Roll #11, frame #1-3 OBSERVATION #: 100, 101, 104, 106

Page 77

Band #66 Horse # 307 COLOR: White CLASS: Adult SEX: Female DESCRIPTION: Mane-Tail-MARKINGS: Facial-Feet: LR-none LF-none RR-none RF-none CONDITION: Good PHOTO; Roll #12, frame #16-17; Roll #17, frame #2-4 OBSERVATION #: 102 Band #66 Horse #308 COLOR: Black CLASS: Adult SEX: Male (lead?) DESCRIPTION: Mane-Trail MARKINGS: Facial-star Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #12, frame #16-17; Roll #17, frame #2-4. OBSERVATION #: 102 Horse #309 Band #66 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: Mane-Tail-MARKINGS: Facial-star, strip, & snip Feet: LR-stocking LF-stocking RR-stocking RF-pastern CONDITION: Good PHOTO: Roll #10, frame #21; Roll #12, frame #16-17; Roll #17, frame #1 OBSERVATION #: 102 Band #66 Horse #310 COLOR: Bay-dark CLASS: Yearling SEX: Female Mane-DESCRIPTION: Tail-MARKINGS: Facial-Feet: LR-pastern LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #12, frame #16-17; Roll #17, frame #2-4 OBSERVATION #: 102

Band #66 Horse #311 COLOR: Black CLASS: Foal SEX: DESCRIPTION: Mane-Tail-MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #16-17; Roll #17, frame #1. OBSERVATION #: 102 Horse #312 Band #66 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-Tail-MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #16-17; Roll #17, frame #2-4. OBSERVATION #: 102 Horse #313 Band #66 COLOR: Sorrel CLASS: Adult SEX: Male (?) DESCRIPTION: Mane-Tail-MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #16-17 **OBSERVATION #: 102** Horse #314 Band #67 COLOR: Grey CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-grey MARKINGS: Facial-none Body-legs dark Feet: LR-pastern LF-pastern RR-pastern RF-pastern CONDITION: Good PHOTO: Roll #11, frame #8-9; Roll #18, frame #16 **OBSERVATION** #: 103

Band #67 Horse #315 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-Tail-MARKINGS: Facial-star, strip (top narrow, bottom large)& snip. Feet: LR-sock LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #11, frame #8-9; Roll #18, frame #16. OBSERVATION #: 103 Band #67 Horse #316 COLOR: Bay CLASS: Adult SEX: DESCRIPTION: Mane-Tail-MARKINGS: Facial-star, small snip Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #11, frame #8-9; Roll #18, frame #16. **OBSERVATION #: 103** Band #67 Horse #317 COLOR: Bay CLASS: Adult SEX: Tail-DESCRIPTION: Mane-MARKINGS: Facial-none Feet: LR-black LF-black RR-black RF-black CONDITION: Good PHOTO: Roll #11, frame #8-9; Roll #18, frame #16. OBSERVATION #: 103

Band #68 Horse #318 COLOR: Sorrel-brown CLASS: Adult Male SEX: DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #18 Horse #319 Band #68 COLOR: Bay-darker CLASS: Adult SEX: Female Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #18 Band #68 Horse #320 COLOR: Bay CLASS: Yearling SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #18 LOCATION #: Sec. 28, T.3N., R.32E. (all of band #68) Band #69 Horse #321 COLOR: Grey CLASS: Adult Female SEX: DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #12, frame #19; Roll #15, frame #15; Roll #16, frame #1-4; Roll #8, frame #18.

Horse #322 Band #69 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #19; Roll #15, frame #15; Roll #16, frame #1-4; Roll #18, frame #18. Horse #323 Band #69 COLOR: Bay-light CLASS: Adult SEX Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: PHOTO: Roll #12, frame #19; Roll #15, frame #15; Roll #16, frame #1-4; Roll #18, frame #18. Horse #324 Band #69 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #12, frame #19; Roll #15, frame #15; Roll #16, frame #1-4; Roll #18, frame #18. Horse #325 Band #69 COLOR: Black CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-sock LF-RR-sock RF-CONDITION: Good PHOTO: Roll #18, frame #18;

Page 81

Band #69 Horse #326 COLOR: Bay CLASS: Adult Female SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #18, frame #18 LOCATION #: Sec. 33, T.3N., R.32E. & Sec. 28, T.3N., R.32E. Horse #327 Band #70 COLOR: White CLASS: Adult Female SEX: DESCRIPTION: Mane-grey Tail-grey MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #6-8, 12-14. Horse #328 Band #70 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #6-8, 12-14. Band #70 Horse #329 COLOR: Grey CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-LF→ Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #6-8, 12-14

Page 83

Horse #330 Band 370 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-Feet: LR-LF-RF-RR-Good CONDITION: PHOTO: Roll #13, frame #6-8, 12-14. Horse #331 Band #70 COLOR: Bay-Dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #13, frame #6-8, 12-14. Horse #332 Band #70 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #13, frame #608, 12-14. LOCATION #: NE4, Sec. 33, T.2N., R.31E. & NE4, Sec.4, T.1N., R.31E.

Horse #333 Band #71 COLOR: Black CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #6-8; 11; Roll #14, frame #16-18. Horse #334 Band #71 COLOR: Bay-dark to black CLASS: Adult SEC: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star, narrow strip, snip Feet: LR-LF-RF-RR-CONDITION: Right hindquarter ripped open. PHOTO: Roll #13, frame #6-8, 11; Roll #14, frame #16-18. Horse #335 Band #71 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-star Feet: LR-stocking LF-stocking RR-stocking **RF-stocking** CONDITION: Good PHOTO: Roll #13, frame #6-8, 11; Roll #14, frame #16-18. LOCATION #: NW4, Sec.12, T.1N., R.31E. (all of band #71) Band # Horse #336 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black Facial-MARKINGS: LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #17-18; Roll #15, frame #13. Roll #15, frame #13

Page 85

Band #72 Horse #338 COLOR: Black CLASS: Adult Female SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO; Roll #13, frame #17-18; Roll #15, frame #13. Band #72 Horse #339 COLOR: Bay CLASS: Adult SEX: Male Tail-black DESCRIPTION: Mane-black MARKINGS: Facial= LR-Feet: LF-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #17-18; Roll #15, frame #13. Band #72 Horse #340 COLOR: Bay CLASS: Foal SEX: DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #17-18; Roll #15, frame #13. LOCATION #: SW4, Sec. 34, T. 2N., R. 31E. & Sec. 31, T. 3N., R. 31E. (all of band Band Horse #341 COLOR: Bay-dark to black CLASS: Adult Male SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-Feet: LR-LF-RR-sock RF-CONDITION: Good PHOTO: Roll #13, frame #3; Roll #14, frame #4.

Page 86

Band #73 Horse #342 COLOR: Buckskin-gold CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #13, frame #3; Roll #14, frame #4. EOCATION #: SW4, Sec.9., T.1N., R.31E. Band #74 Horse #344 COLOR: Bay-darker CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-star Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #14, frame #11. ٦ Horse #345 Band #74 COLOR: Bay CLASS: Yearling SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #14, frame #11 LOCATION #: Sec.3., T.2N., R.30E. Band #75 Horse #346 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO; Roll #14, frame #5

Horse #347 Band #75 COLOR: Sorrel-brown CLASS: Adult SEX: Female DESCRIPTION: Mane-brown Tail-brown MARKINGS: Facial-Feet: LR--LF-RR-RF-CONDITION: Good PHOTO: Roll #14, frame #5 : . Horse #348 Band #75 COLOR: Buckskin CLASS: Adult SEX: Female **DESCRIPTION:** MARKINGS: Facial-star, strip, snip (?) Feet: LR-sock LF-RR-sock RF-CONDITION: Good PHOTO: Roll #14, frame #5 Horse #349 Band #75 COLOR: Sorrel-light brown CLASS: Foal SEX: **DESCRIPTION:** MARKINGS: Facial-star, strip, snip (?) Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #14, frame #3. Horse #350 Band #75 COLOR: Bay-darker CLASS: Adult SEX: Male **DESCRIPTION:** MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #14, frame #5. LOCATION #: Sec. 31., T. 3N., R. 31E.

Band #76 Horse #351 COLOR: Palomino CLASS: Adult Male SEX: Tail-white DESCRIPTION: Mane-white MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #14, frame #3 Band #76 Horse #352 COLOR: Black CLASS: Adult SEX: Female Tail-black DESCRIPTION: Mane-black MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #14, frame #3 Band #76 Horse #353 COLOR: Bay CLASS: Yearling (?) SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #14, frame #3 LOCATION: Sec.31, T.3N., R.31E. (all of band #76) Band #77 Horse #354 COLOR: Buckskin CLASS: Adult Male SEX: DESCRIPTION: MARKINGS: Facial-star, snip LF-Feet: LR-sock RF-RR-CONDITION: Good PHOTO: Roll #15, frame #11

Band #77 Horse #355 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-star, strip, snip Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #15, frame #11 Band #77 Horse #356 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-star Feet: LR-sock LF-RR-RF-CONDITION: Good PHOTO: Roll #15, frame #11 LOCATION: Sec.23, T.2N., R.31E. Band #78 Horse #357 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #15, frame #12 Band #78 Horse #358 COLOR: Bay CLASS: Adult Male SEX: DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #15, frame #12 LOCATION: Sec. 31, T. 3N., R. 32E. (all of band #78)

Band #79 Horse #360 COLOR: Sorrel-brown CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #15, frame #4 Band #79 Horse #361 COLOR: CLASS: SEX: DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RF-RR-stocking CONDITION: Good PHOTO: Roll #15, frame #4. LOCATION: NW¹₄, Sec. 31, R. 2N., R. 32E. Band #80 Horse #363 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #15, frame #4 Band #80 Horse #364 COLOR: Bay-dark to black CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RF-RR-CONDITION: Good PHOTO: Roll #15, frame #4 LOCATION: NW¹₄, Sec. 31, T. 2N., R. 32E.

Page 91

Band #81 Horse #365 COLOR: Bay CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-Feet: LR-pastern LF-pastern **RF-pastern** RR-pastern CONDITION: Good PHOTO: Roll #15, frame #17; Roll #16, frame #7-8. Horse #366 Band #81 COLOR: Sorrel CLASS: Adult SEX: Female **DESCRIPTION:** MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #15, frame #17 Horse #367 Band #81 COLOR: Sorrel CLASS: Foal SEX: DESCRIPTION: MARKINGS: Facial-blaze Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #15, frame #17; Roll #16, frame #7-8 Horse #368 Band #81 COLOR: CLASS: SEX: **DESCRIPTION:** MARKINGS: Facial-Feet: LR-pasterm LF-pastern RR-pastern **RF-pastern** CONDITION: Good PHOTO: Roll #15, frame #17 LOCATION: Sec.28, T.3N., R.32E. & Sec.22, T.3N., R.32E.

Band #82 Horse #369 COLOR: Black CLASS: Adult Male SEX: Tail-black DESCRIPTION: Mane-black MARKINGS: Facial- star, strip, snip Feet: LR-stocking LF-RR-sock RF-CONDITION: Good PHOTO: Roll #16, frames #11-12. Band #82 Horse #370 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-Feet: LR-LF-RF-RR-pastern CONDITION: Good PHOTO: Roll #16, Frame #11-12 LOCATION: Sec.10, T. 3N., R. 32E. Horse #371 Band #83 COLOR: Black CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #16, frame #5 Band #83 Horse #372 COLOR: Bay CLASS: Foal (yearling) SEX: DESCRIPTION: MARKINGS: Facial-star, strip lower half, snip Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #16, frame #5

Band #83 Horse #373 COLOR: Bay-dark CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-Feet: LR-stocking LF-stocking RR-stocking RF-stocking CONDITION: Good PHOTO: Roll #16, frame #5 LOCATION: Sec.22, T.3N., R.32E. Horse #376 Band #84 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #17, frame #7 Horse #377 Band #84 COLOR: CLASS: SEX: DESCRIPTION: MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #17, frame #7 Horse #378 Band #84 COLOR: Bay CLASS: Adult SEX: Male **DESCRIPTION:** MARKINGS: Facial-Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #17, frame #7 LOCATION: Sec.30, T.2N., R.31E.

Band #85 Horse #379 COLOR: Buckskin CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-LF-Feet: LR-• RR-RF-CONDITION: Good PHOTO: Roll #17, frame #5-6 Horse #380 Band #85 COLOR: Black CLASS: Adult SEX: Male **DESCRIPTION:** MARKINGS: Facial-LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #17, frame #5-6 Horse #381 Band #85 COLOR: Bay CLASS: Adult SEX: Male **DESCRIPTION:** MARKINGS: Facial-star, strip, wide snip Feet: LR-socks LF-RR-socks RF-CONDITION: Good PHOTO: Roll #17, frames #5-6 LOCATION: Sec. 7. T.2N., R.31E. Horse #381 Band #85 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-star, strip, wide snip Feet: LR-socks LF-RF-RR-socks CONDITION: Good PHOTO: Roll #17, frames #5-6 LOCATION: Sec.7, T. 2N., R. 31E.

Horse #381 Band #85 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-star, strip, wide snip LF-Feet: LR-socks RR-socks RF-CONDITION: Good PHOTO: Roll #17, frames #5-6 LOCATION: Sec.2, T.2N., R.31E. Horse #382 Band #86 COLOR: Black CLASS: Adult SEX: Male (lead) DESCRIPTION: MARKINGS: Facial-star LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #18, frame #19 Horse #383 Band #86 COLOR: Buckskin-gold CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-Feet: LR-LF-RR-RF-CONDITION: Good PHOTO: Roll #18, frame #19 Horse #384 Band #86 COLOR: Sorrel CLASS: Adult SEX: Female DESCRIPTION: MARKINGS: Facial-star Feet: LR-LF-RF-RR-CONDITION: Good PHOTO: Roll #18, frame #19

Band #86 Horse #385 COLOR: Bay CLASS: Adult Female SEX: DESCRIPTION: MARKINGS: Facial-star LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #18, frame #19 Band #86 Horse #386 COLOR: Sorrel-darker CLASS: Adult Female SEX: DESCRIPTION: MARKINGS: Facial-star LF-Feet: LR-RR-RF-CONDITION: Good PHOTO: Roll #18, frame #19 LOCATION: Sec.22, T. 3N., R.31E. 4 Solitary Horse #343 COLOR: Bay CLASS: Adult Male SEX: DESCRIPTION: Mane-black Tail-black MARKINGS: Facial- star, snip Feet: LR-black LF-black RR-black RF-black CONDITION: PHOTO: Roll #14, frame #19 LOCATION: SE¹₄, Sec.1, T.1N., R.31E. Horse #359 Solitary COLOR: Sorrel CLASS: Adult Male SEX: Tail-red DESCRIPTION: Mane-red MARKINGS: Facial-star, wide snip Feet: LR-stocking LF-stocking **RF-stocking** RR-stocking CONDITION: Good PHOTO: Roll #15, frame #16 LOCATION: Sec. 28, T. 3N., R. 32E.

Solitary

Horse #362 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-star Feet: LR-sock LF-RR-sock RF-CONDITION: Good PHOTO: Roll #15, frame #8 LOCATION: SW²4, Sec. 35, T. 2N., R. 31E.

Horse #374 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: Mane-black Tail-black MARKINGS: Facial-Feet: LR-RR-CONDITION: Good PHOTO: Roll #16, frame #6 LOCATION: Sec.22,T.3N.,R.32E.

1

Horse #375 COLOR: Bay CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-Feet: LR-pastern LF-RR-pastern RF-CONDITION: Good PHOTO: Roll #16, frame #9.10 LOCATION: Sec. 10,T.3N., R.32E.

Horse #387 COLOR: Bay-dark CLASS: Adult SEX: Male DESCRIPTION: MARKINGS: Facial-star Feet: LR-RR-CONDITION: Good PHOTO: Roll #18, frame #7 LOCATION: N^{1/2}, Sec. 2, T. 1N., R. 31E. Solitary

Solitary

Solitary

APPENDIX IV

PHOTOGRAPHIC INVENTORY ON FILE

,

AT BRIDGEPORT RANGER STATION

Appendix II

LIST OF WILDLIFE

The following is a list of Reptiles, Amphibians, birds and mammals occurring within the territory. Due to factors (e.g., lack of previous studies in area) some of the species have not been observed by field personnel. Their presence has been determined by professional judgement using literature and/or comparisons with similar habitats where said species are known to occur. The following categories of probability were used for predicting occurrence.

- 1. <u>Does Occur</u>: Based on actual observation by individuals in area of concern.
- 2. <u>Very likely to occur</u>: (species will probably occur), based on observations from similar habitats in adjacent areas.
- 3. <u>May occur</u>: (species occurrence possible), based on literature citing occurrence in similar habitats.
- 4. <u>A possibility</u>: An intuitive prediction derived from intangible evidence.

The following symbols are used to denote seasonal status and habitat associations:

Pr = Permanent resident
Sr = Summer resident (usually breeds in area)
Wr = Winter resident
M = Migrated through area
Pl = Playa (intermittent lakes)
Pj = Pinyon-Juniper woodland
S = Sagebrush

3

R = Riparian (includes meadow, willow, Aspen and buffaloberry)

	Cosmon Nama	Probability Occurrence	Seasonal Status	Habitat
	Common Name			
	Eared Grebe	1	Μ	PL
	Mallard	1	Μ	ΡL
	Goshawk	2	PR	PJ, R
		1	SR	PJ, R
	Coopers Hawk Red-tailed Hawk	1	SR	PJ, S, R
		2	M	S
	Rough-legged Hawk	1	SR	S, PJ
	Golden Eagle	2	SR	S, 10
	Prairie Falcon	2		S S S
	American Kestrel		SR	5
	Merlin	3	M	S D
	Sage Grouse	1	PR	S, R
	California Quail	1	PR	PJ, R
	Mountain Quail	1	PR	PJ, R
3	Chukar	1	PR	P, R'
	American Coot	2	М	Pl
	Killdeer	1	SR	P1, R
	Common Snipe	1	SR	R
5	Lesser Yellowlegs	1	Μ	Pl
	Wilson's Phalarope	2	Μ	Pl
	Northern Phalarope	2 2 2	Μ	Pl
	California Gull	2	M	P1
	Band tailed Pigeon	1	Μ	PJ, R
	Mourning Dove	ī	SR	. PJ, R
	Screech Owl	1	SR	PJ, R
	Flammulated Owl	1	SR	PJ
		2	SR	PJ
	Pigmy Owl	2	M	R
	Short-eared Owl	2		Š, PJ
	Poor-will	1	SR	S, FU
	Common Nighthawk	1	SR	
	White-throated Swift	2	M	PJ, S, R PJ
	Townsend Solitare	1	PR	
	Blue-gray Gnatcatcher	2	SR	PJ, R
	Ruby-crowned Kinglet	2	M	R
	Cedar Waxwing	1	M	R
	Loggerhead Shrike	1	SR	PJ, S
	Warbling Vireo	1	SR	R
	Gray Vireo	4	SR	PJ, R
	Wilson's Warbler	1	SR	R
-	Yellow-rumped Warbler	2	М	R
	Orange crowned Warbler	2	Μ	Р
	Western Meadowlark	1	SR	S, R
	Brewer's Blackbird	1	SR	R
	Red-winged Blackbird	1	Μ	R
	Northern Oriole	1	Μ	R
	Brown-headed Cowbird	1	SR	R
	Western Tanager	1	M	R
	Black-headed Grosbeak	1	M	R
	Luzuli Bunting	1	SR	R
	Luzuri buncing	Ŧ	011	

	Common Name	Probability Occurrence	Seasonal Status	Habitat
	House Finch	1	SR	PJ, R
	Red Crossbil l Green-tailed Towhee	2	WR SR	PJ PJ, S
	Rufuous-sided Towhee	1	SR	R R
	Savanna Sparrow	2	M	Š, R
	Vesper Sparrow	1	SR	S, A
	Black-throated Sparrow	1	SR	PJ, R
	Dark-eyed (Oregon) Junco	o 1	PR	PJ, R
	Dark-eyed(Slate-Colored		WR	PJ, R
	White-crowned Sparrow	2	М	R
	Sage Sparrow	1	SR	PJ, S
	Brewer's Sparrow	1	SR	PJ, S
	Chipping Sparrow	1	SR	PJ, S, R
	Merriam Shrew	2		S
•	California Mole	2		R [·]
	Yuma Myotis	3		
	Long-eared Myotis	3		
2	California Myotis Western Pipistrel	2		
	Hoary Bat	2		
	Spotted Bat	3		
	Western Big-eared Bat	3		
	Pallid Bat	3		
	Mexican-free tailed Bat	3		
	Black-tailed Jackrabbit	2 3 3 2 2 3 3 3 3 3 1		· PJ, S, R
	Nuttail Cottontail	1		PJ, S, R
	Pigmy Rabbit	1		S
	Belding Ground Squirrel	1		R
	Townsend's Ground Squir			S
	California Ground Squir	rel 1		PJ, R
	Golden-Manteled Ground			<u>.</u> .
	Squirrel	1		PJ
	White-tail Antelope Grou			c
	Squirrel	1		S S, PJ
	Least Chipmunk Panamint Chipmunk	1 1		PJ
	Valley Pocket Gopher	2		P
	Northern Pocket Gopher	2		R S S S, PJ
	Little Pocket Mouse	3		S
	Great Basin Pocket Mous	e 1		S, PJ
	Long-tailed Pocket Mous	e 3		S
	Canyon Mouse	1 2 2 3 e 1 e 3 3 1 2 3 2		PJ
	Deer Mouse	1		S, PJ, R
	Pinyon Mouse	2		PJ
	Brush Mouse	3		PJ, S
	Grasshopper Mouse			PJ, S, R
	Bushytail Woodrat	1		PJ, S

•

.

	Common Name	Probability Occurrence	Seasonal Status	Habitat
	Mountain Vole	3		R
	Longtail Vole	3		R
	Sagebrush Vole	1		S
	Ords Kangaroo Rat	2		S, PJ
	Panamint Kangaroo Rat	2		S, PJ
	Dark Kangaroo Mouse	2		S
	Porcupine	3		PJ, R
	Coyote	1		PJ, S, R
	Kit Fox	4		S
	Gray Fox	3		PJ, S, R
	Mountain Lion	1		PJ, R
	Bobcat	1		PJ, S, R
	Longtail Weasel	1		PJ, S, R
	Badger	1		PJ, S
	Spotted Skunk	3		PJ, S, R
÷	Mule Deer	1		PJ, S, R
	Ringtail Cat	4		PJ, R

4

•

APPENDIX III

PLANT SPECIES LIST

1

GRASSES

;

Agrostis Stolonifera Bouteloua Elymus cinereus Poa pratensis Poa nevadensis Poa secunda Oryzopsis hymenoides Muhlenbergia richardsonis M. asperifolia Sitanion hystrix Stipa comata Stipa nevadensis Hordeum jubatum Distichlis spicata var. stricta Bromus tectorum Agropyron Polypogon monspeliensis Spartina gracilis Sporabolus airoides Phleum pratense

GRASSLIKE

<u>Carex</u> sp. <u>Juncus</u> sp. <u>Carex nebrascensis</u> <u>Eleocharis parishii</u> <u>Juncus balticus</u> Juncus ensifolius var. montanus

FORBS

Allium Aquilegia Shockleyi Argemone munita Astragalus sp. A. canadensis var. brevidens Ascleepias speciosa Berula erecta Calochortus Castilleja Chenopodium Chorizanthe Cirsium drummondii Conium maculatum Crypthantha Delphinium Equisetum laevigatum Erigeron chrysopsidis Eriogonum lemmonii Eriogonum umbellatum E. caespitosum Erysimum <u>Gilia leptomeria</u> Happlopappus Iris missouriensis Lupinus Palmeri and other Mentha arvensis Mimulus guttata Nasturtium officinale Oenothera hookeri Penstemon Phacelia cryptantha Plantage major Phlox Plagiobothrys Potentilla pectinisecta Rumex crispus Salsola kali Senecio Silene menziesii dorrii Sisyrinchium bellum Sisyrimchium idahoensis S. halophilum Solidago spectabilis Sphaeralcea Suaeda occidentalis Taraxcum Trifolium workskioldii Triglochin concinna var. debile Ranunculus cymbalaria var. saximontanus Veronica americana Zigadenus venenosus

TREES AND SHRUBS

;

Artemisia arbuscula Artemisia arbuscula var. nova Artemisia tridentata tridentata Artemisia tritentata wyomirgensis Artemisia cana Eurotia lanata Cercocarpus lediflorus Ceanothus cordulatus Chrysothamnus nauseosus Chrysothamnus viscidiflorus Ephedra viridis Eriogonum sp. Juniperus occidentalis J. osteosperma Juniperus utahensis

Grayia spinosa Holodiscus dumosus Leptodactylon pungens Pinus flexilis Opuntia sp. Pinus monophylla Populus tremuloides Purshia tridentata Ribes cereum Rosa sp. Salix sp. Salvia dorrii Sambucus glauca Shepherdia argentea Symphoricarpos longiflorus Symphoricarpos albus Tetradymia canescens Sarcobatus vermiculatus Artiplex