

APPENDIX 5


1988-1992 UTILIZATION MONITORING

BITNER, NUT MOUNTAIN, AND

WALL CANYON (EAST) ALLOTMENTS

IN THE


BITNER, NUT MOUNTAIN, AND WALL CANYON HMA_s



BITNER ALLOTMENT






UTILIZATION
1992

- Slight 0-20%
- Light 20-40%
- Moderate 40-60%
- Heavy 60-80%
- Severe 80-100%




BITNER ALLOTMENT

UTILIZATION
1990






-  Slight 0-20%
-  Light 20-40%
-  Moderate 40-60%
-  Heavy 60-80%
-  Severe 80-100%


8/2/00



BITNER ALLOTMENT






UTILIZATION
19 89

-  Slight 0-20%
-  Light 20-40%
-  Moderate 40-60%
-  Heavy 60-80%
-  Severe 80-100%



BITNER ALLOTMENT


UTILIZATION
1988

-  Slight 0-20%
-  Light 20-40%
-  Moderate 40-60%
-  Heavy 60-80%
-  Severe 80-100%

NUT MOUNTAIN ALLOTMENT






UTILIZATION
19 92


	Slight 0-20%
	Light 20-40%
	Moderate 40-60%
	Heavy 60-80%
	Severe 80-100%



NUT MOUNTAIN ALLOTMENT

UT. ZATION
1990






-  Slight 0-20%
-  Light 20-40%
-  Moderate 40-60%
-  Heavy 60-80%
-  Severe 80-100%




NUT MOUNTAIN ALLOTMENT

UTILIZATION






1929

-  Slight 0-20%
-  Light 20-40%
-  Moderate 40-60%
-  Heavy 60-80%
-  Severe 80-100%




NUT MOUNT ALLOTMENT

UTILIZATION
1988






-  Slight 0-20%
-  Light 20-40%
-  Moderate 40-60%
-  Heavy 60-80%
-  Severe 80-100%


2,384 acres
04-07 TO 10-2






TOTAL ACTIVE PREFERENCE 4893
ACTUALLY USE 1988 2,384
NON-USE 1988 2,509




UTILIZATION
19 92

-  Slight 0-20%
-  Light 20-40%
-  Moderate 40-60%
-  Heavy 60-80%
-  Severe 80-100%



- WALL CANYON ALLOTMENT
LEGEND:
-  SPRING
 -  SPRING/PIPE
 -  WELL
 -  RESERVOIR
 -  FENCE


WILDLIFE AND WILDHORSE VALUES



Entire allotment is yearlong antelope range.

Entire allotment is Wall Canyon Wildhorse HMA.

9/28/10



UTILIZATION
1988

- Slight 0-20%
- Light 20-40%
- Moderate 40-60%
- Heavy 60-80%
- Severe 80-100%