

Data on Temperature and Frost Conditions during months of March
 April, May, June, and July, beginning 1890 to the present time

Revo. Nev. 4,532 ft.

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901															
1902	65-21	20-28	39.2	71-19	21-3	45.2	80-10	32-18	54.4	95-28	36-26	60.7	97-30	36-3	70.4
1903	61-30	7-4	33.6	72-17	23-9	45.8	-	27-30	-	91-8	31-4	66.4	96-25	35-2	67.2
1904	64-27	18-7	40.5	74-24	19-2	43.7	87-30	30-18	54	94-27	34-3	63.4	90-27	36-7	65
1905	62-3	19-21	40.5	78-11	22-23	46.2			<u>56.0</u>	92-29	40-8	64.0	93-19	39-16	68.3
1906	66-2	12-31	42.9	72-24	25-1	48.2	79-15	29-3	50.4	88-19	<u>35.5</u>	60.8	98-9	45-16	71.6
1907	70-8	18-19	40.6	81-20	20-4	47.2	81-8	28-18	52.3	88-30	32-7	59.2	98-13	49-9	73.4
1908	66-30	13-13	38.2	79-12	29-3	50.8	85-31	31-5	53.4	86-26	33-15	57.2	96-31	43-15	68.1
1909	75-16	15-7	41.2	78-11	19-1	49.4	78-24	26-9	48.7	91-30	32-22	59.4	99-30	48-16	73.3
1910	65-2	19-10	39.4	75-25	25-11	48.8	85-31	27-11	52.4	90-2	40-8	63.6			<u>67.4</u>
1911			47.6			53.4			59.7			63.8			72.8
			43.4			45.8			50			63.3			71.4
			44.10			52.5			47.5			68.8			70.5
			40.6			47.7			56.0			62.0			67.4
									531.3						768.9
									53.1						69.9

Data on Temperature and Frost Conditions during months of
 March, April, May, June, and July, beginning 1890 to the present time

Nabeska, Nev. 4, 347.

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901															
1902	68-31	23-2	40.6	79-18	20-23	49.6	88-27	23-2	54.5	100-8	32-3	67	100-13	33-15	70.8
1903	70-11	12-6	41.	78-22	17-12	46.7	92-30	24-18	55	100-25	32-2	66.4	100-29	32-3	65.8
1904	70-3	10-11	43.2	84-12	11-22	47.2	no book <u>56.6</u>			95-29	32-8	65.2	98-22	36-16	70
1905	70-1	10-31	44.6	85-22	18-1	51.1	86-16	22-10	53.4	95-30	32-5	63.8	101-10	40-28	71.3
1906	70-8	10-2	40.7	80-19	18-4	47.4	81-9	27-17	53.8	88-18	35-7	61.	95-12	41-1	72.1
1907	72-31	11-3	41.1	82-9	23-3	52.4	88-31	25-2	55.6	89-27	31-16	58.2	95-31	41-1	68.1
1908	74-20	12-28	41.2	88-12	11-1	50.2	81-6	21-9	51.1	92-30	28-3	60.4	96-2	45-23	72.1
1909	70-16	8-12	39.9	82-16	15-6	49.4	90-31	23-11	52.4	94-3	36-9	66.6			<u>68.0</u>
1910			47.2			Missing			Missing			Missing			71.2
1911			39.3			45.5			51.4			Missing			Missing
			418.8			439.50			427.20			508.6			561.40
									56.6						68.0
									483.8						629.4
			41.9			48.8			53.8			63.6			69.9
										53.8					

Data on Temperature and Frost Conditions during months of
 March, April, May, June, and July, beginning with 1890 to the present
 of Wells, Nevada.

5623 ft., Elev.

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	60-16	20-14	37.2	73-30	23-7	42.4	90-17	38-21	54.8	83-21	37-12	59.3	99-28	66-1	—
1902	54-10	18-3	33.1	66-16	30-2	46.8	82-28	28-18	54.2	94-21	42-3	64.9	90-13	38-2	66.3
1903	—	—	—	82-4	22-1	49.5	—	—	—	—	—	—	94-18	45-3	70.2
1904	52-16	11-25	35.1	69-12	28-23	43.3	6-10, max		<u>51.6</u>	87-17	34-24	60.4	98-30	41-1	73.0
1905	55-12	14-31	38.8	62-7	22-27	44.6	65-29	28-8	41.6	90-20	30-9	60.4	99-26	46-8	70.5
1906	53-28	-4-16	33.8	64-22	27-2	47.3	—	—	—	92-10	36-7	57.1	99-21	42-16	71.7
1907	—	—	—	—	—	—	78-7	31-17	49.9	—	—	—	—	—	—
1908	62-24	18-30	36.6	72-18	26-29	49.0	80-10	14-10	46	88-25	28-1	54.2	100-11	36-2	69.8
1909	59-20	-5-11	37.8	68-17	21-22	46.0	82-31	30-1	53.7	98-21	—	—	—	—	<u>65.8</u>
1910			43.6			47.6			57.0			66.3			73.0
1911			39.9			40.6			48.1			60.8			69.0
			335.90			457.1			404.3			483.4			563.5
			37.3			45.7			51.6			60.4			65.8
									455.9						629.3
									50.7						69.9

Data on Temperature and Frost Conditions during months of
 March, April, May, June, and July, beginning with 1890 to the present

of Fernley, Nevada.

Lyon Co.

Elevation - 4200

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901															
1902															
1903															
1904															
1905															
1906															
1907	65-30	22-13	41.2	81-11	28-3	54.2	89-31	32-2	58.2	90-26	30-14	61.6	¹⁰⁰ 31	47-15	74.4
1908	81-16	17-9	44	83-30	14-1	53.6	84-24	30-8	52.2	95-30	35-2	64.1	¹⁰¹ 31	57-6	79.6
1909	67-15	15-11	41.6	78-26	21-7	50.7	88-31	25-11	55.2	95-3	29-17	61.6			<u>70.8</u>
1910	76, 3	25, 30	49.4	87, 25	21, 5	55.9	100, 30	33, 6	62.8	99, 26	43, 22	69.2	103, 25	44, 4	78.5
1911	81-31	19-14	44.8	86-22	10-14	47.4	84-21	22-10	51.2	94, 11	36, 24	66.6	100, 16	38, 9	74.2
			221.0			261.8			279.6			323.0			306.10
			44.2			52.4			55.9			64.6			70.8
															<u>377.5</u>
															75.5

not in book

Data on Temperature and Frost Conditions during months of March, April, May, June, and July, beginning 1890 to the present time

Hamilton, Nev. 7977

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	57-1	7-27	30.8	66-24	5-8	36.2	80-11	28-21	53	96-29	25-25	57.9	93-24	40-7	66.4
1902	59-31	5-1	25.8	68-18	16-1	40.4	79-30	20-4	50.4	80-12	25-21	54.9	97-24	26-2	61.5
1903	52-23	4-8	30.4	60-8	8-11	33.2	50-12	20-18	36	85-27	28-10	53.2	-	-	-
1904	44-30	22-1	34.6	70-12	10-19	38	-	-	<u>46.8</u>	-	-	-	-	-	-
1905	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1906	-	-	-	-	-	-	72-8	20-16	44.5	80-11	22-7	53.4	87-24	42-28	64.6
1907	50-17	-10-2	26.4	66-12	14-1	38.4	71-31	18-14	43	75-27	18-14	<u>47.4</u>	89-5	38-17	62.0
1908	-	-	-	59-12	15-26	38.8	57-1	16-9	34.2	64-25	20-3	43.6	73-23	40-1	56.6
1909	-	-	-	-	-	-	-	-	-	77-30	-	-	-	-	-
1910	no data published														
1911	"														

148.0
 296
 225.0
 375
 261.10
 46.8
 307.9
 $43.98 = 44.0$
 310.4
 51.7
 311.10
 62.2

Data on Temperature and Frost Conditions during months of March, April, May, June, and July, beginning 1890 to the present time

Halleck, Nev. 5229)
5631

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	63-1	18-27	35.5	74-24	17-4	43.4	87-16	38-1	57.9	90-17	38-10	60.4	109 30	49-5	72.6
1902	50-17	12-1	32.7	77-18	28-3	42.8	84-25	33-3	53.4	96-21	33-1	60.2	98- 25	36-2	65.
1903	-	-	-	74-25	24-11	42.4	95-31	36-3	53.8	94-25	48-3	71.2	96- 15	46-7	72.5
1904	75-3	20-24	35.8	84-13	24-1	49.8	92-16	38-1	52.2 92-16 92-16	90-27	38-1	62.4	96- 31	60-11	73.1
1905	64-6	6-30	40.6	66-9	22-1	46.8	78-18	32-4	50.4	92-13	40-3	62.3	-	-	-
1906	62-29	-12-14	-	78-16	26-2	47	84-9	28-16	53.6	90-9	26-8	59.0	98° 22	45-30	72.2
1907	60-7	-10-26	-	77-9	18-20	-	85-16	28-6	52.6	80-27	32-17	55.5	92° 30	38-2	65.4
1908	64-15	-5-6	35.2	81-13	10-1	45.9	80-1	14-10	44.2	92-24	28-3	55.7	100° 31	39-6	70.1
1909	72-30	-10-11	32.5	-	-	-	87-31	-	-	98-27	-	-	-	-	-
1910	70, 21	20, 3	41.7				95, 30			95, 26			100 24	44, 31	76.2
1911	73, 31	15, 1	38.6	74, 1	6, 12	39.6	83, 4	18, 10	47.9	95, 12	32, 24	60.4	96, 14	30, 8	67.4

$\frac{292.6}{36.6}$ $\frac{357.7}{44.7}$ $\frac{413.8}{51.7}$ $\frac{547.10}{60.8}$ $\frac{634.50}{79.5}$

$\frac{413.8}{52.2}$
 $\frac{9) 466.0}{51.8}$

Data on Temperature and Frost Conditions during months of March, April, May, June, and July, beginning 1890 to the present time

Clown Valley, Elko, Co. Elevation - 6000ft.
(Wood)

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901															
1902	62°-21	7°-24	33.4	77°-20	9°-16	42.0	82°-16	27°-5	54.8	87°-20	23°-11	58.3	94°-30	39°-3	68.9
1903	61°-31	4°-1	30.8	76°-18	18°-10	44.1	86°-26	20°-3	51.8	92°-20	27°-2	61	91°-20	32°-6	62.8
1904	63°-30	5°-9	33.6	76°-25	11-12	41.8	85°-12	25°-2	50.6	93°-20	37°-13	62	91-12	31°-3	63.4
1905	62-6th	12-23	36.6	80-12	19-1	45.2			<u>52.2</u>	85-13	32-23	58.8	91-20	37-30	63.8
1906	65°-3	11-31	39.4	70-5	20-1	45.8	82-16	22-11	47.7	85-21	33-18	58.2	91-10	40-2	66.8
1907	59-20	-13-16	34.3	82-21	21°-3	45.2	82-9	19-17	51.6	89-11	29-7	55.6	93°-21	44°-5	68.3
1908	62-31	3°-26	37.8	77-12	18-21	47.6	77°-19	25°-1	49.8	83°-27	28°-15	52.8	90-30	41-6	65.2
1909	71-16	11-6	38.8	83-19	6-1	47.2	79-1	20-10	46.4	89°-24	29-3	54.9	94-11	40-6	69.2
1910	59°-31	11-12	36	74-27	18-7	44.2	79-4	22-6	49.4	94°-30	31-9	62.8			<u>67.6</u>
1911	67, 18	22, 27	43.8	85, 25	18, 15	49.7	93, 31	28, 2	56.1	93, 27	33, 3	63.7	96, 13	44, 2	71.2
1911	76, 1	9, 13	43.8	80, 4	28, 11	49.6	93, 12	29, 10	61.0	92, 6	43, 3	67.9			
1911	74, 31	8, 1	41.8	76, 1	9, 13	43.8	80, 4	25, 11	49.6	93, 12	29, 10	61.0	92, 6	43, 3	67.9

406.3

36.9

496.6

45.1

507.8
52.2
560.0
50.9

649.0

59.1

667.50
67.6
735.1
66.8

Data on Temperature and Frost Conditions during months of March, April, May, June, and July, beginning 1890 to the present time

Elko, Elko Co. Nevada. ⁵⁰⁶³ ~~5342~~ ?

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	61°-5	20-11	41.6	66°-21	16°-4	44.8	80°-17	32-3	54.4	90°-29	26°-11	56.5	98-11	30-4	67.1
1902	60-10	8-1	35.9	68°-28	20°-3	44.1	84-28	27-3	50.2	94°-21	26-2	61.0	99-22	34-6	64.8
1903	68-30	5-7	36.4	69-21	15-11	43.5	85-31	26-14	52.2	92-8	37-8	63.3	98-27	31-8	65.6
1904	58-4	11-4	38.8	74-12	25-24	44.2			<u>50.2</u>	95°-30	32-24	62.8	101-21	34-13	66.9
1905	72-1	14-31	42.2	74-4	26-2	45.2									
1906	65-29	0-16	35.3	80-20	35-1	52.7	80-18			85-11	38-7	59.6	^{100°} ₁₂₄		
1907	62-31	3-26	37.8	75°-10	35-4	47.6	80-15	40-1	52.5	86-27	32-13	57.0	90-10	50-16	69.
1908	65-15	20-24	41.2												
1909				70-16	15-22	41.8	81-31	19-11	54.6	96-30	32-9	63.3			<u>66.2</u>
1910	78, 1872	24	43.9	84, 2518	15	50.4	94, 3128	21	58.2	93, 2729, 4	61.1	95, 1234, 3	67.6		
1911				75, 2411, 13	42.6	84, 422, 11	50.4	93, 1231, 9	61.6	96, 1632, 9	68.1				
				72, 23		89, 1120, 5	48.8			26, 26				26, 9	
			353.10		456.9		372.5		50.2		546.2		469.10		66.2
							422.7						535.3		66.9
			39.2		45.7		52.8				60.7				

Data on Temperature and Frost Conditions during months of March, April, May, June, and July, beginning 1890 to the present time

Ely, Nevada

6000 ?
6421 ?

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901															
1902	62-1	10-26	34	72-19	3-7	41.4	84-17	28-19	53.7	95-29	25-10	59.6	97-20	38-4	71.
1903	57-31	0-3	29.6	69-17	20-1	45	85-28	21-4	52.0	95-23	27-1	64.6	94-14	31-5	66.
1904	59-30	-5-7	33.3	75-25	12-5	41.5	82-13	25-19	49.4	93-28	40-12	62.2	92-12	35.3	65.6
1905	67-3	0-23	38.4	76-12	13-23	43.1	90-28	30-24	53.2	90-28	30-24	60.4	93-18	40-15	66.5
1906															
1907															
1908															
1909	74-13	7-6	39.3	76-12	17-1	47.5	80-1	23-19	48.2	85-13	30-4	56.	96-21	45-1	72.8
1910	57-2	3-12	34.2	72-16	12-8	42.5	76-4	22-14	48.4	92-30	32-10	62.8			71.6
1911	60, 28, 15, 15		36.3	71, 15, 18, 18		42.6	95, 31	26, 20	53.6	96, 26, 34, 6		63.4	95, 23, 46, 16		70.4
	60, 22, 13, 11		38.0												

$\frac{283.10}{35.4}$
 $\frac{303.6}{43.4}$
 $\frac{305.3}{53.2} = 358.5$
 $\frac{429.0}{61.3}$
 $\frac{412.3}{71.6} = 483.9$
 $\frac{483.9}{69.1}$

Data on Temperature and Frost Conditions during months of March
 April, May, June, July, beginning 1890, to the present time.

Fallon, Nev 3965 ft

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean

1890	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
1891	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901															
1902															
1903															
1904			<u>43.8</u>			<u>49.4</u>			<u>58.4</u>			<u>66.0</u>			<u>73.7</u>
1905						<u>50.5</u>			<u>56.6</u>			<u>62.4</u>			<u>70.2</u>
1906															
1907															
1908	70-30	12-14	42.4	81-9	29-21	54.8	88-31	29-2	56.3	93-27	33-14	62	99-31	44-5	72
1909	78-14	15-7	42.6	89-3	18-1	52.6	80-29	25-9	51.6	93-30	35-3	62.8	101-20	51-23	76.4
1910	68-15	15-12	41.0	77-26	21-8	50.3	88-31	26-11	55.4	97-3	43-9	67.8			<u>70.6</u>
1911	73, 3	24, 30	48.6	89, 24	22, 4	55.0	102, 31	28, 5	61.2	101, 26	40, 21	66.8	103, 10	38, 4	74.6
	79.3	22.1	45.4	79.1	13.14	47.7	83.4	23.7	52.6	95.11	39.24	67.0	100.6	43.3	74.2

$\begin{array}{r} 220.9 \\ 43.8 \\ \hline 264.7 \\ 44.1 \end{array}$	$\begin{array}{r} 310.9 \\ 49.4 \\ \hline 360.3 \\ 51.5 \end{array}$	$\begin{array}{r} 333.7 \\ 58.4 \\ \hline 392.1 \\ 56.0 \end{array}$	$\begin{array}{r} 389.8 \\ 66.0 \\ \hline 455.8 \\ 65.1 \end{array}$	$\begin{array}{r} 375.46 \\ 70.6 \\ \hline 446.0 \\ 73.7 \\ \hline 519.7 \\ 74.2 \end{array}$
----------------------------------------------------------------------	----------------------------------------------------------------------	----------------------------------------------------------------------	----------------------------------------------------------------------	-----------------------------------------------------------------------------------------------

Data on Temperature and Frost Conditions during months of March
 April, May, June, July, beginning 1890, to the present time.

Eureka, Nevada

65-94?
6500

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1902	51-18	9-29	29.2	76-18	17-3	44	83-30	22-3	52.6	95-23	27-1	64.3	75-23	32-2	67.2
1903	62-31	6-20	33.6	74-24	12-11	43.0	85-13	25-17	51.2	95-27	40-3	64.0	93-28	33-8	67.0
1904	67-19	9-27	36.7	75-16	10-1	43.2			<u>51.4</u>	104-20	11-3	57.4	110-22	39-6	72.8
1905	63-2	10-30	37.8	69-17	10-10	40.6	75-29	19-2	43.4	92-13	29-4	60.2	99-19	58-2	79.8
1906	-	-	-	73-20	14-4	43.2	76-8	23-16	49.8	88-11	28-7	57.5	92-19	47-3	70.8
1907	62-31	4-26	36.6	78-9	17-20	46.7	78-19	24-2	48.5	85-27	21-14	53.6	90-22	38-15	67.1
1908	71-16	4-6	36.8	76-12	7-1	46.6	76-1	19-10	45.2	87-25	25-3	56.4	93-3	45-6	71.3
1909	58-31	3-12	33.9	71-16	14-7	42.6	78-31	17-11	48.8	92-30	30-9	63.3			
1910	67, 31, 22, 29		44.0	81, 24, 15, 15		51.2	94, 31, 19, 5		55.3	92, 26, 34, 23		63.8	93, 7, 37, 5		79.2
1911	71, 31, 11, 13		42.0	73, 25, 9, 14		42.9	77, 22, 24, 6		49.6	90, 12, 32, 24		61.0	93, 14, 36, 1		70.2
			330.6			444.0			444.4			601.5			634.60
			36.7			44.4			51.4			60.2			79.2
									495.8						713.8
									49.6						71.4

Data on Temperature and Frost Conditions during months of March
 April, May, June, July, beginning 1890, to the present time.

Gardnerville 4830

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
1891	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1902															
1903															
1904															
1905															
1906									96-18	30-1	60.4	^{96°} 79	43-8	69	
1907	-	-	-	83-13	20-4	48.4	-	-	-	82°-2	28-14	55.7	-	-	-
1908	81-17	15-7	42.8	87-11	14-4	48.7	86-30	20-15	57.4	95-26	27-3	60	⁹⁷⁻ 12	41-1	71.2
1909	65-2	12-12	39.1	78-26	18-7	48.2	80-30	22-11	50.8	94-21	34-10	62.4			<u>65.8</u>
1910	74, 24, 25	48.6	83, 24	26, 4	53.1	98, 30	26, 4	59.7	missing	missing	missing	7	99	30, 4	69.4
1911	Missing	Missing	Missing	Missing	Missing	Missing	Missing	Missing	91, 11	37, 23	63.6				
	<u>130.50</u>			<u>198.4</u>			<u>161.9</u>			<u>302.10</u>			<u>209.6</u> <u>63.8</u> <u>275.4</u>		
	43.5			49.6			54.0			60.4			68.9		

Data on Temperature and Frost Conditions during months of
 March, April, May, June and July, beginning 1890 to the present time

Lewis's Ranch, Nev. 5,500

	March			April			May			June			July		
	Max	Min	mean	max	min	mean	max	min	mean	max	min	mean	Max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	70-1	18-12	41.6	70-11	17-4	44.6	80-10	31-22	54.2	94-28	32-13	60.2	100-90	38-3	69.6
1902	63-30	10-3	35.4	72-17	24-9	46.3	87-26	24-2	52.2	90-20	29-2	62.3	95-24	35-2	65.8
1903	65-27	12-6	40.1	76-24	18-2	44.4	90-30	29-16	59.5	90-27	35-17	63.2	87-31	35-7	62.7
1904	64-7	18-21	40.4	81-11	21-23	47.6			<u>57.2</u>	90-28	33-7	61.0	92-19	38-16	67.2
1905	71-5	15-31	44.4	75-24	20-1	50.6	84-15	25-10	51.2	85-20	33-5	60.5	109-71	32-31	72.4
1906	69.8	14-19	40.6	-	-	-	-	-	-	85-30	32-7	57.8	92-11	46-9	69.4
1907	76-30	11-14	37.5	78-12	25-3	50.3	85-31	27-12	52.2	84-1	29-14	55.6	88-31	42-14	65.
1908	76-16	9-7	43.2	81-27	17-1	49.6	75-5	22-9	47.6	86-29	25-3	57-1	101-19	44-14	71.2
1909	-	-	-	76-15	24-5	48.8	87-31	25-11	51.6	88-3	35-4	60.5			<u>64.6</u>
1910	70, 7	24, 25	47.4	83, 24	24, 4	52.2	94, 30	25, 5	57.6	93, 25	33, 21	60.7	98, 9	32, 4	69.8
1911	79, 31	23, 1	42.8	80, 1	16, 12	47.2	80, 21	24, 6	49.8	86, 27	34, 24	59.8	91, 15	38, 1	67.8

413.4
 41.3
 481.6
 48.2
 475.9
 57.2
 533.1
 53.3
 658.7
 59.9
 680.9
 64.6
 745.5
 67.8

Data on Temperature and Frost Conditions during months of March, April, May, June, and July, beginning 1890 to the present time

Las Vegas, Nev. ²⁰⁷⁴ 2,033

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	-	-	-	98-21	39-5	61.4	-	-	-	-	-	-	-	-	-
1902	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1903	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1904	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1905	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1906	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1907	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1908	91-17	27-27	56.2	91-13	32-4	64.2	99-25	40-5	67.4	108-30	35-1	74.2	111-21	50-12	84.4
1909	74-15	23-18	48.7	-	-	-	96-28	32-12	64.8	111-30	37-19	76.2			<u>85.4</u>
1910	96, 7	28, 24	56.5	99, 24	29, 2	63.9	114, 30	28, 5	71.8	112, 1	40, 21	81.7	114, 10	40, 13	85.2
1911			<u>161.4</u>			<u>189.5</u>			<u>204.0</u>			<u>232.1</u>			<u>169.6</u>
			53.8			63.2			68.0			77.4			<u>85.4</u>
															<u>255.0</u>
															<u>85.0</u>
1911	85, 28	48, 5	61.3	89, 17	49, 12	<u>Jan</u> 67.0	93, 21	56, 25	72.8	103, 11	Missing		Missing		

Data on Temperature and Frost Conditions during months of March
 April, May, June, and July, beginning 1890 to the present time

Potts, N.Y. Co 6, 990

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	62-6	0-24	34.4	78-21	0-4	42.3	91-16	26-22	55.9	93-30	26-27	53	110-26	40-1	69.4
1902	55-31	8-14	32.8	76-29	24-29	50	88-21	34-2	61.0	-	-	-	-	-	-
1903	60-31	-8-18	32.2	75-24	10-2	39.8	85-12	15-17	48.0	94-27	32-4	62.3	100-31	26-7	63.4
1904	69-17	1-25	36.0	77-12	10-1	40.2	-	-	<u>50.4</u>	91-22	27-9	59.9	97-18	30-10	64.5
1905	59-25	8-29	35.8	73-29	14-1	43.6	80-15	21-10	47.2	93-26	24-5	57.8	102-23	31-17	65.8
1906	59-9	-7-18	33.6	72-19	15-4	41.0	80-8	16-57	47.8	91-30	21-7	56.3	94-20	32-25	67.2
1907	60-31	-4-13	33.2	75-12	14-20	44.2	81-31	15-2	46.5	88-28	25-16	54	92-21	34-15	63.8
1908	61-16	-2-7	32.9	74-30	9-1	42.1	75-29	19-9	43.4	89-30	19-3	54.4	96-10	38-1	68.4
1909	54-15	5-12	31.6	70-16	12-7	40	78-26	15-11	46	92-3	30-10	60.4			<u>65.4</u>
1910	63,4	16, 30	40.6	78,24	13, 4	46.2	95, 30	11, 5	52.2	94, 25	30, 22	59.8	95, 7	28, 5	66.6
1911	66,31	3, 1	36.8	71,25	4, 14	39.6	75, 22	16, 10	46.6	90, 11	31, 1	59.5	94, 5	33, 1	68.2

$\frac{379.90}{34.5}$
 $\frac{469.0}{42.6}$
 $\frac{494.60}{50.4}$
 $\frac{545.0}{50.0}$
 $\frac{577.4}{57.7}$
 $\frac{597.30}{65.4}$
 $\frac{662.17}{66.3}$

Date on Temperature and Frost Conditions during months of March
 April, May, June, and July, beginning 1890 to the present time

Linn River ^{Crossing} Ranch - Humboldt Co. 4,850

	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901															
1902	66-21	15-24	40.4	71-11	21-3	45.0	83-11	24-22	56.2	98-18	27-26	57.6	100-23	31-1	69.8
1903	60-31	18-31	36.3	68-19	20-10	45.6	—	—	—	—	—	—	100-23	30-3	63.0
1904	—	—	—	75-24	10-11	39.8	—	—	—	—	—	—	—	—	—
1905	68-19	15-25	40	84-12	22-1	48.2	70-10		56.0	—	—	—	71-1	10-31	43.8
1906	78-25	18-1	48.0	90-15	18-22	51.6	90-11	29-28	59.2	105-23	37-19	72.	—	—	—
1907	—	—	—	82-22	38-1	51.2	88-9	—	—	90-30	—	—	99-25	—	—
1908	65-30	18-14	39.2	76-9	21-30	49.9	87-31	23-21	52.8	88-27	31-23	57.6	98-30	35-16	66.8
1909	75-16	7-6	38.1	82-19	4-1	48.1	81-24	15-10	48.4	92-30	28-23	57.2	105-31	41-17	73.3
1910	69-16	13-12	40.4	75-25	14-7	46.1	87-31	20-11	51.6	94-30	32-10	63.5			66.6
1911	72, 13	22, 5	45.5	87, 25	20, 4	—	98, 30	24, 17	57.8	96, 26	25, 3	61.0	99, 13	33, 23	71.0
1911	79, 30	13, 1	43.0	77, 1	14, 14	45.4	79, 21	23, 6	49.2	92, 11	29, 9	66.8	96, 29	34, 9	69.1
			370. ⁹⁰			410. ⁹			375.20			437. ¹⁰			456. ⁸⁰
			41.2			47.1			56.0			62.5			66.6
									431.2						523.4
									53.9						65.4

Data on Temperature and Frost Conditions during months of
 March, April, May, June and July, beginning 1890 to the present time

McCaffee's Ranch, 4,835

	March			April			May			June			July			mean
	Max	Min	mean	max	min	mean	max	min	mean	max	min	mean	Max	min	mean	
1890																
1891																
1892																
1893																
1894																
1895																
1896																
1897																
1898																
1899																
1900																
1901	-	-	-	not recorded			-	-	-	-	-	-	-	-	-	-
1902	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1903	-	-	-	80-25	14-6	44	87-31	20-18	54.8	-	-	-	96-2	33-9	66	mean
1904	73-19	10-12	42.2	81-12	11-24	47.2	-	-	59.0	91-13	34-5	64.7	96-21	11-17	65.8	
1905	70-25	12-30	43.2	79-29	18-20	49.4	85-16	25-11	51.4	95-20	35-3	62.3	-	-	-	
1906	71-10	4-2	42.2	79-21	19-12	46.1	82-9	22-29	54.5	91-11	33-8	62.8	-	-	-	
1907	77-18	1-13	36.2	82-9	12-29	45.6	90-17	19-1	47.4	92-29	19-12	52.4	96-1	30-7	62.3	
1908	71-17	4-7	34	78-7	5-2	46	80-18	12-16	46.8	88-30	18-1	53.6	94-21	32-16	66	
1909	-	-	-	-	-	-	86-31	25-15	53.6	94-25	39-16	66.1	-	-	-	
1910	80, 24	10, 4	43.5	95, 21	25, 1	60.2	101, 31	32, 14	63.4	101, 26	30, 21	65.8	111, 29	37, 4	72.2	
1911	Missing →															
	241.3			338.5			371.9			429.9			335.3			
	40.7			48.3			430.9			61.1			67.1			
	53.9															

Data on Temperature and Frost Conditions during months of March
 April, May, June and July, beginning 1890 to the present time.
 Austin, Lander County, Nevada, elevation, 6,594 feet.

times by 2
 heavy printing
 24-3-2

1890	MARCH			APRIL			MAY			JUNE		JULY			
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1891	o date		o date	o date		o date	o date		o date	o date					
1890															
1891															
1892															
1893															
1894															
1895															
1896															
1897															
1898															
1899															
1900															
1901	60°-1	10°-12	35.4°	69°-24	13°-7	41.9°	77°-16	30°-20	53.3°	87°-28	30°-13	58.5°	92°-30	42°-4	72.2°
1902	53°-31	10°-14	30.4°	70°-18	23°-9	42.2	79°-28	23°-2	50.4°	89°-22	31°-1	62.9	88°-14	31-2	65.6
1903	58°-30	10°-19	34.0°	68°-24	16°-5	41.4	82°-31	26°-17	50.8	86°-25	41°-3	63°	87°-28	37°-2	65.4
1904	58°-6	13°-12	36.6	72°-12	19°-23	48.1			<u>52.4</u>	87-28	36-3	61-8	90°-21	43-16	68
1905	56-6	16-31	39.5	68-29	19-1	44.6	79-27	21-10	47.4	82-30	34-5	56.8	92°-9	40-2	69.8
1906	—	—	—	73-20	18-1	43.4	78-9	25-16	49.8	86-11	33-7	58.4	92-19	54-1	72.6
1907	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1908	65-16	10-7	37.9	72-13	21-8	47.8	74-1	22-3	44	—	—	—	—	—	—
1909	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1910															
1911	213.80			309.40			297.70 52.4 350.1			361.2		413.60			
	35.6			44.2			50.0			60.2		68.9			

Data on Temperature and Frost Conditions during months of March, April, May, June, and July, beginning 1890 to the present time

Humenucca, Tex 4432

Year	March			April			May			June			July		
	max	min	mean	max	min	mean	max	min	mean	max	min	mean	max	min	mean
1890	2	7	m	a	m	f	f	a	s	o	n	d			
1891	70														
1892	60														
1893	50														
1894	40														
1895	30														
1896															
1897															
1898															
1899															
1900															
1901															
1902	65-1	17-29	38.6	70-24	12-4	43	82-16	29-22	55.3	90-28	31-11	59.4	99-30	37-3	71.5
1903	62-31	14-29	35.3	73-18	17-3	44.9	84-26	18-3	52.6	93-21	29-2	64.0	97-20	33-2	66.6
1904	65-30	14-7	38.2	74-24	16-11	43.4	90-31	30-15	52.8	91-27	36-3	65.4	98-18	33-7	66.2
1905	61-7	20-26	38.7	80-12	23-23	47			<u>55.7</u>	92-28	34-24	63.6	94-21	40-16	68.7
1906	69-4	3-30	42.7	75-25	19-12	48.3	86-16	25-22	51.6	89-21	35-8	61.2	100-10	45-14	72.0
1907	68-29	2-16	39.4	81-20	23-12	47.8	84-9	26-17	52.6	87-11	36-7	59.3	97-20	47-30	75
1908	66-31	16-13	39.3	78-12	27-30	51.2	84-31	28-2	53.5	90-27	33-14	58.6	96-31	40-15	69.4
1909	75-15	9-7	38.7	81-19	12-1	48	79-6	21-10	48.2	91-30	30-2	58.3	98-31	48-15	74
1910	65-16	18-10	39.4	74-25	19-7	45.8	84-31	20-11	57.6	95-30	33-8	65			<u>68.2</u>
1911			48.1			52.4			58.7			64.0			72.8
			43.2			45.4			50.8			63.6			71.6
			44.6			51.20			52.7			68.2.4			708.20
									55.7						68.2
									58.3.4						776.4
			40.1			47.0			53.0			62.0			70.6